## JOURNAL OF THE CHEMICAL SOCIETY

# Dalton Transactions

A journal of inorganic chemistry

1995



ROYAL SOCIETY OF CHEMISTRY

© The Royal Society of Chemistry, 1995. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photographic, recording, or otherwise, without the prior permission of the publishers.

### AUTHOR INDEX

Abad, José-Antonio, 3093, 4131 Abasq, Marie-Laurence, 1973 Abbott, Andrew P., 3709 Abd-El-Aziz, Alaa S., 3375 Abe, Yuriko, 1823, 1823 Abel, Edward W., 1233. Abrahams, Isaac, 1043, 2081, 2273 Abrisqueta, María-Dolores, 497 Acum, Gillian A., 3049 Adam, Kenneth R., 1127 Adams, Harry, 275, 697, 1393, 1883, 2323 Ahmet, Mustafa T., 3041, 3143 Aime, Silvio, 2259 Ainscough, Eric W., 1121 Ajiboye, Sarah I., 3837 Akhtar, M. Naseem, 1483 Akiyama, Shin-ichi, 2201 Al-Arfai, Abdul Rahman, 1483 Al-Shali, Saman, 3521 Al-Soudani, Abdul-R. H., 355 Albano, Vincenzo G., 2087 Alberico, Elisabetta, 425 Albertin, Gabriele, 719, 1783 Alberts, Ian L., 2193 Alcácer, Luís, 3543 Alcock, Nathaniel W., 3659 Alessio, Enzo, 1653 Ali, Mahammad, 1083 Allan, Christine C., 3705 Allan, Robert E., 1991 Allcock, Harry R., 2785, 3521 Allen, Christine C., 2541 Almeida, Manuel, 3543 Alonso, Ester, 3777 Alonso, José Antonio. 2819 Alvarez-Larena, Angel, 2137 Amador, Ulises, 2183 An, Dao Li, 2289 Andrews, Philip C., 4059 Ang, How-Ghee, 2757, 3753 Angermaier, Klaus, 559 Antiñolo, Antonio, 1007,

3409

Antolić, Snježana, 1441

Antoniutti, Stefano, 719, 1783 Aparna, Kasani, 2151, 2991 Ara, Irene, 2397 Aranzabe, Ana. 2225 Archer, Colin M., 1663 Ardizzoia, G. Attilio, 1671 Aresta, Michele, 3359 Arif, Atta M., 1857 Armstrong, Elaine M., 191 Arora, Sumati, 3109 Asai, Miki, 3195 Asato, Eiji, 3897 Asgedom, Gebray, 2459 Ashmore, Jennifer, 1873 Astley, Timothy, 595, 3809 Atencio, Reinaldo, 2171 Atherton, Malcolm J., 4029 Atkinson, J. William, 3317 Atwood, Jerry L., 3335 Au, Yat-Kun, 1047, 1389 Au-Yeung, Steve C. F., 2999 Augusto, Ohara, 3759 Avent, Anthony G., 2095 Avila-Rosón, Juan C., 2143 Axon, Tony L., 153, 673 Ayllón, José A., 3543 Babu, Kamlesh, 2151 Backhouse, James R., 1489 Bag, Nilkamal, 1417, 1543 Baggio, Ricardo, 987 Bai, Zi-Long, 695 Bailey, Alan J., 1833, 3537 Bailey, Neil A., 275, 697, 765, 1393, 1883, 2101, 2323 Bailey, Philip J., 741, 1527 Baitalik, Sujoy, 1239 Bajaj, Hari C., 2497, 3415 Bakalbassis, Evangelos G., 2312 Baker, Lisa-Jane, 1341, 2895 Baker, Paul K., 1525 Bakir, Mohammed, 1733 Balconi, Massimo, 579 Baldwin, Darren S., 1127 Balzani, Vincenzo, 3601 Banbury, F. Adele, 3139 Bandoli, Giuliano, 1749, 2189, 3475 Baneriee, Pradyot, 1083 Banerjee, Rupendranath, 621 Banks, William A., 1677

Barbieri, Adriana, 467

Barbieri, Renato, 467 Barclay, Caroline E., 57 Barclay, J. Elaine, 1965 Bardají, Manuel, 1255, 2245 Bardwell, David A., 825, 835, 2921, 3071, 3601 Barigelletti, Francesco, 3601 Barker, Marten G., 3825 Barkley, James V., 2861, Barlow, Graham K., 3427 Barnes, Charles L., 565 Barnes, John C., 269 Barnham, Kevin J., 3721 Barral, M. Carmen, 2183 Barré, Christophe, 3699 Barrie, Patrick J., 2125 Bartsch, Richard A., 2503 Bashall, Alan, 1127 Basosi, Riccardo, 1267 Batinić-Haberle, Ines, 2503 Batsanov, Andrei S., 3825 Battaglia, Luigi Pietro, 2297 Bauer, Andreas, 2919 Bautista, Delia, 3093, 4131 Bavoso, Alfonso, 2385 Bayeul, Daniel, 851 Bazakas, Konstantinos, 1133 Bazzicalupi, Carla, 2377 Beckford, Floyd A., 2561 Beckmann, Haiko, 2797 Beddoes, Roy L., 2873, 2915, 3231 Beer, Paul D., 403, 1273, 3117, 3447, 3455 Begley, Michael J., 377, 383, 957, 1173, 1995, Beguin, Claude, 1939 Belderraín, Tomás R., 1529 Beletskaya, Irina P., 2679 Belgardt, Thomas, 3747 Belicchi Ferrari, Marisa, 2297, 3035 Belin, Claude, 3113 Belli Dell'Amico, Daniela, 3917 Bencini, Alessandro, 963, 3881, 4121 Bencini, Andrea, 2377 Bengtsson, Lars A., 245, 255 Benlian, David, 575 Bennett, Simon, 367 Berger, Robert M., 3677

Bergs, Ralph, 3093, 4131 Beringhelli, Tiziana, 2407 Bernal, Ivan, 99, 611, 3667 Bernardinelli, Gérald, 83. 115 Bernardo, Mª. Alexandra, 993 Berthet, Jean-Claude, 3019, 3027 Bertrand, Philippe, 275 Beswick, Michael A., 1991 Bevilacqua, Danila, 689 Bhadbhade, Mohan M., 2769 Bhattacharyya, Pravat, 1607, 2489, 3189 Bhattacharyya, Sudeep, 2619 Bianchi, Antonio, 2377 Bilyk, Alexander, 2549 Bitcon, Caroline, 2873 Black, Jane R., 3439 Blake, Alexander J., 163, 495, 689, 843, 1063, 1391, 1555, 1765, 2311, 2741, 2749, 3263, 3431, 4045 Blake, Antony B., 2515 Blake, Paul C., 3335 Bloor, David, 153, 673 Boag, Neil M., 3473 Bobbo, Tatiana, 3853 Boča, Roman, 1921 Bochet, Christian G., 83 Bochmann, Manfred, 1645, 1649, 1887, 2813 Boeyens, Jan C. A., 3705 Bohanna, Cristina, 2171 Bohra, Rakesh, 2999 Boisson, Christophe, 3019, 3027 Bollinger, James E., 1677 Bond, Alan M., 1917 Booij, Arend S., 185 Borchert, Till, 1061 Bordignon, Emilio, 719, 1783 Borrás-Almenar, Juan José, 2305 Boschi, Tristano, 3617 Bose, Rathindra N., 4129 Bosque, Ramón, 1839, 2445, 4053 Bott, Raymond C., 1341 Botta, Mauro, 2259 Bowmaker, Graham A., 1341, 3063 Boyd, Peter D. W., 1153

Braden, Markus, 665 Braga, Dario, 287, 419, 909, 1089, 1215, 1555, 3287, 3297, 3307, 3431, 4113 Brain, Paul T., 349, 975, 2193 Braunstein, Pierre, 851, 863, 1767 Breet, Ernst L. J., 685, 3591 Brennan, John G., 45 Brewer, Cynthia T., 37 Brewer, Greg, 37 Brewer, Stuart A., 1073, 2941, 2945 Bricklebank, Neil, 1593, 2421, 3873 Bridgeman, Adam J., 197, 1023 Brigando, Cédric, 575 Brisdon, Alan K., 2945 Brničević, Nevenka, 1441 Brodie, Andrew M., 1121 Brouca-Cabarrecq, Chantal, 1453 Brown, Stephen M., 367 Browning, C. Scott, 521, 2005 Bruce, Duncan W., 317, 1769 Brücher, Erno, 3353 Brudenell, Suzanne J., 439 Bruni, Mirko, 1035 Bruno, Giuseppe, 17 Bruwer, Johan, 2189 Bu, Xian He, 2289 Buggey, Lesley A., 2941 Buglyo, Peter, 3911 Buisman, Godfried J. H., 409 Bullick, H. Janet, 67 Bünzli, Jean-Claude G., 83 Buretea, Mihai, 45 Burgess, John, 3057 Burrow, Timothy E., 1315, 2583 Burrows, Andrew D., 2107 Busetto, Luigi, 2087 Butler, Ian R., 897 Buys, Irmi E., 951 Bwembya, Gabriel C., 1887, 2813 Byriel, Karl A., 3565 Byrne, Janice J., 1555, 3287 Cabezón, Beatriz, 2305 Cai, Jiwen, 99, 611 Cairati, Paolo, 1671 Calderazzo, Fausto, 3917 Calhorda, Maria José, 3287, 3297 Calligaris, Mario, 1653 Cameron, James H., 1029

Cano, Juan, 3207

Cano, Mercedes, 2281 Canters, Gerard W., 3395 Cao, Rong, 1447 Capper, Glen, 3709 Cardin, Christine, 771 Carfagna, Carla, 3975 Cargill Thompson, Alexander M. W., 835, 1615 Carmichael, Adrian J., 3125 Carmona, Ernesto, 1529, 3801 Casas, José M., 2949 Casas, José S., 1403 Casey, Michael T., 771 Cassani, Maria Cristina, 2087 Cassol, Alberto, 733, 2689 Castan, Paule, 4005 Castaño, Rosario, 3843 Castellano, Eduardo E., 1403 Castillón, Sergio, 2137 Castiñeiras, Alfonso, 1403 Castro, Isabel, 3207 Cattalini, Lucio, 3853 Cauzzi, Daniele, 2321 Cavell, Kingsley J., 2159, 4081 Cecconi, Franco, 3881 Černík, Miloš, 689 Cervilla, Antonio, 3891 Cetrullo, James, 99 Chadwell, Steven J., 3551 Chakravorty, Animesh, 1115, 1417, 1543, 3101 Champness, Neil R., 3439 Chan, Chi-Keung, 753 Chan, Chin-Wing, 2469, 2961 Chan, Kim-Seng, 3753 Chan, Suzanna, 1497, 3987 Chang, Shih-Chi, 77 Chantson, Tracy E., 1363 Chapman, Sandra, 2021 Charlton, Adam, 587, 1285 Charnock, John M., 2515 Chatterjee, Debabrata, 2497, 3415 Chaudhuri, Nirmalendu Ray, 337 Chaudhuri, Swapan, 621 Chaudhury, Muktimoy, 2619 Chautemps, Pierre, 1939 Chauvin, Yves, 851, 863, 1767, 3867 Che, Chi-Ming, 227, 657, 753, 1103, 2215, 2955, 2961, 2967

Chen, Ding-Jen, 3561

Chen, Tai-Yuen, 2215

Chen, Qin, 3153

Chen, Mei-Man, 1791

Chen, Xiao-Ming, 4001 Chen, Yun-Ti, 1879, 2289 Cheng, Kin-Fai, 2215 Cheng, Ming-Chu, 1305 Cheng, Ming-Chun, 3503 Cheng, Wing-Chi, 227, 2955 Cheng, Yuk-Ki, 2967 Chernega, Alexander, 217, 395 Cheung, Kung-Kai, 227, 657, 1047, 1379, 2779, 2955, 2967 Chicote, María-Teresa, 497, 1251 Chihara, Teiji, 1369 Chikira, Makoto, 1325 Chin, Kwok-Fai, 657, 2967 Choi, Jang-Sik, 363 Chotalia, Rohit, 3571 Chou, Yung Chun, 1791 Chuah, Gaik-Khuau, 3753 Ciccarese, Antonella, 1461 Cinellu, Maria Agostina, 777, 2865 Cinquantini, Arnaldo, 3881 Cipriano, Cecilia, 2417 Ciruelo, Gemma, 231 Císařová, Ivana, 2611 Cizov, Yury, 2385 Clark, George R., 1147, 1153, 1907 Clark, Robin J. H., 2417, 2577 Clark, Stephen J., 2723 Clarke, Russell, 1221 Clase, Howard J., 3659 Claver, Carmen, 2137 Clearfield, Abraham, 111 Cleary, Rosemary L., 3601 Clegg, William, 145, 2129, 3313 Clemente, Dore A., 1461 Cloete, Edu, 3591 Cloke, F. Geoffrey N., 25 Coe, Benjamin, , 153, 673 Coffey, Thérèse A., 2337 Cohen, Haim, 2377 Colacio, Enrique, 343, 2143 Colbran, Stephen B., 3731 Cole-Hamilton, David J., 269, 1221 Coleman, Karl S., 1073, 4029 Coles, Simon J., 1139, 1887, 2813, 3401, 3551, 4091 Collier, Philip E., 3743 Collison, David, 191 Colton, Ray, 1917 Comba, Peter, 3269 Compton, Richard G., 389, 1917

Connelly, Neil G., 2245, Conole, Gráinne, 367, 741, 1527 Consiglio, Giambattista, 49 Constable, Edwin C., 1615, 3253, 3571 Convery, Moira, 771 Coomber, A. Treeve, 2851 Copp, Steven B., 2233 Coronado, Eugenio, 2305 Costa, Judite, 327 Coté, Marie L., 931 Cotter, Gerard M., 1709 Coutinho, Brian, 1663, 3041 Craig, Donald C., 3731 Crascall, Louise E., 2391 Cresswell, Sarah L., 2315 Cridland, Lucas, 2577 Cronje, Stephanie, 313 Cross, Graham H., 153, 673 Cruise, Neil A., 3089 Crumbliss, Alvin L., 2503 Cruywagen, Johannes J., 3433 Cuenca, Tomás, 231 Cuevas, José V., 4127 Curran, Martin, 771 D'Alfonso, Giuseppe, 2407 da Costa Ferreira, Ana M., 3759 Daff, P. James, 1925 Dahan, Françoise, 1453 Danopoulos, Andreas A., 205, 937, 1059, 2111, 3401 Das, Amitava, 2497, 2769 Das, Nigamananda, 3627 Das. Rita. 3627 Dasgupta, Tara P., 2267, 2561, 2843 Dash, Anadi C., 3627 Datta, Dipankar, 1177 Davidson, Matthew G., 3139 Davidson, Yolanda Y., 77 Davies, Craig J., 2861 Davies, David L., 3709 Davies, D. Martin, 3323 Davies, F. Stephen, 3231 Davies, Hywel O., 2333 Davies, Maxwell K., 2707 Davis, Linda, 1023 de Almeida Ribeiro, Maria C., 3759 de Castro, Baltazar, 2041 De Cian, André, 863, 1767, 3097, 4067 de Denus, Christine R., 3375 de Oliveira, Marcelo G., 2013

Decock, Patrick, 2657, Deeble, Geoffrey, 57 Deeth, Robert J., 1, 191, 1537, 3975 Del Giallo, Franco, 467 del Hierro, Isabel, 3409 Del Ministro, Elena, 1783 del Socorro Murdoch. Piedad, 3721 Del Zotto, Alessandro, 3343 Delgado, Rita, 327 Della Pergola, Roberto, 2763 Dennis, Gary R., 1469 Dennison, Christopher, 3395 Desmet, Mieke, 2067 Desmond, Timothy J., 1709 Devereux, Michael, 771 Dewaele, Dorothee, 425 Di Bernardo, Plinio, 733, 1349, 2689 Di Marco-Van Tiggelen, Françoise, 3867 Dibenedetto, Angela, 3359 Dieleman, Cedric, 3097 Dilworth, Jonathan R., 1357, 1663, 1957, 3041, 3143, 3153 Diversi, Pietro, 1035 Dixon, Donovan A., 2267 Dixon, Steven J., 1023 Djuran, Milos I., 3721 Doherty, Anne M. M., 3103 Doménech, Antonio, 541, 3891 Dominguez-Vera, Jose M., 343, 2143 Donaldson, John D., 2273, 2723 Downs, Anthony J., 2193, 3263 Doyle, Roy J., 57, 1867 Draper, Sylvia M., 3789 Drew, Michael G. B., 403, 759, 811, 1273, 3117, 3173, 3447, 3455 du Preez, Jan G. H., 2189, 2697 Duarte, M. Teresa, 3543 Duchateau, Robbert, 217 Duckett, Simon B., 3427 Duckworth, Paul A., 1127 Duda, Anna M., 2909 Dunn, Simon C., 3743 Dusausoy, Yves, 851 Dutta, Somnath, 1115, 3101 Dutta, Subodh Kanti, 2619 Dutta, Sujit K., 1239, 3831 Dyer, Philip W., 3313

Dyson, Paul J., 909, 1063,

2741, 2749, 3431, 4039, 4113 Eaborn, Colin, 349, 975 Edelmann, Frank T., 217 Edwards, A. Bryan, 2515 Edwards, Andrew J., 1587, 1991, 2935, 3251, 3253, 3307, 3785 Edwards, Peter G., 355, 1139, 3401, 3551, 4091 Ejfler, Jolanta, 1727 Ejiri, Takashi, 1325 Eklund, John C., 389, 1917 El Marzouki, Abdelilah, 1939 Elaiwi, Ahmed, 3467 Elix, Sharon A., 57 Elkrami, Soumia, 3409 Ellis, Paul J., 595 Elsegood, Mark R. J., 2129 Emge, Thomas J., 45 Emri, József, 3353 Ephritikhine, Michel, 237, 3019, 3027 Escandar, Graciela M., 799, 1393 Escuer, Albert, 343 Espenson, James H., 133 Espinós, Juan P., 1529 Espinosa, Pedro, 1007 Esteruelas, Miguel A., 2171 Esteves, M. Alexandra, 2565 Etxebarria, Nestor, 3843 Evans, David J., 1965 Evans, John, 3089 Fackler, jun., John P., 3691 Faggiani, Romulo, 3767 Fairhurst, Shirley A., 321, 1973 Fajardo, Mariano, 1007, 3409 Faleschini, Paolo, 1653 Fallon, Gary D., 439 Fantucci, Piercarlo, 4121 Fares, Vincenzo, 281 Farkas, Etelka, 477, 2565 Farrar, David H., 521, 2005 Farrugia, Louis J., 1163, 2129 Faus, Juan, 3207 Favier, Frédéric, 575 Fawcett, Ian D., 2555 Fawcett, John, 1073, 3007, 3057, 3709, 4029 Feng, Shouhua, 2147 Fenton, David E., 275, 697, 765, 1393, 1883, 2323, 3419, 4015 Ferguson, George, 771, 1709 Fern, George, 1839, 4053 Fernández, Asunción, 1529 Fernández, Elena, 2137

Fernández-Baeza, Juan, 1015 Fietz, Thomas, 2277 Finch, Arthur, 2719 Fischer, Helmut, 665 Fischer, Jean, 863, 1767, 3097 Fisher, Jean, 4067 Fitch, Andrew N., 2719 Flamini, Alberto, 281 Fleischer, Ulrich, 1297 Fleming, James S., 1139, 4091 Floriani, Carlo, 3329 Flörke, Ulrich, 3831 Folgado, José-Vicente, 541 Fonkeng, Beshakeh S., 4129 Fonseca, Antonio, 1973 Font-Bardía, Mercè, 1839, 4053 Forniés, Juan, 1333, 2397, 2805, 2949, 3777 Forster, Glyn D., 2337 Forster, Glynis E., 377, 383, 1173, 1995 Forsyth, George A., 145 Fortuño, Consuelo, 3777 Foster, Douglas F., 269, 1221 Foucher, Daniel A., 1893 Foulon, Jean-Dominic, 153 Fracchia, Lucia, 2763 Franco, Douglas W., 463 Fraser, Kelly A., 145 Fratini, Albert V., 2719 Fraústo da Silva, João J. R., 1183, 1193 Freeman, Hans C., 595 Friend, Richard H., 2851 Fritzky, Igor O., 1727, 3911 Froidevaux, Pascal, 83 Frutos, Alejandro A., 799, 1393 Fujihara, Takashi, 1813, 1823, 2627 Fujiwara, Yoshihito, 1325 Furbee, jun., James W., 31 Furutachi, Hideki, 3897 Fusi, Vieri, 2377 Fuyuhiro, Akira, 1813, 2627 Gaede, Petra E., 3431 Gahagan, Michael, 1221 Galindo, Agustín, 3801 Galsworthy, Jane R., 549, 2639, 2935 Gamasa, M. Pilar, 1901 Gangopadhyay, Sumana, 1083 Garcia, Gabriel, 1965 García, María P., 917

García-España, Enrique, 541.993 García-Granda, Santiago, 1901 García-Herbosa, Gabriel. 4127 García-Yuste, Santiago, 3409 Gareh, James E., 3825 Garland, Maria Teresa, 987 Garlaschelli, Luigi, 2763 Garner, C. David, 191, 2515 Gasparri Fava, Giovanna, 2297, 3035 Gates, Peter N., 2719 Gaultier, Nicolas, 4005 Geanangel, Russell A., 99 Gebert, Stefan, 1089 Geissler, Petra, 3365 Gelerinter, Edward, 4129 George, Michael W., 2711 Geraldes, Carlos F. G. C., 327, 2041 Gerber, Thomas I. A., 2189 Geremia, Silvano, 1653 Gerloch, Malcolm, 197 Germain, Gabriel, 2137 Gervasio, Giuliana, 3329 Ghilardi, Carlo A., 531, 963, 1109.3881 Ghosh, Ashutosh, 337 Ghosh, Sakti Prosad, 1227 Ghosh, Soma, 337 Gibson, Vernon C., 3313 Gilbert, Bernard, 3867 Gillard, Robert D., 2333 Gillitt, Nicholas D., 3323 Gimeno, José, 1901 Gimeno, M. Concepción, 805, 1473, 2245, 3563 Giorgi, Gianluca, 3881 Girolami, Gregory S., 301 Giuliani, Anna Maria, 467 Gladysz, J.A., 1857 Glærum, Lisbeth K., 3207 Glasser, Fredrik P., 2147 Gleichmann, Andreas J., 1549 Glenny, Mark W., 1147 Gleria, Mario, 1749 Głowiak, Tadeusz, 1727 Goddard, Richard, 1563 Godefroy, Isabelle, 1901 Godfrey, Stephen M., 701, 1095, 1593, 2421, 3873 Golub, Gilad, 2377 Gomes, João, 2041 Gómez, Rafael, 217 Gómez-Sal, Pilar, 231, 1007 González, Gabriel, 891

González-Elipe, Agustin R., González-Sierra, Manuel, 799, 1393 Gornitzka, Heinz, 3747 Gosztola, David, 3677 Gou, Shaohua, 275 Gould, Robert O., 4045 Gourdon, Andre, 2591 Goyal, Bharti, 3109 Graiff, Claudia, 2321 Grant, Craig M., 163, 1765, 2311 Grätzel, Michael, 2705 Graydon, Andrew R., 403 Grebenik, Peter D., 67 Green, Jennifer C., 1023, 1873 Green, Malcolm L. H., 67, 155, 217, 395, 1207, 1873 Green, Michael, 3975 Green, Terry L., 3243 Greene, Tim M., 2193 Gregory, Christopher I., 163 Gregory, Paul D., 1423 Grepioni, Fabrizia, 287, 909, 1089, 1215, 1555, 3287, 3297, 4113 Griesar, Klaus, 2649 Grieve, Alan, 3455 Griffith, William P., 1775, 1833, 3131, 3537 Grime, Richard W., 2873 Grimes, Susan M., 2081, 2273 Grimshaw, Julia C., 2901 Grossmann, Gisbert, 2797 Groy, Thomas L., 727 Gu, Zong-Xin, 1879 Guardigli, Massimo, 3601 Guerrero, Rita, 1251 Guest, Martyn F., 2359 Guo, Chun-Xiao, 753, 2961, 2967 Gutiérrez, Enrique, 3801 Gutierrez-Rodriguez, Angel, 1901 Gutiérrez-Zorrilla, Juan M., 2225 Györi, Béla, 3353 Haaland, Arne, 185 Haase, Wolfgang, 2649 Haddleton, David M., 2033 Hague, David N., 449 Haining, Gordon, 3837 Hallik, Allan, 1917 Hambley, Trevor W., 951, 2541, 2549, 3905 Häming, Ludger, 3747 Hamor, Thomas A., 153, 673, 3243 Hancock, Robert D., 1363,

3705

Harding, Margaret M., 951, 2549, 3905 Harman, Mary, 3041 Harriman, Anthony, 4067 Harris, Kenneth D. M., 2577 Harrowfield, Jack M., 783, 2431 Hart, Robert D., 3063 Hastings, Jeremy J., 2891 Hati, Sanchita, 1177 Hattersley, Andrew D., 549 Hatzidimitriou, Antonis G., 2591 Hazell, Rita, 707 He, Qing-Yu, 697, 1393, 2323 Headlam, Henrietta, 3809 Healy, Peter C., 1341 Heard, Peter J., 1233, 3165 Heaton, Brian T., 1985, 2861 Hellier, Paul C., 765 Hemmert, Catherine, 1453 Hempstead, Paul D., 765, 2101 Henderson, Richard A., 503, 1183, 1193, 2479 Henderson, William, 2109, 3007 Henriques, Rui T., 3543 Heras, Jose V., 2281 Hermann, Petr, 2605, 2611 Hermes, Ann R., 301 Hibble, Simon J., 1947, 2555 Hibbs, David E., 897, 3143 Hickman, Stephen W., 4127 Hidai, Masanobu, 3489 Hidalgo, Miguel A., 2143 Higgins, Simon J., 2901 Higuchi, Chikako, 4015 Hii, King Kuok, 625 Hilfenhaus, Peter, 3269 Hill, Callum A. S., 587 Hinton, Helen A., 2281 Hiremath, Gouri A., 3623 Hissler, Muriel, 893, 4067 Hitchcock, Peter B., 25, 603, 1427, 1435, 2095, 2251, 2999, 3179, 3467, 3925, 3933 Hitchman, Michael A., 595, 3809 Ho, Tong-Ing, 3503 Hoare, Paul B., 2901 Hockless, David C. R., 649 Hodacova, Jana, 3447 Hofmann, Matthias, 2193 Hogarth, Graeme, 2337 Holbrey, John D., 1769

Hankin, Danielle M., 1059

Hannon, Michael J., 3571

Harding, Charles J., 1739

Holloway, John H., 1073, 2941, 2945, 4029 Holman, K. Travis, 2233 Holmes, Stephen A., 1427, 1435, 3933 Holthenrich, Dagmar, 3275 Hong, Fong E., 1791 Hong, Mao-Chun, 3317 Hong, Maochun, 1447 Hope, Eric G., 1073, 2941, 2945, 4029 Horvath, Michael J., 2975 Hosken, Gladys D., 3705 House, Donald A., 3317 Housecroft, Catherine E., 549, 2639, 2935, 3789 Howarth, Oliver W., 2891 Howes, Kevin R., 3103 Hu, Jin, 3153 Hua, Wang Shi, 3837 Huang, Bor-Chen, 2351 Huang, Chih-Yuan, 571 Hubberstey, Peter, 957 Hübener, Rainer, 3917 Hughes, Andrew K., 67 Hughes, David L., 5, 321, 1315, 1973, 2583, 3153 Humphrey, David G., 4039 Humphrey, James S., 3789 Hunt, Patricia A., 1153 Hunter, William E., 3335 Hursthouse, Michael B., 205, 355, 587, 897, 937, 1059, 1139, 1153, 1649, 1887, 2111, 2333, 2813, 3041, 3143, 3165, 3401, 3551, 4091 Huston, Patrick, 133 Hutchings, John, 3367 Huynh, Hong B., 31 Hvastijová, Mária, 1921 Ianelli, Sandra, 1783 Ibrahim, Saad K., 1973 Iggo, Jonathan A., 1985 Ike, Uchenna U., 2057 Ingham, Scott L., 1063, 2741, 2749 Ingrosso, Giovanni, 1035 Innocenti, Paolo, 1109 Isab, Anvarhusein A., 1483 Ishii, Youichi, 3489 Ishizaki, Haruro, 1077 Isobe, Kiyoshi, 3609 Itoh, Makoto, 3635 Iwamoto, Toschitake, 3195, Izatt, Reed M., 1583 Jackson, Graham E., 1411 Jacob, Chacko, 2861 Jaenicke, Stephan, 3753 Jakab, Sándor, 3353 Jalón, Félix A., 1015, 1629 Jameson, Geoffrey B., 37

Jang, Eunseok, 3179

Jarvis, Adam P., 2033 Jarvis, Neil V., 1411 Jasanada, François, 327 Jasin, Jill R., 281 Jaud, Joel, 4005 Jeffery, John C., 819, 825, 835, 1805, 2769, 2921, 3071.3601 Jelić, Ratomir M., 3597 Jelínek, Tomáš, 431 Jenkins, Alyn E., 1525 Jennings, Keith R., 885 Jensen, Inge Margrethe, 3667 Jensen, Kenneth B., 707, 3667 Jeong, Jong Wha, 1577 Jeżowska-Bojczuk, Małgorzata, 3849 Jiang, Feilong, 1447 Jiang, Tao, 3087 Jiménez, Mª. Victoria, 917 Jiménez-Aparicio, Reyes, 2183 Jin, Hong, 2159, 4081 Jobanputra, Panna, 1663 Johannsen, Bernd, 2277 Johnson, Brian F. G., 495, 741, 843, 909, 1063, 1391, 1527, 1555, 2741, 2749, 3307, 3431, 4113 Johnson, David A., 3483 Johnson, Frank P. A., 2711 Johnston, Simon R., 2081, Jones, Brian E., 3063 Jones, Christopher J., 153, 673, 2281, 3243 Jones, Eric M., 3367 Jones, Peter G., 805, 1251, 1473, 2245, 2535, 3093, 3563, 4131 Jones, Peter L., 2921 Jones, Timothy L., 57 Julve, Miguel, 3207 Jung, Woo-Sik, 1077 Kaiser, Volker, 1297 Kaiwar, Sharada P., 1569 Kaizaki, Sumio, 1813, 1823, 2627, 2837 Kaltsoyannis, Nikolas, 1925, 3727 Kalverda, Arnout P., 3395 Kamaras, Peter, 37 Kamer, Paul C. J., 409 Kamiusuki, Toshiro, 3635 Kandaswamy, Muthuswamy, 1851 Kane-Maguire, Leon A. P., 905, 2021 Kanesato, Masatoshi, 765 Kang, Beisheng, 1447 Kang, Shin-Geol, 363 Karaçar, Atilla, 4029

Karaulov, Alexander I., 587, 1649, 1887, 2333 Kariuki, Benson M., 2577 Karunakaran, Sambandhan, 1851 Kashiwabara, Kazuo, 3609 Katti, Kattesh V., 565 Kawahashi, Takako, 3897 Kawano, Kota, 3533 Kawashima, Takuji, 3081 Kawata, Satoshi, 4099 Kazankov, Gregory M., 999 Keene, F. Richard, 595, 3809 Kelly, David G., 1095 Kelly, Richard S., 31 Kemmitt, Raymond D. W., 3007 Kemp, Terence J., 875, 885 Kennard, Colin H. L., 3565 Kennedy, John D., 431 Kershaw, Steven V., 587 Kessissoglou, Dimitris P., 2591 Kessler, Margalith, 367 Keyes, Tia E., 2705 Khasnis, Dilip V., 45 Kida, Makiko, 2627 Kikuyama, Takao, 3715 Kim, Kimoon, 363 Kim, Mi-Seon, 363 Kim, Yang, 2431 Kimura, Eiichi, 2289 Kirchhoff, Jon R., 3677 Kiss, Attila, 489 Kiss, Tamas, 425, 477, 3911 Kitagawa, Susumu, 4099 Kitazawa, Takafumi, 3715 Kite, Kenneth, 1233 Kivekas, Raikko, 343 Kivikoski, Jussi, 2459 Klapötke, Thomas M., 3365 Kleinkes, Uwe, 321 Klemp, Andreas, 3747 Klinga, Martti, 343 Klostermann, Klaus, 2277 Knachel, Howard C., 2719 Knubley, Rachel J., 3117 Ko, Po-Hung, 2215 Kobayashi, Akiko, 1285 Kobayashi, Hayao, 1285 Kobayashi, Kazuo, 2885 Kobayashi, Nagao, 1325 Kodera, Masahito, 2599 Koh, Lip-Lin, 2757 Köhler, Jochem U., 3251

Kohyama, Kazuo, 3081

Kojić-Prodić, Biserka, 1441 Kolis, Joseph W., 501

Kolnaar, Jeroen J. A., 2209

Kong, Sophia L. L., 2221

Konings, Rudy J. M., 185

Konidaris, Peter C., 155

Korber, Nikolaus, 4005

Koutsantonis, George A., 4059 Kovács, Zoltán, 3353 Kovala-Demertzi, Dimitra, Kowalik-Jankowska, Teresa, 2729, 2909, 3911 Kožíšek, Jozef, 1921 Kozłowski, Henryk, 2657, 2729, 2909, 3849, 3911 Kozma, Emese, 477 Krebs, Bernt, 2649 Krishnamurthy, Setharampattu S., 1933, Kruger, Gert J., 2067 Krüger, Kerstin, 2797 Krumm, Michael, 3275 Kubicki, Marek M., 3699 Kuharcik, Susan E., 2785 Kumar, Sujit Baran, 2619 Kumbhat, Sunita, 1917 Kuntz, Robert R., 565 Kupka, Teobald, 2909 Kurmoo, Mohamedally, 2509, 2851, 3221 Kuroda-Sowa, Takayoshi, 2201, 3215, 4099 Kurzak, Barbara, 477 Kuz'mina, Lyudmila G., 999 Kyritsis, Panayotis, 3317, 3395 La Monica, Girolamo, 1671 Labella, Luca, 395 Laguna, Antonio, 805, 1255, 1473, 2245, 3563 Laguna, Mariano, 1255, 2245 Lahoz, Fernando J., 917, 2171 Lakshminarayanan, M., 455 Lalancette, Roger A., 931 Lalinde, Elena, 1333, 2397 Lalor, Fergus J., 1709 Lam, Kin-Ming, 1103 Lamotte, Sophie, 2657, 3849 Lampeka, Yaroslaw D., 2633 Lance, Monique, 237, 3019, 3027 Lane, Helen P., 701, 2421, 3873 Lanfranchi, Maurizio, 2321 Langford, Sarah A., 1 Langley, G. John, 2013 Lappert, Michael F., 1427, 1435, 2095, 2251, 2999, 3179, 3335, 3925, 3933 Laschi, Franco, 531 Lastra, Elena, 1901 Lau, Tai-Chu, 695, 2221 Laurie, Stuart H., 129 Lavery, Aidan J., 1525

Lawlor, Fiona J., 1163, 2129 Lawrance, Geoffrey A., 2541 Lazarowych, Natalie J., 5 Leach, John B., 67 Leach, Meto T., 2109 Leadbeater, Nicholas E., 2923, 3785 Lee, Chung-Yuan, 2961 Lee, Gene-Hsiang, 2351, 3561 Lee, Yeon Ja, 1577 Lee, Yoke Foo, 3677 Leeson, Philip B., 765, 1273 Lehtonen, Ari, 2701 Leibnitz, Peter, 2277 Leigh, G. Jeffery, 321 Leijen, Ronald J., 4021 Leinen, Dietmar, 1529 Leipoldt, Johann G., 1201 Leitch, Jeffrey, 649 Lelj, Francesco, 2385 Leung, Wing-Por, 1427, 2999, 3925 Levason, William, 3367, Leverd, Pascal C., 237 Lewis, Jack, 741, 1061, 1527, 3251, 3785 Lewis, Jason S., 1357 Li, Guangming, 727 Li, Song-Lin, 1519 Li, Wan-Sheung, 2851 Li, Yu-Jin, 3317 Licoccia, Silvia, 3617 Lii, Kwang-Hwa, 571, 927 Lima Neto, Benedito S., 463 Limberg, Christian, 3263 Lin. Hua-Kuan, 1879 Lin, Jiann T., 1791 Lin, Su-Ching, 1791 Lin, Ying-Chih, 1305, 2351, Lin, Yuan-Chuan, 3503 Lindoy, Leonard F., 1127 Lippert, Bernhard, 489, 3275, 3767 Lis, Tadeusz, 105 Liu, C. W., 3691 Liu, Feng-Quan, 2453 Liu, Hangin, 1447 Llinares, José M., 541 Llopis, Elisa, 3891 Lloret, Francesc, 3207 Lo, Kenneth Kam-Wing, 499 Lo Schiavo, Sandra, 17 Lock, Colin J. L., 3767 Lockhart, Joyce C., 145, Loeber, Cyrille, 3097

Lombardo, Giuseppe M., 1749 Long, Georgina V., 951, 3905 Long, Nicholas J., 1245 Longoni, Giuliano, 1985 Lopategi, Aritz, 3843 Lopes, Elsa B., 3543 Lopes, Pedro E. M., 3297 López, Concepción, 1839, 2445, 4053 López-Mardomingo, Carmen, 1007 Lough, Alan J., 1315, 2583, 2975 Love, Jason B., 25 Lovell Smith, Marcus, 1873 Lowe, Helen M., 1489 Lowe, Mark P., 145, 3511 Lu, Canzhong, 1957, 3143 Lu, Qin, 1739 Lucherini, Antonio, 1035 Luckay, Robert, 1363 Lucken, Edwin A. C., 115 Luić, Marija, 1441 Luis, Santiago V., 541, 993 Lukeš, Ivan, 1133, 2605, Luo, Qinhui, 2045 Lupatini, Mauro, 579 Luque, Antonio, 2225 Lyne, Paul D., 1635 MacGillivray, Leonard R., 3375 Mackie, Raymond K., 1221 Madariaga, Juan M., 3843 Maeda, Yonezo, 3533 Maeder, Marcel, 2541 Maekawa, Masahiko, 2201, 3215, 4099 Mague, Joel T., 1677 Maguire, Michael J., 5, 1315, 2583 Mah, Yvonne A., 1917 Maher, John P., 819, 3243 Mahon, Mary F., 3975 Maichle-Mössmer, Cäcilia, Majzner, Wiesław, 3683 Mak, Chi-Keung, 695 Mak, Thomas C. W., 139, 657, 753, 1427, 1519, 2671, 4001 Makowski, Maciej, 2729 Malachowski, Mitchell R., Malik, K. M. Abdul, 355, 587, 897, 3041, 3143, 3165 Malik, M. Azad, 1043 Malone, John F., 1739 Mamada, Atsushi, 3195 Manassero, Mario, 777, 2763, 2865

Manchanda, Vijay K., 1583 Manners, Ian, 1893 Manohar, Hattikudur, 455 Manthey, Monika, 905 Maragh, Paul T., 2843 Marangoni, Giampaolo, 3853 Marcelino, Victor, 993 Marder, Todd B., 317 Markovski, Leonid, 1951 Marques, M. Paula M., 2041 Marrs, Debbie J., 1739 Martell, Arthur E., 1511 Martín, Antonio, 1333, 2949 Martín, Avelino, 231 Martin, Caroline M., 909, 1063, 1555, 2741, 4113 Martin, Christine, 3699 Martin, Noreen, 1739 Martin, Raymond L., 439 Martin, Thomas M., 501 Martin-Alonso, Avelino, 1007 Martin-Ramos, Daniel. 2143 Martin-Vaca, Blanca M., 1901 Martínez, Francisco, 2805 Martinez, Manuel, 891, 4107 Martínez-Lope, María Jesús, 2819 Martínez-Máñez, Ramón, 3253 Martínez-Ripoll, Martín, 2225 Martinsen, Kjell-Gunnar, 185 Marzotto, Armando, 1461 Masciocchi, Norberto, 1671 Matsuda, Hajime, 2201 Matsumoto, Naohide, 3419, 3635 Matt, Dominique, 3097 Matteoli, Ugo, 419 Mattes, Rainer, 2521 May, Leopold, 37 Mays, Martin J., 1597, 3049 Mazzanti, Laura, 2377 McAuliffe, Charles A., 701, 1095, 1593, 2421, 3873 McCamley, Andrew, 2033, 3125 McCann, Malachy, 771 McCarley, Robert E., 1441 McCart, Mark K., 2901 McCleverty, Jon A., 153, 673, 2281, 2769, 2921, McFarlane, William, 3395

McGhee, Laurence, 3837

McGowan, Patrick C., 67, 1207 McGrady, John E., 2749, 4039 McGrath, Thomas D., 1755 McGrellis, Siobhan A., 1947 McInnes, Jacqueline M., 3975 McKean, Donald C., 3941, 3955, 3963 McKee, Vickie, 1739 McKenzie, Christine J., 707, McLachlan, Grant A., 439 McPartlin, Mary, 741, 1127, 1527, 1597, 2851 McQuillan, Ferida S., 3243 McQuillan, Geoffrey P., 3941, 3955, 3963 Meehan, Paul R., 811, 3173 Meetsma, Auke, 217 Mehnert, Christian, 1873 Mehrotra, Raj N., 3109 Mehta, Mathias, 349, 975 Menjón, Babil, 2949 Menon, Mahua, 1417, 1543 Menzer, Stephan, 319, 2107, 2575 Messerle, Barbara A., 3427 Metson, James B., 1153 Meverstein, Dan, 2377 Mezzetti, Antonio, 49 Mhinzi, Gaspar S., 3819 Micera, Giovanni, 425 Michaelidou, Despo M., 155 Michalski, Jan, 3683 Midollini, Stefano, 531, 963, 1109, 3881 Mieczyńska, Ewa, 105 Miki, Miyako, 2885 Mikuriya, Masahiro, 3897 Milić, Nikola B., 3597 Miller, John R., 1357, 1957, 3041, 3143, 3153 Milner, David J., 2101 Minghetti, Giovanni, 777, 2865 Mingos, D. Michael P., 319, 1635, 2073, 2107, 2469, 2509, 2575, 2749, 2851, 3221, 4039 Mintert, Markus, 2663 Miravet, Juan F., 541, 993 Mistrukov, Alexander E., Misumi, Yoshihiko, 3489 Mitsopoulou, Christiana A., 2125 Mizukami, Junji, 2825 Mocerino, Mauro, 783, 2431 Modder, Johan F., 4021 Mohammed, Edwin S., 129

Mohanta, Sasankasekhar, Mohapatra, Prasanta K., 1583 Molloy, Kieran C., 1593 Mondal, Sujit, 1115, 3101 Monge, Angeles, 1529, 2281, 3801 Montford, Andrew W., 1221 Moore, Peter, 3659 Morab, Vidyavati A., 483 Moreno, Jose-Maria, 2421. 3873 Moreno, M. Teresa, 1333, 2397 Moresco, Annarosa, 3475 Moret, Massimo, 1671 Morgado, Jorge, 3543 Morris, Robert H., 5, 1315, 2583 Mossoyan, Jean C., 575 Motekaitis, Ramunas J., Motevalli, Majid, 1043 Motoda, Ken-ichiro, 2599, 3419, 3635 Moukarika, Alice, 123 Moule, Adrian, 741, 1527 Mountford, Philip, 155, 1207, 3743 Mourad, Youssef, 3409 Mrozinski, Jerzy, 2312 Mugnier, Yves, 3409 Mukherjee, Alok K., 337 Mukherjee, Monika, 337 Mukhopadhyay, Sami, 265 Mukhopadhyay, Subrata, 621 Muldoon, David J., 1525 Müller, Edgar, 2705 Müller, Thomas E., 2509 Mulley, Suzanne, 1985 Munakata, Megumu, 2201, 3215, 4099 Muñoz, M. Asunción, 4127 Musselman, Ronald L., 281 Myllyviita, Sari, 2209 Myrczek, Jozef, 611 Nag, Kamalaksha, 1239, 3831 Nagata, Toshi, 2825 Nähring, Jens, 851, 863, 1767 Naji, Memdoh Q., 3103 Nakabayashi, Toyotaka, Nakashima, Satoru, 513 Nanda, Kausik K., 1239, 3831 Nandibewoor, Sharanappa T., 483, 3623 Nardin, Giorgio, 3343 Nardone, Ottavio, 2719

Nash, Jason A. P., 269 Nasreldin, Mohamed, 3317 Navarro, Rafael, 2805 Navas Badiola, Jon A., 2769 Needs, Richard L., 3015 Nei, Lembit, 1917 Neier, Ralf, 2521 Nelson, Jane, 1739 Nelson, Peter G., 3483 Neo, Sock-Kim, 3753 Nepveu, Françoise, 327, 4005 Nethaii, Munirathinam, 1933, 2151, 2991 Ngo, Dennis C., 2785, Nicholson, Brian K., 2109 Nicol, Mairi, 1221 Nicolò, Franco, 17 Nielson, Alastair J., 1147, 1153, 1907 Nierlich, Martine, 237, 3019 3027 Nishikiori, Shin-ichi, 3195 Nogueira, Helena I. S., 1775 Noltemeyer, Mathias, 177, 1951 Norman, Nicholas C., 1163, 2129 Norman, Richard E., 77 Norris, Paul R., 3643, 3651 Novosad, Josef, 1607 O'Brien, Paul, 1043 O'Connor, Charles J., 1677 Ogden, J. Steven, 1423 Ogden, Mark I., 1273, 3117, 3455 Oglieve, Kay E., 2479 Ohba, Masaaki, 2599 Ohms, Gisela, 1297, 2797 Ohnet, Marie-Noëlle, 665 Ohtsu, Kumiko, 3081 Ohtsuka, Shin-ichiro, 2599 Ōkawa, Hisashi, 2599, 3419, 3635, 4015 Oldroyd, Richard D., 3367 Oliver, Steven N., 587 Olivier, Helene, 3867 Olivier, Pierre J., 313 Olivieri, Alejandro C., 799, 1393 Oniki, Takayuki, 3533 Onindo, Charles O., 3911 Oprescu, Dan, 2417 Orlandini, Annabella, 531, 963, 1109, 3881 Oro, Luis A., 917, 2171 Orpen, A. Guy, 1215, 4127 Orrell, Keith G., 1233, 3165 Otero, Antonio, 1007, 1015, 1629, 3409 Otter, Carl A., 819 Otto, James C., 2719 Oudet, Pascal, 3699

Ozutsumi, Kazuhiko, 3081 Page, Stephen D., 389 Palaniandavar, Mallayan, 455, 1259 Palin, Michael G., 2535 Pan, Hongjun, 3691 Pandiyan, Thangarasu, 455 Pandurangi, Raghoottama S., 565 Paneque, Margarita, 1529, 3801 Paolesse, Roberto, 3617 Paoletti, Piero, 2377 Papadopoulos, Athanassios N., 2591 Papageorgiou, George, 1883 Pappalardo, Giuseppe C., 1749 Parisini, Emilio, 287, 1089, 3307, 3431 Pariya, Chandi, 337 Parker, David, 2259 Parkin, Bernardeta C., 1775, 1833, 3131 Parkington, Michael J., 2359 Parola, A. Jorge, 993 Parrott, Suzanne J., 3041 Parsonage, John R., 2315 Parsons, Simon, 163, 495, 1391, 1765, 2311, 3263 Partridge, Martin G., 3427 Parvez, Masood, 1709, 3521 Pasini, Alessandro, 579 Pasqualetti, Nicola, 3917 Pastor, Antonio, 3801 Paver, Michael A., 1587, 1991 Pawelczak, Krzysztof, 2729 Peacock, Robert D., 3837 Peattie, Gordon, 3837 Pechy, Peter, 2705 Peck, Lee A., 2945, 4029 Pelizzi, Corrado, 2297 Pelizzi, Giancarlo, 1783 Pellegrini, Sylvan, 3975 Pellinghelli, Maria Angela, 1183 Pelosi, Giorgio, 2297, 3035 Peng, Shie-Ming, 227, 2215, 2351, 2955, 2961, Peng, Tang-Sheng, 1857 Pennington, William T., 501 Perec, Mireille, 987 Perego, Paola, 579 Pereira, Regina M. S., 1805 Perera, Sarath D., 625, 633, 641, 1689, 2057, 3861 Pérez, Pedro J., 3801

Perils, Joanne, 2189

Perlepes, Spyros P., 2312

Pestovsky, Oleg, 133 Pettit, Leslie D., 3911 Pfeffer, Michel, 999 Phillips, Julian R., 1607, 2369, 2467 Phillips, Leonidas, 1469 Piarulli, Umberto, 3329 Pichierri, Fabio, 3275 Pickett, Christopher J., 1973 Pienaar, Jakobus J., 293, 3581 Pieralli, Fabrizio, 467 Pierre, Jean-Louis, 1939 Pietzsch, Hans-Jürgen, Piguet, Claude, 83 Pilbrow, John, 3809 Pilloni, Giuseppe, 2689 Pina, Fernando, 993 Piniella, Joan F., 2137 Pinilla, Elena, 2281 Pinzino, Calogero, 1035 Pitarque, Mari-Angel, 4107 Pitteri, Bruno, 3853 Piu, Paola, 1267 Planinić, Pavica, 1441 Plešek, Jaromir, 431 Poat, Julia C., 2369 Pogni, Rebecca, 1267 Polezzo, Stefanin, 4121 Poli, Nicola, 281 Polizio, Francesca, 3617 Polyakov, Vladimir A., 999 Pombeiro, Armando J. L., 1183, 1193 Poojary, Damodara M., 111 Portanova, Roberto, 733 Potrzebowski, Marek J., 3683 Powell, Anne K., 1645 Powell, Harold R., 741, 1127, 1527, 1597 Powell, John, 2975 Powell, Kipton J., 1799 Prakash, Aditya, 3109 Pramanik, Amitava, 1417, 1543 Prashar, Sanjiv, 1427 Pratt, John M., 3643, 3651 Predieri, Giovanni, 2321 Priego, José L., 2183 Prinsloo, Frans F., 293, 685, 3581 Pritchard, Robin G., 701, 1095, 2421, 3873 Pritzkow, Hans, 1061 Psaila, Alexander F., 1233 Pudelski, John K., 1893 Purcell, Walter, 1201 Quaranta, Eugenio, 3359 Queiros. M. Arlete, 1973 Quillet, Valerie, 771 Radek, Christian, 4045 Rademacher, Otto, 2797

Raffaelli, Andrea, 1035 Raghavan, M. S. Srinivasa, 1569 Raithby, Paul R., 1061, 1245, 1587, 1991, 2707, 2935, 3049, 3139, 3251, 3253, 3307, 3785 Ramaprabhu, Sundara, 115 Ramírez, José A., 541 Ramírez de Arellano, M. Carmen, 2529 Ramsden, James A., 2101 Randaccio, Lucio, 3275 Randall, Edward W., 2125 Ranford, John D., 3721 Rankin, David W. H., 349, 975, 2193 Rao, Chebrolu P., 1569, 2459 Rapta, Miroslav, 37 Raptopoulou, Catherine P., 123, 2312, 2591 Raston, Colin L., 4059 Raubenheimer, Helgard G., 313, 2067 Ravetz, Megan S., 3473 Rawson, Jeremy M., 163, 2311 Ray, Debashis, 265 Read, Paul A., 875, 885 Read, Paul W., 3401 Rebbitt, Thomas O., 389 Reck, Günter, 2277 Reddy, Adi N., 3565 Reddy, Venkata S., 1933 Reed, David, 163, 843, 4113 Reedijk, Jan, 2209 Refaif, Sidi M., 1939 Refosco, Fiorenzo, 3475 Reibenspies, Joseph H., 1363, 1511 Reid, Gillian, 3439 Reim, Jörg, 2649 Reindl, David, 665 Reinisch, Paul F., 1597 Rennie, Moira-Ann, 1587, 1991, 2707 Rest, Antony J., 2013 Rey, Paul, 1939 Rheingold, Arnold L., 549, 1893, 2639, 3789 Ribera, Antonio, 3891 Riby, Philip G., 2315 Ricalton, Allen, 2873 Ricciardi, Giampaolo, 2385 Richards, Raymond L., 5, 1183, 1193, 1315, 2583 Rickard, Clifton E. F., 1147, 1153, 1907, 2895 Riera, Víctor, 1069 Rigo, Pierluigi, 3343

Robertson, A. H. Jean, 3941, 3955, 3963 Robertson, Heather E., 349, 975, 2193 Robinson, Brett, 905 Robinson, Stephen D., 3497 Rodrigo-Blanco, Ma. Esther, 1015 Rodríguez, Ana, 1629 Rodríguez, Elisa, 891 Rodríguez-Argüelles, Maria C., 2297, 3035 Rodriguez de Barbarin, Cecilia O., 275, 765, 2323 Roesky, Herbert W., 177, 1951, 2453, 3747 Rogers, Robin D., 3801 Rohwer, Elisabeth A., 3433 Román, Pascual, 2225 Romerosa, Antonio, 343 Roodt, Andreas, 1201 Rosa, Angela, 2385 Rose, John P., 931 Rosokha, Sergey V., 2633 Roundhill, D. Max, 1677 Rourke, Jonathan P., 317 Rowling, Simon, 367 Royer, Elia C., 2183 Royo, Pascual, 231 Rudd, Martin D., 759, 811, 3173 Ruf, Michael, 1915 Ruhl, Barbara, 1709 Ruisi, Giuseppe, 467 Ruiz, Aurora, 2137 Ruiz, Caridad, 1529 Ruiz, Javier, 1069 Russell, Christopher A., 1587 Russell, David R., 1073, 3007, 3057, 3709 Russo, Umberto, 963 Ryabov, Alexander D., 999 Ryabova, Ekaterina S., 999 Ryan, T. Anthony, 2359 Sabat, Michal, 2109, 3767 Sabatino, Piera, 419, 2087 Sadler, Novelette P., 2267 Sadler, Peter J., 1395, 3721 Saha, Basudeb, 1083 Sahajpal, Arvind, 3497 Said, Musa A., 2151 Saint-Aman, Eric, 1939 Sakai, Hiroshi, 513 Sakiyama, Hiroshi, 3419, 3635, 4015 Sala, Luis F., 799, 1393 Salem, Geoffrey, 57, 649, Sales, Joaquim, 2445 Salisbury, Philip, 2479 Samotus, Alina, 3057

Samuel, Christopher J., 759 Sánchez, Agustín, 1403 Sanders, J. Roger, 321 Sangster, Jeffrey O. S., 2233 Sanna, Gavino, 1267 Sansoni, Mirella, 2763, 2865 Santamaria, Elena, 2281 Santana, M. Dolores, 1965 Santos, Isabel C., 3543 Santos, M. Amélia, 2565 Sanyal, Ankan, 1227 Sarroca, Cristina, 1473, 3563 Sastre, Angela, 2305 Sato, Ryoichi, 307 Saucedo, M. José, 2183 Saunders, Graham C., 4029 Saura-Llamas, Isabel, 2529, 2535 Savage, Paul D., 3537 Scapacci, Giancarlo, 531 Schäfer, Wolfram, 2305 Schatz, Erik, 825 Scheller, Dieter, 2277 Schier, Annette, 2919 Schimek, George L., 501 Schmid, Roland, 2473 Schmid, Siegbert, 1663 Schmidbaur, Hubert, 559, 2919 Schmidt, Hans-Georg, 177, 1951, 3747 Schmidt, Thomas, 1563 Schmitz, Arndt, 2087 Schröder, Guy, 3767 Schröder, Martin, 4045 Schulz, Stephan, 177 Schweiss, Peter, 665 Schwerdtfeger, Peter A., 1153, 1341 Scott, Andrew J., 2129 Scott, Elinor L., 1029 Scott, Peter, 603 Scowen, Ian J., 2851 Scrivanti, Alberto, 419 Scudder, Marcia L., 3731 Seddon, Elaine A., 2359 Seddon, Kenneth R., 2359, 3467 Seeber, Renato, 1267 Segal, John A., 2033 Sembiring, Seri Bima, 3731 Sen Gupta, Kalyan Kali, 1227 Serratrice, Guy, 1939 Shanahan, Claire A., 1709 Shang, Maoyu, 3691 Shaw, Bernard L., 625, 633, 641, 1689, 1697, 2057, 3861 Shawcross, Andrew, 1525 Sheldrick, William S., 1549,

2663

Shephard, Douglas S., 495, 843, 3307 665 Sheppard, Richard N., 1775 Sheridan, John B., 931 Shermolovich, Yuri, 1951 Sherwood, Paul, 2359 3819 Sheu, Shiann-Cherng, 3503 Shiba, Hiroshi, 181 Shih, Yeh E., 1791 Shindo, Heisaburo, 1325 Shindo, Kenji, 3635 Shionoya, Mitsuhiko, 2289 Shishkin, Oleg V., 3743 Shpeizer, Boris, 111 Siddique, Rana M., 3837 3103 Sieker, Anke, 1391 Sigel, Helmut, 3767 Sillanpää, Reijo, 2209, 3849 2701 Silver, Jack, 1839, 4053 Silvestri, Arturo, 467 2865 Simões Gonçalves, M. L. S., 2565 Simpson, Stuart L., 1799 Sinicropi, Maria S., 17 3917 Sinn, Ekkehard, 367, 1489 Sironi, Angelo, 1671 Sironi, Maurizio, 4121 Sjöberg, Staffan, 1799 Skelton, Brian W., 783, 1341, 2159, 2431, 3063 1577 Skorda, Konstantina, 2312 Slawin, Alexandra M. Z., 1607, 2369, 2467, 2489, Sletten, Jorunn, 3207 Sliva, Tatian Yu., 3911 Smeets, Wilberth J. J., 4021 Smit, Jaap P., 1201 Smith, Anthony K., 2901 Smith, Clyde A., 1121 Smith, David K., 403 Smith, Graham, 3565 3395 Smith, J. David, 349, 975 Snaith, Ronald, 3139 Snider, Daniel A., 2719 Sobota, Piotr, 1727 Solan, Gregory A., 1597, 2311, 3049 Solanki, Sangeeta, 3109 Solans, Xavier, 1839, 2445, 4053 Solymosi, Piroska, 3353 Song, Bin, 3767 Song, Xuejing, 1645, 1649, Sordo, José, 1403 Southerington, I. Gary, 1995 Sóvágó, Imre, 489 Sovrani, Tiziana, 3601 Sowerby, D. Bryan, 377,

383, 1173, 1995

Spasojević, Ivan, 2503

Spasojević-de Biré, Anne, Teranishi, Toshiharu, 979 Terasaki, Yukiko, 2837 Spek, Anthony L., 4021 Terzis, Aris, 123, 2312, 2591 Spencer, Dale M., 2915 Teuben, Jan. H., 217 Spencer, John L., 2391, Thomas, Michael J. K., 2315, 3367 Spiccia, Leone, 439 Thompson, Russell M., 1663 Spies, Hartmut, 2277 Thompson, Simon C., 269 Spina, Gabriele, 467 Thornton, Peter, 819 Sportouch, Sandrine, 3113 Thornton-Pett, Mark, 431, 1689, 1697, 2057 Sreedhara, Alavattam, 2459 Srinivasan, Narmatha, 3467 Tian, Shun, 3933 Stalke, Dietmar, 3139 Tiddy, Gordon J. T., 1769 Tiekink, Edward R. T., 439, Stedman, Geoffrey, 2561, 595, 2619, 3809 Steiner, Alexander, 2707 Tien, Mong-Jong, 3503 Stępiński, Janusz, 2657, Tillard-Charbonnel, Monique, 3113 Štíbr, Bohumil, 431 Tilley, Elizabeth E. M., 825, Stoccoro, Sergio, 777, 835 Timmanagoudar, Prakash Stokes, Sally E., 403, 3447 L., 3623 Ting, Pei-Chen, 3561 Storre, Jens, 3747 Strähle, Joachim, 1663, Tiripicchio, Antonio, 851, 1183, 2321 Stratemeier, Horst, 3809 Tisato, Francesco, 3475 Suárez-Varela, José, 2143 Tocher, Derek A., 3497, Subramanian, S., 2233 3571 Todone, Flavia, 1653 Suda, Shoichi, 1325 Toftlund, Hans, 707, 3667 Suh, Myunghyun Paik, Tolazzi, Marilena, 733, Sullivan, B. Patrick, 1733 1349, 2689 Sun, Hongzhe, 1395 Tomás, Milagros, 2397, Suvachittanont, Surapong, 2949, 3777 Tomiyasu, Hiroshi, 1077 Suzuki, Shigeru, 1489 Tomlinson, Laura J., 31 Tong, Ye-Xiang, 4001 Suzuki, Takayoshi, 3609 Swallow, Daniel, 3743 Torralba, M. Carmen, 1965 Swamy, K. C. Kumara, 2151 Torres, Tomás, 2305 Swang, Ole, 185 Toshima, Naoki, 979 Tóth, Imre, 477, 3353 Sweet, Tracy K. N., 205, 937, 1059, 2111 Tramuns, David, 2445 Trepanier, Steven J., 2425 Swiegers, Gerhard F., 2697 Sykes, A. Geoffrey, 3317, Tresoldi, Giuseppe, 17 Tritcak, Todd R., 931 Trojanowski, Christa, 2521 Szafert, Sławomir, 1727 Szczegot, Krzysztof, 1727 Trzeciak, Anna M., 105 Szklarzewicz, Janusz, 3057 Tsangaris, John M., 123 Tagawa, Seiichi, 2885 Tschumper, Andreas, 49 Takeda, Masuo, 3715 Tsukube, Hiroshi, 181 Tsymbal, Lyudmila V., 2633 Talarmin, Jean, 1973 Tam, Kwok-Kwong, 2779 Tuchagues, Jean-Pierre, Tan, Yu-May, 3467 1453, 3667 Tanase, Tomoaki, 307 Turner, James J., 2711 Tarasconi, Pieralberto, 3035 Turner, Peter, 2549, 3905 Tasker, Peter A., 1127 Turonek, Mary L., 3659 Tassoni, Emanuela, 3617 Ueki, Yutaka, 513 Tauridou, Polymnia, 123 Uenishi, Jun-ichi, 181 Taylor, Michael J., 2895 Ugozzoli, Franco, 851 Taylor, Richard G., 3335 Ulvenlund, Stefan, 245, Tedesco, Emilio, 1215, 255 Underhill, Allan E., 587, 3297 Temeriusz, Andrzej, 2657, 897, 1285 3849 Urbano, Ana M., 327

Urbanos, Francisco A., 2183 Urriolabeitia, Esteban P., 2805 Usón, Isabel, 1951, 2453 Uytterhoeven, Myriam G., 963, 3881 Vacca, Alberto, 1109 Vahrenkamp, Heinrich, 1915 Valkonen, Jussi, 2459 Vallazza, Eva, 2473 Valle, Giovanni, 1461 Valtancoli, Barbara, 2377 van den Hende, Johannes R., 1427, 1435, 2251, 3933 van Eldik, Rudi, 133, 293, 463, 685, 999, 2027, 3581, 3591 van Koten, Gerard, 4021 van Leeuwen, Piet W. N. M., 409 Vargas, Maria D., 1805 Vaz, M. Cândida T., 2565 Vázquez-López, Ezequiel M., 1403 Veiros, Luís F., 3543 Venkatsubramanian, Krishnan, 1239 Vereshchagina, Jana, 3683 Vessey, Jonathan D., 1697 Vicente, José, 497, 1251, 2529, 2535, 3093, 4131 Vigner, Julien, 237, 3019, 3027 Vilar, Ramón, 2107 Villacampa, Maria Dolores, 805 Vinogradov, Sergei A., 2679 Visscher, Karyn B., 2785, 3521 Viswanathan, Rathinam, 1259 Viterbo, Davide, 3329 Vivanco, Marilin, 1069 Voelker, Heike, 1951 Vojtíšek, Pavel, 2611 Volden, Hans Vidar, 185 Volkert, Wynn A., 565 von Ragué Schleyer, Paul, 2193 Vos, Eric J., 409 Vos. Johannes G., 2705

Vrieze, Kees, 4021

Wadepohl, Hubert, 1061, Wagener, Judith M., 1411 Waller, Anne, 549 Walton, Paul H., 957 Wang, Liufang, 2045 Wang, Ru-Ji, 753 Wang, Shuangxi, 2045 Wang, Suning, 2425 Wang, Ximeng, 2045 Wang, Yu, 1183, 1193, 1305, 3561 Wang, Zheng, 1511 Ward, Michael D., 819, 825, 835, 2769, 2921, 3071, 3601 Warren, Timothy H., 301 Wasylishen, Roderick E., 3691 Watson, Paul G., 1073, 2945 Webb, Alexander D., 349, 975 Webster, Michael, 3367 Wei, Gang, 2541 Wei, Wenyan, 783 Weisner, Jan, 321 Welch, Alan J., 1333, 1755, 2805 Weldon, Frances, 2705 Weller, Mark T., 3015 Welton, Thomas, 3467 Wen, Yuh S., 1791 Went, Michael J., 1805 Westwell, Jeremy R., 2711 Whang, Dongmok, 363 Wheatley, Andrew, 245, 255 Whilton, Nicola, 1887 White, Allan H., 783, 1341, 2159, 2431, 3063 White, Andrew J. P., 1775, 2467, 2469, 3131, 3891 White, Andrew R., 449 White, Colin, 2101 Whiteley, Mark W., 2873, 2915, 3231 Whittaker, A. Gavin, 2073 Wieczorek, Michał W., 3683 Wild, S. Bruce, 57 Wilkes, Stephen B., 897 Wilkinson, Della A., 741, 1527 Wilkinson, Geoffrey, 205, 937, 1059, 2111

Willey, Gerald R., 759, 811, 3173 Williams, David J., 319, 1607, 1775, 2107, 2369, 2467, 2469, 2489, 2509, 2575, 2843, 3131, 3189, 3221, 3891 Williams, David N., 3329 Williams, J. A. Gareth, 2259 Willis, Anthony C., 57, 1867 Wilson, D. James, 4039 Winfield, John M., 3837 Winpenny, Richard E. P., 163, 1765, 2311 Wirringa, Uwe, 1951 Withnall, Robert, 2417, 2577 Wolff, Jens M., 1549 Wong, Kwok-Yin, 1103 Wong, Wai-Kwok, 3087 Wong, Wai-Yeung, 1379, 1497, 2735, 2831, 3995 Wong, Wing-Tak, 1047, 1379, 1389, 1497, 2735, 2831, 3087, 3987, 3995 Wood, Paul T., 2369 Woodward, Simon, 367, 1489 Woolhouse, Christopher B., 3975 Woollins, J. Derek, 1607, 2369, 2467, 2489, 3189 Worrell, Jay H., 99 Wright, Dominic S., 1587, 1991, 2707 Wright, Ian N., 1023 Wu. Daxu. 1447 Wu, De-Dong, 139, 2671 Wu, Gang, 3691 Wu, Iuan-Yuan, 2351 Wu, Liang Ping, 3215, 4099 Wu. Zhi-Biao, 695 Wucherer, Edward J., 1873 Xie, Ming C. L., 951 Xie, Xiulan, 1447 Xu, Ruren, 2147 Xu, Xiuting, 2147 Xu, Zhi-Tao, 4001 Yaghi, Omar M., 727 Yago, Juan M., 1965 Yam, Vivian Wing-Wah, 499, 2779 Yamamoto, Masahiro, 2627

Yamamoto, Mikiko, 3215, 4099 Yamamoto, Yasuhiko, 3281 Yamamoto, Yasuhiro, 307 Yamanari, Kazuaki, 2627 Yamazaki, Hiroshi, 1369 Yan, Yaw-Kai, 2509, 2851, 3221 Yang, Guangdi, 2147 Yang, San-Ming, 227, 1103, 2955, 2961 Yap, Glenn P. A., 1893 Yau, John, 319, 2575 Yih, Kuang-Hway, 1305 Yin, Ping, 2095, 3925 Yip, Hon-Kay, 657 Yoshikawa, Mitsuhide, 1325 Yu. Kaibei. 2045 Yuge, Hidetaka, 3195 Zajączkowski, Ignacy, 2657, 3849 Žák, Zdirad, 689 Zanchini, Claudia, 963 Zanello, Piero, 531, 1245, 3881 Zangrando, Ennio, 3275 Zanonato, Pier Luigi, 733, 1349, 2689 Zanotti, Valerio, 2087 Zarini, Marta, 2407 Zaworotko, Michael J., 2233, 3375 Zechel, David L., 1893 Zhang, Hongming, 3335 Zhang, Qi, 2757 Zhang, Zhi-Yong, 1453 Zheng, Yifan, 1357, 1957, 3041, 3143 Zhong, Y. C., 3809 Zhu, Chengyue, 1583 Zhu, Jin, 2215 Zhu, Shou-Rong, 1879 Ziessel, Raymond, 893, 4067 Ziółkowski, Józef J., 105 Zora, Jalal A., 3467 Zoroddu, Maria Antonietta, 1267 Zubieta, Jon A., 3153 Zucca, Antonio, 777, 2865 Zukerman-Schpector, Julio, 1403

Now War is a second

- 10 To - 10 T

Shares As A

and a series

100

- M 1 PO

0.

3- H -3-W

No.

110

EBÚT

Water Control

All the second of the second o

The state of the s

Eliment of

07

W L III

av sum tel

ANGRE.

The state of the s

W N

20.00

A.

MAT OR NO.

The state of the s

and of

The man of the state of the sta

W 1 - W

Any and a decision of the second

2 10 10

----

0 2,00

TAYER TO SEE

n-1

The many states

3.71

The same of the sa

#155 a. (Sec. )

2580 31 m

#### SUBJECT INDEX

AB INITIO CALCULATIONS

The electronic structure of the carbonyl dihalides, COF<sub>2</sub>, COCl<sub>2</sub>, COBr<sub>2</sub>, COClF, COBrF and COBrCl: a combined computational and experimental study, 2359

The nature of the platinum-phosphine bond. An ab initio Hartree-Fock and density functional study, 4121

ACETAMIDE

Kinetics of reduction of hexakis(acetamide)- and hexakis(dimethylacetamide)-iron(III) by tris(3,4,5,6,7,8-hexamethyl-1,10-phenanthroline)iron(II) in acetonitrile, 2473

ACETONE

Synthesis, reactivity and catalytic activity of [RuH(η¹-OCMe₂)(CO)₂(PPr¹₃)₂]BF₄, 2171 ACETYLACETONATE

Kinetics and mechanism of ligand exchange in tetrakis-(acetylacetonato)zirconium(IV) in organic solvents, 1077 ACETYLENE

Synthesis, spectroscopic characterization and dynamic behaviour of niobium complexes with poly(pyrazol-1-yl)methane ligands,

Homoleptic molybdenum complexes of α,β-unsaturated amides and esters: preparation and crystal structures, 1563
ACRYLATE

Syntheses and structures of nickel(0) complexes containing the methyl methacrylate monomer as ligand, 2033

ACTINIDE

Molecular structure of monomeric uranium tetrachloride determined by gas electron diffraction at 900 K, gas-phase infrared spectroscopy and quantum-chemical density-functional calculations, 185

Synthesis and reactions of uranium(IV) tetrathiolate complexes,

Exploring the auxiliary co-ordination sphere of tripodal amino(triamido) actinide complexes, 603
Thermodynamic and spectroscopic investigations on the interaction of uranyl(vi) with neutral N- and O-donors in dimethyl sulfoxide, 733

Formation and decomposition of uranium-oxygen clusters in fast atom bombardment of dioxouranium(vI) salts, 885

Complexation of thorium(IV) with 2-thenoic and 2-furoic acids in aqueous solution at low pH, 2697

Synthetic, spectroscopic and structural studies on uranium and thorium complexes of diphosphazane dioxides, 2991

Synthesis of cationic uranium compounds by protonolysis of amide precursors: amide and chloroamide complexes, 3019

Synthesis of cationic uranium compounds by protonolysis of amide precursors: cyclopentadienyl and cyclooctatetraene complexes, 3027

Synthesis, spectroscopic properties and crystal structures of [ML<sub>2</sub>Cl<sub>2</sub>] [M = Th or U; L =  $\eta$ -C<sub>5</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] and [UL<sub>2</sub>X<sub>2</sub>] (X = Br, I or BH<sub>4</sub>), 3335

Diphosphinoamido complexes of thorium(rv) and uranium-(rv) and -(v). Crystal structures of [{ThCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PPr<sup>i</sup><sub>2</sub>)<sub>2</sub>]<sub>2</sub>}] and [{UCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>)<sub>2</sub>]<sub>2</sub>}], 3401

ACYL

Synthesis and carbonylation studies on methylpalladium(II) complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159

ADENINE

Co-ordination chemistry of adenine (HAde): synthesis and characterization of [Cu<sup>II</sup>(tren)(nucleobase)]X<sub>2</sub> [tren = tris(2-aminoethyl)amine, X = Cl or NO<sub>3</sub>] complexes and crystal structure of [Cu<sup>II</sup>(tren)(Ade)]Cl-2H<sub>2</sub>O<sub>3</sub>, 1461

Oxovanadium(IV) complexation by adenosine 5'-di- and -tri-phosphate and nucleotide building blocks, 425 AGGREGATION

AGGREGATION

Dynamics and molecular aggregation in crystalline  $[\{M(C_3H_3)\}_3(\mu_3-\eta^2;\eta^2:\eta^2\cdot C_6H_3R)] [M=Co,R=CH(Ph)Me,CH_2CH_3Ph or CHCHMe;M=Rh,R=H] clusters, 1089$ AGOSTIC INTERACTION

Synthesis and crystal structure of  $[RuCl_2(PPh_3)]\{N(SiMe_3)C(Ph)-NH(PPh_3)], 3087$ Syntheses and structures of  $[Re(SC_6H_3Me_7-2,6)_3(PPh_3)], [Re(SC_6H_3Me_7-2,6)_3(Bu^1NC)_2], [Re(SC_6H_3Pr^2,-2,4,6)_3L(PPh_3)] (L=N_2 or CO) and <math>[ReH_4(PPh_3)_4][ReO(SC_6H_2Pr^2,-2,4,6)_4], 3153$ 

Dinitrogen, butadiene and related complexes of molybdenum.

Crystal structures of [Mo(N<sub>2</sub>)(PMe<sub>3</sub>)<sub>5</sub>] and [Mo(η<sup>3</sup>-CH<sub>3</sub>CH-CHCH<sub>2</sub>)(η<sup>4</sup>-C<sub>4</sub>H<sub>6</sub>)(PEt<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801 Effect of bulky alkyl substituents on the dynamics and stability of

platinum complexes with β-agostic bonding, 3819

A general method of generating agostic interaction between Rull and C-H bonds of tert-butyl, methyl, aryl, heterocyclic or alkenyl groups using azine phosphines, 3861

Carbon-hydrogen bond properties and alkyl group geometries in diphlyroge.

Carton-inydrogen both of properties and aixy group geometries in dichloro(η<sup>5</sup>-cyclopentadienyl)methyltitanium(iv) and dichloro(η<sup>5</sup>-cyclopentadienyl)ethyltitanium(iv) [TiR(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)Cl<sub>2</sub>] (R = Me or Et), 3941
Deprotonation of η<sup>2</sup>(4e)-bonded alkynes as a pathway to σ,η<sup>2</sup>(3e)-prop-2-ynyl, η<sup>5</sup>-pentadienyl and η<sup>6</sup>-trans-1,3-diene substituted molybdenum complexes, 3975

ALANE

Synthesis and characterization of new dimeric aminoalanes, 3747 ALCOHOL

Synthetic, structural and magnetic studies of asymmetric trinuclear copper(II) compounds [CuX<sub>2</sub>(Hae)<sub>2</sub>][Cu<sub>2</sub>(ae)<sub>2</sub>X<sub>2</sub>] (X = Cl or Br; Hae = 2-aminoethanol), 2209

Reactions of dichlorobis(2,3-dimethylbutane-2,3-diolato)-tungsten(vI) with water and alcohols, 2701

ALCOHOLATE

Electron paramagnetic resonance spectroscopic characterization of {2,2-bis(hdyroxymethyl)-2-[bis(2-hydroxyethyl)amino]ethanolato oxochromate(v), 4129

ALDONIC ACÍD

Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study, 799

Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799),

ALKALI METAL

Syntheses, structures and magnetic studies of homometallic manganese and heterometallic iron-sodium one-dimensional polymers, 2311

Synthesis and co-ordination chemistry of a novel bis(benzo crown ether) substituted calix[4]arene that can simultaneously complex cations and anions, 3117

The occurrence of both amide and thiolate forms of the benzoxazole-2-thionate anion (C<sub>7</sub>H<sub>4</sub>ONS<sup>-</sup>) in the same molecule: synthesis and crystal structure of C<sub>7</sub>H<sub>4</sub>ONSNa[µ-OP(NMe<sub>2</sub>)<sub>3</sub>]<sub>3</sub>-NaC<sub>7</sub>H<sub>4</sub>ONS, 3139

Reaction of alkali-metal tetraphenylborates with amines in the presence of CO<sub>2</sub>: a new easy way to aliphatic and aromatic alkali-metal carbamates, 3359

Synthesis and crystal structures of [C6H4SC(-S)-NNa- $3P(NMe_2)_3O\cdot NaN = (S^2)CSC_6H_4$  and  $[C_6H_4SC(=S)=NLi-pmdien]$  (pmdien = N,N,N',N'',N''-pentamethyldiethylenetriamine): alkali-metal amides from 2-sulfanylbenzothiazole,

ALKALINE-EARTH METAL

Thermodynamic and electrochemical studies of lanthanide and alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689 Thermodynamics of formation of 1,4,7,10,13,16-hexaoxacyclo-

octadecane (18-crown-6) complexes with calcium, strontium and barium ions in water and dimethylformamide, 3081

Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7-malonate, -7,16-bis(malonate) and -7,16-bis(a-methyl-

acetate), 3353

Determination by electron diffraction of the molecular structures of chloro- and bromo-tris(trimethylsilyl)methane in the gas phase, 349

Lewis-acid catalysed oxidation of alkanes by chromate and permanganate, 695 ALKANOL

Conformational preferences and protonation sequence of myo-inositol hexaphosphate in aqueous solution; potentiometric and multinuclear magnetic resonance studies, 575

Co-ordination of copper(II) with monoamino-triols and -tetrols.

Effect of stereochemistry on complex formation, 2657

Synthesis and characterization of new di- and tetra-meric

ALKENE

Structure and mechanism in aerobic alkene epoxidations promoted by ruthenium complexes of bis(dihydrooxazole) ligands, 367 Alkene epoxidation catalysed by camphor-derived β-keto-phosphonate complexes of molybdenum(vi), 1221

ALKENE (contd)

NENE (contd) vanadium intermediates of olefin polymerization catalysts. Crystal structures of  $[V_2(\mu-Cl)_2Cl_4(MeCO_2Et)_a]$  and  $[\{VOCl_1CH_2(CO_2Et)_1\}]_A^1-2CH_2Cl_2$ , 1727 (ucleophilic additions to the chiral rhenium alkene complexes  $[Re(\eta^5-C_3H_3)(NO)(PPh_3)(H_2C=CHR)]BF_4$  (R=H, Me,  $CH_2CH_3Me$ , Ph or  $CH_2Ph$ ): regio-, diastereo- and enantioselectivities 1857 selectivities, 1857

Kinetics and mechanism of addition of tertiary phosphines and phosphites to the dicarbonyl(η<sup>5</sup>-cyclopentadienyl)(η-ethene)iron

cation, 2021

Four-versus five-co-ordinate bis(imido) alkene complexes of molybdenum: the contrasting effects of tert-butyl- and 2,6-diisopropylphenyl-imido substituents, 3313 Effect of bulky alkyl substituents on the dynamics and stability of

platinum complexes with β-agostic bonding, 3819
Deprotonation of η²(4e)-bonded alkynes as a pathway to σ,η²(3e)-prop-2-ynyl, η²-pentadienyl and η²-trans-1,3-diene substituted molybdenum complexes, 3975

ALKENYL

Synthesis and characterisation of enynyl, vinyl and acetylide complexes of osmium(11), 719 ALKENYLARYL

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)], 3093

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one,

[Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)] (1995, 3093)], 4131

ALKOXIDE

Manganese complexes of 1,3-bis(3-nitrosalicylideneamino)propan-Manganese complexes of 1,3-bits/3-hitrosancy/indenamino/propan-2-ol. Structure and magnetic and electrochemical properties, 1453 Reactions of ytterbium(II) amides with various Brønsted acids, CS<sub>2</sub> or LiNR<sub>2</sub>; crystal structures of [{Yb(NR<sub>2</sub>)(μ-OCBu<sup>1</sup><sub>3</sub>)}<sub>2</sub>] and [Yb(OCBu<sup>1</sup><sub>3</sub>)<sub>2</sub>(thf)<sub>2</sub>] (R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 2251 Boratropic rearrangements in tris(pyrazolyl)borate molybdenum mononitrosyl complexes: effects of co-ligands, 2281

Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and

complexes of pyriame and a comparative study with oxo and nitrido analogues; crystal structure of [Re<sup>V</sup>(NMe)(py)<sub>3</sub>(OEt)Cl]ClO<sub>4</sub> (py = pyridine), 2779

Synthesis and crystal structure of an encapsulated fragment of MoO<sub>2</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>8</sub>O<sub>8</sub>Cl<sub>6</sub>-(μ<sub>2</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(μ-OH)<sub>4</sub>(μ-OEt)<sub>4</sub>(HOEt)<sub>4</sub>] and its relevance to the sol-gel synthesis of molybdenum oxides, 3263

Synthesis and characterisation of ytterbium(II) alkyls, 3933

tert-Butylimido compounds of manganese-(VII), -(VI), -(V) and -(II); nitrido, amido, alkyl, zinc and aluminium compounds, 205 Mono(η-cyclopentadienyl)benzamidinato alkyl compounds of

itianium and zirconium, 217
Dinuclear zirconium complexes with Me<sub>2</sub>Si(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub> as bridging ligand. Molecular structure of [{Zr(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>Bu<sup>1</sup><sub>2</sub>)Me}<sub>2</sub>(μ-O)-

 $\{\mu\text{-Me}_2\text{Si}(C_5H_4)_2\}$ ], 231

{μ-Me<sub>2</sub>Si(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>}], 231 Iron(θ) arene and iron(II) hydride complexes from the hydrogenation or thermolysis of high-spin iron(II) alkyls, 301 Synthesis and characterization of some mixed alkyl-carbamates of zinc or cadmium: crystal structures of [Zn<sub>4</sub>Me<sub>2</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>6</sub>] and [Zn<sub>4</sub>Me<sub>4</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>6</sub>], 1043 Complexes of trimethylplatinum(IV) with butane-2,3-dione monoxime, 1233

Nucleophilic additions to the chiral rhenium alkene complexes [Re(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)(NO)(PPh<sub>3</sub>)(H<sub>2</sub>C=CHR)]BF<sub>4</sub> (R = H, Me, CH<sub>2</sub>CH<sub>2</sub>Me, Ph or CH<sub>2</sub>Ph): regio-, diastereo- and enantioselectivities, 1857

Arylimido complexes of chromium-(vI), -(v) and -(IV), 2111 Synthesis and carbonylation studies on methylpalladium(II) complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159

Syntheses and structures of a four-co-ordinate monomeric

dialkylaluminium complex and a cyclic trimeric alkylaluminium

propeller complex with a bidentate amide ligand, Al(PhNCH<sub>2</sub>CH<sub>2</sub>-NH<sub>2</sub>)Me<sub>2</sub> and [Al(µ-PhNCH<sub>2</sub>CH<sub>2</sub>NH)Me], 2425
Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTeF<sub>5</sub>; compatibility of phosphine, alkyl and OTeF<sub>5</sub>- ligands in low-valent transition-metal complexes, 2941

Synthesis and characterisation of cationic bis(cyclopentadienyl)-tungsten(IV) complexes containing alkyl, chloride and hydride ligands, 3125

nganos, 3123
Dynamic nuclear magnetic resonance study of the effects of cischelate ligands on 1,2-metallotropic shifts in trimethylplatinum(IV) complexes of pyridazine, 3165
Effect of bulky alkyl substituents on the dynamics and stability of

platinum complexes with β-agostic bonding, 3819

Synthesis and characterisation of ytterbium(II) alkyls, 3933
Carbon-hydrogen bond properties and alkyl group geometries in dichloro(n³-cyclopentadienyl)methyltitanium(IV) and dichloro(n³-cyclopentadienyl)ethyltitanium(IV) [TiR(n³-C-3+J)Cl-2] (R = Me or Et), 3941
Methyl group geometries, C-H bond properties and internal rotation in dicarbonyl(n²-cyclopentadienyl)methyl-iron(II) and -ruthenium(II), [MMe(n³-C-4,J)CO)-2] (M = Fe or Ru), 3955
Partial deuteriation studies, ethyl-group geometries and C-H bond properties in [MEI(cp)(CO)-2] (M = Fe or Ru) and [MEI(cp)(CO)-3] (M = Mo or W) (cp = n²-C-3+3), 3963
Synthesis of methyl-palladium(II) and -platinum(II) complexes containing labile chelates and olefinite tertiary phosphine ligands: intramolecular insertion of an olefin into a palladium—carbon bond, and activation of a carbon-hydrogen bond by a

bond, and activation of a carbon-hydrogen bond by a platinum(II) complex, 4081 ALKYLATION

Kinetic versus thermodynamic control in the selective functionalization of nickel(II) cyclidene macrocyclic complexes, 1029 Highly selective mono- and di-alkylation of the backbone of Complexes of type fac[M(CO)<sub>3</sub>{E,Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=C(Bu')CH<sub>2</sub>PPh<sub>2</sub>}]
(M = Mo or W), 2057

ALKYLIDYNE

Metall

Metallosupramolecular cluster assemblies based on donor-acceptor type structural frameworks. Syntheses, crystal structures and

spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors, 1379 Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne-alkyne coupling in a triosmium alkylidyne cluster, 1497

Synthesis and structural characterisation of  $[Pd_4(\mu_3\text{-CH})(\mu\text{-Cl})_3\text{-}(PBu^*_3)_4]$ : a tetrahedral palladium cluster with a  $\mu_3$ -methylidyne ligand, 2107

Ingand, 2107.

Protonation of trans-[Mo(η²-MeCCH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]:
mechanism of formation of trans[MoX(CHCHMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (X = Cl or Br) or trans[MoF(CCH<sub>2</sub>Me)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], 2479

Synthesis and structural characterisation of some new triosmium

alkylidyne clusters containing sulfur-donor ligands. The formation of C-S and C-C bonds, 2735

Triosmium alkylidyne clusters containing monophosphine and

Iriosmum aikyidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>(μ<sub>3</sub>-CPBu<sup>n</sup>Ph<sub>2</sub>)] and (R)-[Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>-{μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>2</sub>PPh<sub>2</sub>)], 2831

Some remarkable reactions of the alkylidyne cluster [Os<sub>3</sub>(μ-H)<sub>2</sub>-(CO)<sub>9</sub>(μ<sub>3</sub>-CNC,H<sub>4</sub>C,H<sub>4</sub>N)] (NC,H<sub>4</sub>C,H<sub>4</sub>N) = 4,4-bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(μ-H)<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC,H<sub>4</sub>C,H<sub>3</sub>NH)] [FF, I<sub>3</sub>-H<sub>4</sub>O, 3995 CNC5H4C5H4NH)][BF4]2+H2O, 3995

Organometallic liquid crystals based on octahedral rhodium(III), 317

317.
2,6-Diisopropylphenylimido and diphenylacetylene complexes of tungsten containing the bidentate ligands 4,4'-dimethyl-2,2'-bipyridine and 1,2-bis(diphenylphosphino)ethane, 1147.
High-valent diphenylacetylene complexes of tungsten, 1153.
Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>).

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Synthesis and properties of the diaminoacetylene complexes *trans*-[MX(η²-MeHNC=CNHMe)-(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]A (X = F, Cl or ClO<sub>4</sub>; A = BF<sub>4</sub>, PF<sub>6</sub>, HCl<sub>2</sub> or ClO<sub>4</sub>) and of their di(aminocarbyne)-type precursors, 1183

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in *trans*-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu¹ or Me), 1193

Reactions of the μ-alkyne dimer [W<sub>2</sub>(η-C<sub>2</sub>H<sub>4</sub>Pr)<sub>2</sub>Cl<sub>4</sub>(μ-C<sub>2</sub>Et<sub>2</sub>)]: synthesis and bonding analysis of a μ-alkyne-μ-imido bridged ditungsten complex, 1207

Homo- and hetero-dinuclear complexes of palladium and platinum containing phosphinoacetylene and/or chloride as bridging ligands, 1333

Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with

ngands, 1353
Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne–alkyne coupling in a triosmium alkylidyne cluster, 1497
Synthesis of new alkyne-bridged ditungsten complexes [W<sub>2</sub>(CO)<sub>4</sub>-(μ-HC<sub>2</sub>R)(η-C<sub>5</sub>H<sub>3</sub>)<sub>2</sub>] (R = Me or Ph) and the reactions of these and related alkyne-bridged complexes with chlorodiphenyl-phosphine 1597 phosphine, 1597

Synthesis of tetracobalt clusters from dicobalt alkyne complexes,

Alkyne insertions into the σ-Pd-C(sp², ferrocene) bond of cyclo-palladatedcomplexescontainingSchiffbasesderivedfromferrocene. Crystal structures of [Pd{[(EtC=CEt)<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph)]Fe(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)}Cl] (R = H or Me), 1839 Evaluation of the 2,6-diisopropylphenylimido ligand as a steric force in d¹ and d² monomeric octahedral complexes of tungsten,

ALKYNE (contd)

Protonation of trans-[Mo(η²-MeCCH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]: mechanism of formation of trans mechanism of formation of trans-[MoX(CHCHMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (X = Cl or Br) or trans-[MoF(CCH<sub>2</sub>Me)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], 2479 Insertion of internal acetylenes into orthopalladated α-methyl-benzylamine. Crystal structure of [Pd{C(Ph)=C(Ph)C(Ph)= C(Ph)C,H<sub>4</sub>CH(Me)NH<sub>2</sub>}Br], 2529 Phosphorus—carbon bond formation in heterobimetallic molyhdenum—tunsten alkuya complexes 3049

molybdenum-tungsten alkyne complexes, 3049

Reaction chemistry of alkynes with the tris(acetonitrile)ruthenium cluster [Ru<sub>3</sub>(CO)<sub>9</sub>(MeCN)<sub>3</sub>], 3785

Deprotonation of η<sup>2</sup>(4e)-bonded alkynes as a pathway to σ,η<sup>2</sup>(3e)-prop-2-ynyl, η<sup>2</sup>-pentadienyl and η<sup>4</sup>-trans-1,3-diene substituted molybdenum complexes, 3975

Preparation of [Ru(n<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl(C\(\subseteqCPh)(RNC)] (R = C<sub>8</sub>H<sub>9</sub> or C<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6) and its reaction with tetracyanoethylene. Crystal structures of [Ru(n<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl<sub>7</sub>(C\(\subseteqC(C<sub>8</sub>H<sub>9</sub>NC)] and cis-[RuCl<sub>2</sub>(C<sub>8</sub>H<sub>9</sub>NC)<sub>2</sub>], 307
Alkynyl gold(1) complexes. The first family of ethynyl gold(1) complexes, 497
Sutheris and the protoriestics of convent visual and acception.

Synthesis and characterisation of enynyl, vinyl and acetylide complexes of osmium(II), 719

Heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893
Bis(alkynyl) and alkynyl-vinylidene iron(II) complexes with monodentate phosphite ligands, 1783
Lithioalkynyl iron(II) or ruthenium(II) complexes as precursors of

Lithoalkynyl fron(II) or ruthenium(II) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging ethynediyl system, 1901

Novel heterotrinuclear, PtAg<sub>2</sub>, and hexanuclear, Pt<sub>2</sub>Ag<sub>4</sub>, compounds containing bridging alkynyl groups. Crystal structure of [Pt<sub>2</sub>Ag<sub>4</sub>(C<sub>5</sub>F<sub>3</sub>)<sub>4</sub>(µ<sub>3</sub>-η<sup>2</sup>-C=CPh)<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>]-0.5CH<sub>2</sub>Cl<sub>2</sub>, 2397

Rigid multinuclear arrays assembled around platinum centres, 4067

ALLENE

Chemistry of molybdenum complexes with (triphenylmethyl)allene, 2351

ALLYL

ELYL
Syntheses and crystal structures of the ruthenium carbidocarbonyl clusters [Ru<sub>5</sub>C(CO)<sub>11</sub>(μ-Br)<sub>2</sub>(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)(μ-η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)],
[Ru<sub>5</sub>C(CO)<sub>13</sub>(μ-I)(μ-η<sup>2</sup>-COMe)] -, [Ru<sub>5</sub>C(CO)<sub>14</sub>(μ-Br)<sub>2</sub>] and
[Ru<sub>6</sub>C(CO)<sub>16</sub>(μ-Br)] with novel metal frameworks, 1369
Synthesis and reactivity of tungsten vinylallene complexes, 3561
Dinitrogen, butadiene and related complexes of molybdenum.

Crystal structures of [Mo(N<sub>2</sub>)(PMe<sub>3</sub>)<sub>5</sub>] and

<sup>3</sup>-CH<sub>3</sub>CHCHCH<sub>2</sub>)(η<sup>4</sup>-C<sub>4</sub>H<sub>6</sub>)(PEt<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801

[Mo(η<sup>3</sup>-Cl

Synthesis and structures of sterically crowded aryloxide-substituted aluminium chloride, 177

and minimum choride, I'vi tert-Butylimido compounds of manganese-(VII), -(VI), -(V) and -(II); nitrido, amido, alkyl, zinc and aluminium compounds, 205
Role of the NH<sub>3</sub>\* moiety in iron(III)-, aluminium(III)- and gallium(III)-aminohydroxamate interactions, 477
Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study, 799 Complexation of aluminium(III), gallium(III) and indium(III) ions

with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799),

Aluminium(III)-pyrocatechol violet equilibria: a potentiometric

Rapid synthesis of magnesium aluminophosphate-5 by microwave dielectric heating, 2315
Syntheses and structures of a four-co-ordinate monomeric

Syntheses and structures of a four-co-ordinate monomented dialkylaluminium complex and a cyclic trimeric alkylaluminium propeller complex with a bidentate amide ligand, Al(PhNCH<sub>2</sub>CH<sub>2</sub>NH<sub>3</sub>)Me<sub>2</sub> and [Al(µ-PhNCH<sub>2</sub>CH<sub>2</sub>NH)Me]<sub>3</sub>, 2425 Hydrogen bonding in imidazolium salts and its implications for ambient-temperature halogenoaluminate(m) ionic liquids, 3467 Synthesis and characterization of new dimeric aminoalanes, 3747

Disproportionation of polynuclear chloroethylaluminate anions in acidic 1-butyl-3-methylimidazolium chloride-AlEtCl<sub>2</sub> molten salts in the presence of a hydrocarbon phase, 3867 ALUMINOPHOSPHATE

Rapid synthesis of magnesium aluminophosphate-5 by microwave dielectric heating, 2315

AMIDATE

Perfluoroalkyl- and perfluoroaryl-amidato derivatives of ruthenium, osmium and iridium, 3497

Zirconium complexes incorporating the new tridentate diamide ligand [(Me<sub>3</sub>Si)N{CH<sub>2</sub>CH<sub>2</sub>N(SiMe<sub>3</sub>)<sub>3</sub>]<sup>2</sup> (L); the crystal structures of [Zr(BH<sub>4</sub>)<sub>2</sub>L] and [ZrCl{CH(SiMe<sub>3</sub>)<sub>2</sub>]L], 25 tert-Butylimido compounds of manganese-(vII), -(vI), -(vI) and -(II); nitrido, amido, alkyl, zinc and aluminium compounds, 205

Niobium complexes with terdentate diphosphino- and diamino-

amido ligands. Crystal structure of [{NbCl<sub>3</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>]}<sub>2</sub>]·C<sub>6</sub>H<sub>3</sub>Me, 355 Exploring the auxiliary co-ordination sphere of tripodal

amino(triamido) actinide complexes, 603

Anionic and cationic bi- and tri-nuclear tert-butylimido complexes

Anionic and caronic bit—and tri-indicate a tert-outylimido complexes of manganese-(v) and -(vi), 937

Synthesis and <sup>171</sup>Yb-{<sup>1</sup>H} nuclear magnetic resonance spectra of the ytterbium(ii) aryloxides [Yb(0R<sup>2</sup>)<sub>2</sub>(L)<sub>n</sub>] [[L)<sub>n</sub> = (0Et<sub>2</sub>)<sub>2</sub>, (thf)<sub>2</sub>, (thf)<sub>3</sub>, (pyridine)<sub>2</sub> or Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>] and [{Yb(μ-OR<sup>2</sup>)(X)}<sub>2</sub>] (X = OR<sup>2</sup> or NR<sub>2</sub>) (R<sup>2</sup> = C<sub>6</sub>H<sub>2</sub>Bu<sup>2</sup><sub>2</sub>-2,6-Mc-4, R = SiMe<sub>3</sub>, thf = tetrahydrofuran); 1435

Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Pd or Pt), 1607

Tris (bis [imino(methoxy)methyl]aminato}cobalt(III): an electronic analogue of tris(B-diketonates), 1921

Reactions of ytterbium(II) amides with various Brønsted acids, CS2 or LiNR2; crystal structures of [{Yb(NR2)(µ-OCBu³)}2] and [Yb(OCBu³)2(thf)2] (R = SiMe3, thf = tetrahydrofuran), 2251

Syntheses and structures of a four-co-ordinate monomeric dialkylaluminium complex and a cyclic trimeric alkylaluminium proposible complex with a hidentate amide ligand.

dialkylaluminium complex and a cyclic trimeric alkylaluminium propeller complex with a bidentate amide ligand, Al(PhNCH<sub>2</sub>CH<sub>2</sub>NH<sub>2</sub>)Me<sub>2</sub> and [Al(µ-PhNCH<sub>2</sub>CH<sub>2</sub>NH)Me]<sub>3</sub>, 2425 Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}(PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd{Ph<sub>2</sub>PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489 Synthesis of phosphinochalcogenoic amidato complexes of zinc and cadmium. The crystal and molecular structure of [Zn{Bu'<sub>2</sub>P(Se)NPr'<sub>2</sub>], 2813 Synthesis of cationic uranium compounds by protonolysis of amide precursors: amide and chloroamide complexes, 3019 Synthesis of cationic uranium compounds by protonolysis of amide precursors: cyclopentadienyl and cyclooctatetraene complexes.

precursors: cyclopentadienyl and cyclooctatetraene complexes, 3027

3027
Synthesis and characterization of organoimido- and organoamidorhenium(v) complexes. Crystal structures of [ReCl<sub>2</sub>(NC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>2)(HNC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)], [Re(8-HNC<sub>9</sub>H<sub>6</sub>N)<sub>2</sub>O(PPh<sub>3</sub>)][BPh<sub>4</sub>] and
[Re(NPh)(NC<sub>2</sub>H<sub>3</sub>S-2-SiMe<sub>3</sub>-3)<sub>2</sub>(PPh<sub>3</sub>)][BPh<sub>4</sub>], 3041
The occurrence of both amide and thiolate forms of the
benzoxazole-2-thionate anion (C<sub>7</sub>H<sub>4</sub>ONS<sup>-</sup>) in the same molecule:
synthesis and crystal structure of C<sub>7</sub>H<sub>4</sub>ONSn[μ-OP(NMe<sub>2</sub>)<sub>3</sub>]<sub>3</sub>NaC<sub>7</sub>H<sub>4</sub>ONS, 3139
Synthesis and structures of his his (trimethyls itylamido ltin(N))

NaC<sub>2</sub>H<sub>2</sub>ONS, 3139
Synthesis and structures of bis[bis(trimethylsilyl)amido]tin(IV) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)<sub>2</sub>] and a hetero-bimetallic analogue [{(Me<sub>3</sub>Si)<sub>2</sub>N}<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179
Diphosphinoamido complexes of thorium(IV) and uranium-(IV) and -(V). Crystal structures of [{ThCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PPr<sup>1</sup><sub>2</sub>)<sub>2</sub>}<sub>2</sub>] and [{UCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>)<sub>2</sub>]<sub>2</sub>]<sub>2</sub>, 3401
Pyridyl to amido and amido to pyridyl isomerisation in an isonicotinamide complex of ruthenium(III) 3415

isonicotinamide complex of ruthenium(III), 3415

Syntheses and characterization of amino and amido-imido technetium(v) and rhenium(v) complexes with (o-aminophenyl)diphenylphosphine-*N.P.* Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}<sub>2</sub>]Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475

Synthesis and characterisation of ytterbium(II) alkyls, 3933 Synthesis and crystal structures of [C6H4SC(=S)=NNa-

 $3P(NMe_2)_3O\cdot NaN = (S^2)CSC_6H_4$  and  $[C_6H_4SC(^2S)^2NLipmdien]$  (pmdien = N,N,N',N'',N''-pentamethyldiethylenetriamine): alkali-metal amides from 2-sulfanylbenzothiazole, 4059

AMIDINATE

Mono(η-cyclopentadienyl)benzamidinato alkyl compounds of titanium and zirconium, 217

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31

Crystal and molecular structure of racemic cis-α-[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] and cis-α-[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>5</sub>O] (L = 3,6-dithiaoctane-1,8-diamine), a compound containing an anion newly isolated in crystalline form, 99 Synthesis of [Au(NH<sub>3</sub>)<sub>2</sub>]<sup>+</sup> salts and the crystal structure of [Au(NH<sub>3</sub>)<sub>2</sub>]Br, 319

[Au(NH<sub>3</sub>)<sub>2</sub>]Br, 319

Variable geometry of nickel(II) complexes with N¹-isopropyl-2-methyl-propane-1,2-diamine (L). Crystal structures of [NiL<sub>2</sub>]Br<sub>2</sub>·3H<sub>2</sub>O, [NiL<sub>2</sub>Br]Br and [NiL<sub>2</sub>(NCS)<sub>2</sub>] and solid-state thermochromism in [NiL<sub>2</sub>]Br<sub>2</sub>·3H<sub>2</sub>O, 337

Synthesis, structure and properties of cobalt(III) complexes of pentadentate ligands with pyridyl pendant arms, 439

Kinetics of ternary complex formation between cobalt(II) species and 2,2'-bipyridine: parametrization of bound-ligand effects, 449

Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]-copper(II) perchlorate dihydrate. Synthesis, structure, spectra and redox behaviour, 455

Platinum(II) co-ordination chemistry of bis(diphenylphosphino)-

Platinum(II) co-ordination chemistry of bis(diphenylphosphino)amine, 521

AMINE (contd)

Primary amines as nucleation centres for gold clustering, and the structural chemistry of polygold ammonium cations, 559
Crystallization behaviour of meso-Δ(δλ)-[Co{trans-(R, R)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)][Pb<sub>2</sub>Cl<sub>3</sub>]-2H<sub>2</sub>O, Δ(λλ)-[{[Co{trans-(R,R)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)]Br<sub>1</sub><sub>2</sub>]-3H<sub>2</sub>O and meso-Δ(δλ)-[Co{cis-(R,S)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)] (meen = N-methylethylene-diamine), 611
Synthesis and reactivity towards dioxygen of some manganese(n) complexes of tertiary amines. Crystal structures of
[{MnI<sub>2</sub>(NEt<sub>3</sub>)}<sub>2</sub>], [{MnI<sub>2</sub>(NPr<sup>n</sup><sub>3</sub>)}<sub>2</sub>] and [NHMe<sub>3</sub>][MnI<sub>3</sub>(NMe<sub>3</sub>)],
701

Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(II) and -(III) complexes, 707

Thermodynamic and spectroscopic investigations on the interaction of uranyl(v1) with neutral N- and O-donors in dimethyl sulfoxide, 733

Attempted functionalisation of a mononuclear barium complex of

a 24-membered bibracchial tetraimine Schiff-base macrocycle derived from tris(2-aminoethyl)amine using salicylaldehyde,

Metal complexes of carbohydrates: isolation and characterisation of cobalt(III) complexes containing N-substituted glycosylamine ligands derived from ethane-1,2-diamine and glucosamine, 783

Effect of amine substituents and neutral leaving groups on the activation volume for aquation of octahedral pentaamine

activation volume for aquation of octahedral pentaamine complexes of Cr<sup>III</sup> and Rh<sup>III</sup>, 891

Synthesis of complexes [Au(PPh<sub>3</sub>)L]<sup>+</sup> (L = primary, secondary or tertiary amine). Crystal structure of [Au(PPh<sub>3</sub>)(NMe<sub>3</sub>)][ClO<sub>4</sub>]-CH<sub>3</sub>Cl<sub>2</sub>, 1251

Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259

Ranitidine bismuth(III) citrate, 1395

Kantildine bismuth(III) citrate, 1395
Co-ordination chemistry of adenine (HAde): synthesis and characterization of [Cu<sup>II</sup>(tren)(nucleobase)]X, [tren = tris(2-aminoethyl)amine, X = Cl or NO<sub>3</sub>] complexes and crystal structure of [Cu<sup>II</sup>(tren)(Ade)]Ct-2H<sub>2</sub>O, 1461
Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607
Liponhilic heyadentate gallium, indium and iron complexes of new

Pd or Pt), 1607

Lipophilic hexadentate gallium, indium and iron complexes of new phenolate-derivatized cyclohexanetriamines as potential in vivo metal-transfer reagents, 1677

Reactivity of the P-N bond in the halide salts of bis[bis(diphenylphosphino)methylamine]platinum(II), 2005

Steric control over the complex-formation and chelation kinetics of cis-bis(amine)palladium(II) complexes with methionine and S-methylcysteine in weakly acidic aqueous solution, 2027

Synthesis, crystal structures and physical properties of u-oxo-u-

Synthesis, crystal structures and physical properties of μ-oxo-μ-carboxylato-diiron(III) complexes with tripodal

polybenzimidazole ligands containing distinct iron sites, 2045 Polyamine synthesis and co-ordination: structural characterisation of cobalt(III) complexes from an octadentate ligand preparation,

1 Insertion of internal acetylenes into orthopalladated α-methylbenzylamine. Crystal structure of [Pd(Č(Ph)=C(Ph)C(Ph)=C(Ph)C<sub>6</sub>H<sub>4</sub>CH(Me)NH<sub>3</sub>]Br], 2529

The first orthopalladation of a primary nitrobenzylamine. Synthesis of chiral cyclopalladated complexes derived from (S)-methyl A sitesheroldsiis 2525

Synthesis of chiral cyclopalladated complexes derived from (S)-α-methyl-4-nitrobenzylamine, 2535
Synthesis and crystal structure of {[Au<sub>2</sub>(dien)<sub>2</sub>]<sup>2+</sup>}<sub>n</sub> (dien = diethylenetriamine), an infinite linear polymer based on weak gold-gold contacts, 2575
Pentafluorophenylplatinum complexes containing η¹- or η²-aryl-Pt interactions. Crystal structure of cis-[Pt(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>({NC<sub>3</sub>H<sub>4</sub>[CH(η²-Ph)Ph]-2}-κλ])-0.5C<sub>6</sub>H<sub>3</sub>Me, 2949
Structural and spectroscopic characterization of a dicyanooxomolybdenum(IV) complex with a tetradentate Schiff-base ligand, 3057

Topologically different infinite co-ordination structures of  $[CdNi(CN)_a]$ - $2H_2N(CH_2)_nNH_2$ - $mH_2O$  complexes (n = 2-7) and (n = 0-2) caused by the catenation behaviour of the diamine and the  $-NC-Ni(CN)_2-CN-$  moieties, 3195

Reaction of alkali-metal tetraphenylborates with amines in the approximation of (n = 0-1) and a compating the superscence of (n = 0-1) and a compating the superscence of (n = 0-1) and a compating the superscence of (n = 0-1) and (n = 0-1) are superscent and a compating (n = 0-1) and a compating (n = 0-1) and a compating (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) are superscent and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1) and (n = 0-1) are superscent and (n = 0-1

presence of CO<sub>2</sub>: a new easy way to aliphatic and aromatic alkali-metal carbamates, 3359

Syntheses and characterization of amino and amido-imido Syntheses and characterization of amino and amido—imido technetium(v) and rhenium(v) complexes with (o-aminophenyl)-diphenylphosphine-N,P. Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}-]Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475
Synthesis, properties and molecular structures of iron(III), cobalt(II), nickel(II), copper(II), copper(I) and zinc(II) complexes with N,N-bis(pyrazol-1-ylmethyl)benzylamine, 3503
Kinetics and mechanism of complex formation of some bivalent and trivalent metal ions with pentaammine(nitrilotriacetato)-

and trivalent metal ions with pentaammine(nitrilotriacetato)cobalt(III) in aqueous medium, 3627

Co-ordination of amines to [Fe(CN)<sub>5</sub>(OH<sub>2</sub>)]<sup>3-</sup>, 3651 Exchange of organoimido groups at a mononuclear titanium centre and a crystallographic evaluation of the relative structural influences of the NBu¹, NC<sub>6</sub>H<sub>4</sub>Me-4 and NC<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>-4 ligands,

Synthesis and characterization of new dimeric aminoalanes, 3747 Outer-sphere redox reactions of  $[Co^{iii}\{N_5\}\{H_*PO_4\}]^{n*}$   $[\{N_5\}=(NH_3)_5,(NH_2Me)_5$  or 10-amino-10-methyl-1,4,8,12-tetraazacyclopentadecane] complexes. A temperature- and pressure-dependence kinetic study on the effects of the different {N<sub>5</sub>} groups, 4107 AMINO ACID

Synthesis and crystal structure of a novel cyclic trinuclear platinum(II) complex, [Pt<sub>3</sub>(L-HMet)<sub>3</sub>]·H<sub>2</sub>O (H<sub>3</sub>Met = methionine), 77

Potentiometric and spectroscopic study of equilibria in the aqueous ternary system copper II-L-histidine-HA (HA = aminomethane-or 2-aminobenzene-sulfonic acid), 129

Spectroscopic and potentiometric studies on the interaction of trans-[(MeH<sub>2</sub>N)<sub>2</sub>Pt(mcyt)<sub>2</sub>PdCl]NO<sub>3</sub> (mcyt = 1-methylcytosinate) with derivatives of amino acids, 489

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 1115

Linear enthalpy relationships in co-ordination reactions of macrocyclic ligands with copper(II), 1879
Steric control over the complex-formation and chelation kinetics of

cis-bis(amine)palladium(II) complexes with methionine and S-methylcysteine in weakly acidic aqueous solution, 2027

Mechanism of the oxidation of DL-penicillamine and glutathione

by chromium(vi) in aqueous solution, 2267 Natural glycine unidentate on copper(II): a novel mode of bonding, 2333

2333
Complex-formation reactions of dichloro(L-methioninato)palladium(ii) with inosine and inosine 5'-monophosphate.
Labilization induced by the S-donor chelate, 3581
L-Methionine increases the rate of reaction of 5'-guanosine
monophosphate with the anticancer drug cisplatin: mixed-ligand
adducts and reversible methionine binding, 3721
Copper(ii) co-ordination by oxime analogues of amino acids and
peptides, 3911
AMINO ACIDATE
Lipophilic lanthanide complexes: a new class of carriers for extraction
and transport of notassium benzyloxycarbonylamino acidates. 181

and transport of potassium benzyloxycarbonylamino acidates, 181

AMINOALCOHOL

1,5-Diaminopentanetriols and 1,6-diaminohexanetetrols, potent dimer-forming ligands for Cu<sup>2+</sup> ions. Potentiometric and spectroscopic studies, 3849 AMINOCARBYNE

AMINOCARBYNE

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>
(M = Mo or W) sites. Synthesis and properties of the diaminoacetylene complexes trans-[MX(η²-MeHNC≡CNHMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>Pph<sub>2</sub>)<sub>2</sub>]A (X = F, Cl or ClO<sub>4</sub>; A = BF<sub>4</sub>, PF<sub>6</sub>, HCl<sub>2</sub>
or ClO<sub>4</sub>) and of their di(aminocarbyne)-type precursors, 1183

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M =
Mo or W) sites. Detailed mechanistic studies on the protonation
of co-ordinated isocyanides and coupling of ligands in trans[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu¹ or Me), 1193

AMINOHYDROXAMATE
Role of the NH<sub>3</sub>+ moiety in iron(III)—, aluminium(III)—and
gallium(III)—aminohydroxamate interactions, 477

AMINOPYRIDYL

Iron(II) complexes of polydentate aminopyridyl ligands and an

Iron(II) complexes of polydentate aminopyridyl ligands and an exchangeable sixth ligand; reactions with peroxides. Crystal structure of [FeL¹(H<sub>2</sub>O)][PF<sub>6</sub>]<sub>2</sub>·H<sub>2</sub>O [L¹ = N,N⁻-bis(6-methyl-2-pyridylmethyl)-N,N⁻-bis(2-pyridylmethyl)ethane-1,2-diamine], 3667

AMMINE

Synthesis of [Au(NH<sub>3</sub>)<sub>2</sub>]<sup>+</sup> salts and the crystal structure of

[Au(NH<sub>3</sub>)<sub>2</sub>]Br, 319
Substitution reactions of trans-[Ru(NH<sub>3</sub>)<sub>4</sub>{P(OEt)<sub>3</sub>}(H<sub>2</sub>O)]<sup>2+</sup>
revisited. Mechanistic elucidation from a volume-profile analysis,

Preparation and crystal structures of the silver(1) carboxylates  $[Ag_3\{C_6H_4(CO_2)_2\}(NH_3)_2]$ ,  $[NH_4][Ag_3\{C_6H_3(CO_2)_3\}_2(NH_3)_2-(H_2O)_2]$ - $[H_2O]$  and  $[NH_4][Ag_3\{C_4H_2N_2(CO_2)_2\}]$ , 3565 Reaction of pentaammineaquarhodium(III) with carbonate in strongly

basic solution: a multiple choice of potential interactions, 3591 AMMONIUM

Primary amines as nucleation centres for gold clustering, and the structural chemistry of polygold ammonium cations, 559 ANTIMONY

Preparation and crystal structures of diphenylantimony(III) thiocyanate and bis(2,6-dimethylphenyl)antimony(III) thiocyanate, 377

Chromium(III)-catalysed oxidation of antimony(III) by alkaline hexacyanoferrate(III) and analysis of chromium(III) in microamounts by a kinetic method, 483

ANTIMONY (contd)

Synthesis of two new antimony sulfide clusters: structures of [PPh\_],[Sb\_S\_] and [PPh\_],[Sb\_S\_], 501
Phenylantimony(III) dithiocyanate and the crystal structure of K[SbPh(SCN)\_3], 1173

Chalcogenolato complexes of bismuth and antimony. Syntheses, thermolysis reactions, and crystal structure of Sb(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-

2,4,6)<sub>3</sub>, 1649

Diphenylantimony(v) oxide halides and thiocyanate; the crystal structures of dimeric diphenylantimony(v) bromide oxide, and tetrameric diphenylantimony(v) oxide fluoride and thiocyanate,

Neutral thiolates of antimony(III) and bismuth(III), 2129 Diphenylantimony(v) oxo/chloro carboxylates and phosphinates: crystal structures of {SbPh<sub>2</sub>Cl[O<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>]}<sub>2</sub>O and [SbPh<sub>2</sub>(O<sub>2</sub>CPh)<sub>2</sub>]<sub>2</sub>O, 2151

Structural investigations of the organoantimony(v) halides Ph<sub>4</sub>SbX and Ph<sub>3</sub>SbX<sub>2</sub> (X = Cl, Br or I) in the solid state and in solution,

Kinetics of oxidation of antimony(III) by vanadium(v) in aqueous hydrochloric acid media, 3623

**ANTIMONY-121** 

Structural investigations of the organoantimony(v) halides Ph<sub>4</sub>SbX and Ph<sub>3</sub>SbX<sub>2</sub> (X = Cl, Br or I) in the solid state and in solution, 2895

AQUACOBALAMIN

Complex-formation reactions of aquacobalamin revisited: effect of chloride on the rate and activation parameters, 685 AQUATION

Effect of amine substituents and neutral leaving groups on the activation volume for aquation of octahedral pentaamine complexes of Cr<sup>III</sup> and Rh<sup>III</sup>, 891

ARENE

The structure of solutions of gallium(I) chloride in benzene, 245 Spectroscopic investigation of concentrated solutions of gallium(III) chloride in mesitylene and benzene, 255

chloride in mesitylene and benzene, 255
Iron(0) arene and iron(ii) hydride complexes from the hydrogenation or thermolysis of high-spin iron(ii) alkyls, 301
Preparation of [Ru(n<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl(C=CPh)(RNC)] (R = C<sub>8</sub>H<sub>9</sub> or C<sub>6</sub>H<sub>2</sub>Me<sub>7</sub>-2,4,6) and its reaction with tetracyanoethylene. Crystal structures of [Ru(n<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl(C[=C(CN)<sub>2</sub>]CPh=C(CN)<sub>2</sub>]-(C<sub>8</sub>H<sub>9</sub>NC)] and cis-[RuCl<sub>2</sub>(C<sub>8</sub>H<sub>9</sub>NC)<sub>2</sub>], 307
Preparation, characterisation, molecular and crystal structure of

the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>(η<sup>6</sup>-arene)]

(arene =  $C_0H_6$  or  $C_{10}H_{10}$ ), 909 Unusual migration of manganese to an arene via protonation of an agostic  $\eta^{3:CH}$ -cyclohexenyl complex, 931

agostic η-Sch-cyclonexenyl complex, 931

Electrophilic reactivity of arene carbonyl cluster complexes with the Ru<sub>b</sub>C core. Crystal and molecular structure of [Ru<sub>6</sub>C(CO)<sub>14</sub>(η-6-C<sub>6</sub>H<sub>4</sub>Ph<sub>2</sub>-1,4)], 1061

Dynamics and molecular aggregation in crystalline [{M(C<sub>3</sub>H<sub>2</sub>)}<sub>3</sub>(μ<sub>3</sub>-η<sup>2</sup>: γ<sup>2</sup>: γ<sup>2</sup>-C<sub>6</sub>H<sub>2</sub>R)] [M = Co, R = CH(Ph)Me, CH<sub>2</sub>CH<sub>2</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089

The electronic polarizability distribution of several substituted ferrocenes and di(η-6-benzene)chromium, 1469

Synthesic molecular and crystal structure of tetra-nuthenium.

Synthesis, molecular and crystal structure of tetraruthenium butterfly arene clusters, 1555

Molecular dynamics of tricarbonyl(pentamethylbenzene)chromium: a <sup>13</sup>C solid-state nuclear magnetic resonance study, 2125 Controlled design of oligomeric ethers with pendant

cyclopentadienyliron moieties, 3375

cyclopentadienyiron moieties, 35/5
Synthesis and crystallographic characterisation of
[Ru<sub>2</sub>C(CO)<sub>16</sub>(C<sub>2</sub>H<sub>2</sub>)] and [Ru<sub>2</sub>C(CO)<sub>16</sub>(C<sub>12</sub>H<sub>12</sub>)]: facial π bonding
and σ bonding from the same ring system, 3431
Reaction chemistry of alkynes with the tris(acetonitrile)ruthenium
cluster [Ru<sub>3</sub>(CO)<sub>6</sub>(MeCN)<sub>3</sub>], 3785
Comparison of the reactivity of [2.2]paracyclophane and p-xylene,
4039

Palladium-catalysed formation of aroylcobalt complexes from iodoarene and tetracarbonylcobaltate anion. Syntheses, characterization and reactivities of model intermediate complexes, 3489
ARSENIC

Some Group 15 pseudo-halides and the crystal structure of diphenylbismuth(III) thiocyanate, 383
Preparation and characterization of the first binary arsenic azide

reparation and characterization of the first offinary arsenic azide species:  $As(N_3)_3$  and  $[As(N_3)_4][AsF_6]$ , 3365 Synthesis and structural characterisation of  $R_3AsX_2$  compounds ( $R = Me, Ph, p-FC_6H_4$  or  $p-MeOC_6H_4$ ;  $X_2 = Br_2$ ,  $I_2$  or IBr); dependency of structure on R, X and the solvent of preparation, 3873

ARSINE

ARSINE OXIDE

Reactivity of cobalt(II) complexes [Co(OEPh<sub>3</sub>)<sub>2</sub>X<sub>2</sub>] (E = P or As; X = Cl, Br, I or NCS) with SO<sub>2</sub> under aerobic and anaerobic conditions. Crystal structure of cocrystallised [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>2</sub>]I<sub>2</sub> and [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>2</sub>, 1095

Dinuclear pentafluorophenyl compounds of rhodium(III) with anionic bridging ligands. Molecular structures of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[{Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>}<sub>2</sub>(µ-SCN)<sub>2</sub>] and [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[{Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>}<sub>2</sub>(µ-CO<sub>3</sub>)], 917
Phenylantimony(III) dithicoyanate and the crystal structure of K/ShPh/SCN)<sub>3</sub> 1173

K[SbPh(SCN)<sub>3</sub>], 1173

Homo- and hetero-dinuclear complexes of palladium and platinum containing phosphinoacetylene and/or chloride as bridging ligands, 1333

Barium and titanium aryl oxides as precursors for the preparation of thin-film oxides. The effect of bombardment by  $O_2^+$ , 1529

of thin-nim oxides. The effect of bombardment by  $0, \gamma, 1529$  Arylimido complexes of chromium-(vi), -(v) and -(v), 2111 Diphenylantimony(v) oxo/chloro carboxylates and phosphinates: crystal structures of {SbPh<sub>2</sub>Cl[O<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>]}<sub>2</sub>O and [SbPh<sub>2</sub>(O<sub>2</sub>CPh)<sub>2</sub>]<sub>2</sub>O, 2151 Structural investigations of the organoantimony(v) halides Ph<sub>4</sub>SbX and Ph<sub>3</sub>SbX<sub>2</sub> (X = Cl, Br or I) in the solid state and in solution,

Pentafluorophenylplatinum complexes containing  $\eta^1$ - or  $\eta^2$ -aryl-Pt interactions. Crystal structure of cis-[Pt(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>({NC<sub>5</sub>H<sub>4</sub>[CH( $\eta^2$ -Ph)Ph]-2}- $\kappa$ N)]-0.5C<sub>6</sub>H<sub>3</sub>Me, 2949

Palladium-catalysed formation of aroylcobalt complexes from iodoarene and tetracarbonylcobaltate anion. Syntheses, characterization and reactivities of model intermediate

characterization and reactivities of model intermediate complexes, 3489

Synthesis, molecular structure (M = Pd, X = OH) and reactivity of trinuclear asymmetric complexes [(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>Pt(μ-PPh<sub>2</sub>)<sub>2</sub>M(μ-X)<sub>2</sub>Pt(PPh<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt; X = Cl or OH), 3777

Synthesis and structural characterisation of R<sub>3</sub>AsX<sub>2</sub> compounds (R = Me, Ph, p-FC<sub>6</sub>H<sub>4</sub> or p-MeOC<sub>6</sub>H<sub>4</sub>; X<sub>2</sub> = Br<sub>2</sub>, I<sub>2</sub> or IBr); dependency of structure on R, X and the solvent of preparation, 3873

ARYL OXIDE

Synthesis and structures of sterically crowded aryloxide-substituted aluminium chloride, 177

Synthesis and characterisation of lanthanide(II) aryloxides including the first structurally characterised europium(II) compound [Eu(OC<sub>6</sub>H<sub>2</sub>Bu<sup>1</sup><sub>2</sub>-2,6-Me-4)<sub>2</sub>(thf)<sub>3</sub>]-thf (thf = tetrahydrofuran),

1427 Synthesis and <sup>171</sup>Yb-{<sup>1</sup>H} nuclear magnetic resonance spectra of the ytterbium(II) aryloxides [Yb(OR)<sub>2</sub>(L)<sub>n</sub>] [(L)<sub>n</sub> = (OEt<sub>2</sub>)<sub>2</sub>, (thf)<sub>2</sub>, (thf)<sub>3</sub>, (pyridine)<sub>2</sub> or Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>] and [{Yb( $\mu$ -OR')(X)}<sub>2</sub>] (X = OR' or NR<sub>2</sub>) (R' = C<sub>4</sub>H<sub>2</sub>Bu'<sub>2</sub>-2,6-Me-4, R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 1435

ASCORBIC ACÍD

Kinetic studies on the reduction of nickel(IV) and nickel(III) oximeimine complexes by ascorbic acid, 1083
Reaction of [Fe<sub>2</sub>(CN)<sub>10</sub>]<sup>4-</sup> with L-ascorbic acid, 2561

Photoelectron spectroscopic investigation of isomeric methyl (isocyanide), η²-iminoacyl and η³-azaallyl complexes of molybdenum and tungsten, 1925

AZIDE

Phosphorus hydrazides as building blocks for potential photoaffinity labels. Synthesis and co-ordination chemistry of perfluoroaryl azide conjugates of phenylphosphonothioic dihydrazide, 565 Kinetics and mechanism of the addition of azide ion to a carbonyl

ligand of [Ru<sub>3</sub>(CO)<sub>12</sub>]: cluster activation, 905 Kinetics of oxidation of azide ion by bis(dihydrogentellurato)-

cuprate(III) and -argentate(III) in alkaline media, 1227
Preparation and characterization of the first binary arsenic azide

species: As(N<sub>3</sub>)<sub>3</sub> and [As(N<sub>3</sub>)<sub>4</sub>][AsF<sub>6</sub>], 3365 AZINE

Terdentate (P,N,N) complexes of a new pyridyl azine phosphine Z,E-PPh<sub>2</sub>CH<sub>2</sub>(Bu<sup>1</sup>)C=N-N=C(Me)C<sub>3</sub>H<sub>4</sub>N and its deprotonated

Cyclometallation of azine phosphine) with transition metals, 625

Cyclometallation of azine phosphines of type Z,E-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=

N-N=CHR (R = an aromatic or heterocyclic group) involving

X-Y (X = C, N or O; Y = H, I or Br) bond fission by

platinum(II), 641

General strategy for inducing C-H bond fission (cycloiridation) in some aryl, heterocyclic, alkenyl or alkyl groups in azines derived from aldehydes or methyl ketones, 1689

Palladium complexes of azines, α-diazines and α-2-pyridylazines containing (1R)-(+)-camphor or (1R)-(-)-fenchone groups,

Highly selective mono- and di-alkylation of the backbone of complexes of type fac- $[M(CO)<sub>3</sub>{E,Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=C(Bu')CH<sub>2</sub>PPh<sub>2</sub>}]$  (M = Mo or W), 2057

A general method of generating agostic interaction between Rull

AZINE (contd) and C-H bonds of *tert*-butyl, methyl, aryl, heterocyclic or alkenyl groups using azine phosphines, 3861

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives (1994, 3427), 153 AZONAPHTHOL

Azonaphtholate ligands for the nickel(III) cation: design, synthesis and electrochemical properties, 265

Synthesis and characterisation of guaiazulene derivatives of two ruthenium carbonyl clusters, 3307

New β-diketones with oligoether side-chains and their complexes with barium and copper. Crystal and molecular structure of bis(1-phenyl-7,10-dioxaundecane-1,3-dionato)copper(II) at 150 K, 269
Attempted functionalisation of a mononuclear barium complex of a 24-membered bibracchial tetraimine Schiff-base macrocycle

derived from tris(2-aminoethyl)amine using salicylaldehyde, 765 Barium and titanium aryl oxides as precursors for the preparation of thin-film oxides. The effect of bombardment by O<sub>2</sub>+, 1529

The structure of solutions of gallium(1) chloride in benzene, 245 Direct oxidation of benzene by electron transfer in a multi-functionalized chelate resin system, 979

BENZILATE

Potentiometric study of the molybdenum(vi)-benzilic acid system. Structural characterisation and electrochemical properties of [NH<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>{O<sub>2</sub>CC(O)Ph<sub>2</sub>}<sub>2</sub>]-2H<sub>2</sub>O, 3891

BENZIMIDAZOLE

Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259

BENZIMIDAZŎLYL

Design of luminescent building blocks for supramolecular triple-helical lanthanide complexes, 83

Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]-copper(II) perchlorate dihydrate. Synthesis, structure, spectra and redox behaviour, 455

Synthesis, crystal structures and physical properties of μ-οχο-μ-carboxylato-diiron(III) complexes with tripodal polybenzimidazole ligands containing distinct iron sites, 2045

BENZOTHIAZOLE

Synthesis and crystal structures of  $[C_6H_4SC(\overset{\cdot\cdot\cdot}{-}S)\overset{\cdot\cdot\cdot}{-}NNa-3P(NMe_2)_3O\cdot NaN\overset{\cdot\cdot\cdot}{-}(S\overset{\cdot\cdot\cdot}{-})CSC_6H_4]$  and  $[C_6H_4SC(\overset{\cdot\cdot\cdot}{-}S)\overset{\cdot\cdot\cdot}{-}NLi-pmdien]$  (pmdien = N,N,N',N'',N''-pentamethyldiethylenetriamine): alkali-metal amides from 2-sulfanylbenzothiazole,

BENZOTRIAZOLE

Copper(II) chloride-1-methylbenzotriazole chemistry: variation of product as a function of metal-to-ligand reaction ratio; synthesis, structure and properties of a dinuclear complex and a novel chain polymer with two alternating chromophores,

BENZOXAZOLE

The occurrence of both amide and thiolate forms of the benzoxazole-2-thionate anion ( $C_7H_4ONS^-$ ) in the same molecule: synthesis and crystal structure of  $C_7H_4ONSNa[\mu\text{-}OP(NMe_2)_3]_3$ -NaC<sub>7</sub>H<sub>4</sub>ONS, 3139

BENZYL

Effect of phenyl substitution on bonding in  $\eta^3$ -benzyl complexes of platinum, 2391
BETAINE

Mercury(II) chloride adducts of flexible double betaines: influence of different polymethylene bridges between the quaternary nitrogen atoms, 139

Building two-dimensional silver(i) co-ordination polymers with dicarboxylate-like ligands: synthesis and crystal structures of polymeric complexes of silver nitrate and perchlorate with flexible double betaines, 2671

BICYCLOHEPTATRIENYL

Synthesis, structure and reactivity of bicycloheptatrienyl-bridged dimolybdenum complexes: crystal structure of [Mo<sub>2</sub>(CO)<sub>4</sub>(μ-I)<sub>-</sub>(μ-η<sup>2</sup>; η<sup>2</sup>-C<sub>14</sub>H<sub>12</sub>)][PF<sub>6</sub>], 3231

BICYCLONONANE

Structure of the copper(II) complex of a highly preorganised tetradentate ligand based on bispidine (3,7-diazabicyclo[3.3.1]nonane), 3705

BIPHENYL

Ruthenium(II) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6'-dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49

BIPYRIDINE

2,2'-Bipyridine complexes of the lithium chalcogenolates Li(EPh) and Li(NC,H,E-2) (E = S or Se), 45
Kinetics of ternary complex formation between cobalt(II) species and 2,2'-bipyridine: parametrization of bound-ligand effects, 449

Solution equilibria and redox reactivities of a dioxo-bridged manganese complex, 621

Luminescent nitridometal complexes. Photophysical and photochemical properties of the <sup>3</sup>[(d<sub>x,y</sub>)<sup>1</sup>(d<sub>x</sub>,)<sup>1</sup>] excited state of nitridoosmium(v1) complexes with polypyridine ligands, 657 Cyclometallated derivatives of platinum(II) derived from 6-(tert-butyl)-2,2'-bipyridine (HL). Crystal and molecular structure of [Pt(L)Cl], 777

Conventional and cyclometallated complexes of ruthenium(II) with ambidentate terdentate ligands displaying N<sub>3</sub> or N<sub>2</sub>C binding modes, 825

Partially encapsulated copper(1) complexes of mono(o-aryl)-substituted derivatives of 2,2'-bipyridine and 1,10phenanthroline, 835

Heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893

3-Amino-6,6'-bis(methoxycarbonyl)-2,2'-bipyridine, a model for the central chelation unit of streptonigrin, 951 2,6-Diisopropylphenylimido and diphenylacetylene complexes of tungsten containing the bidentate ligands 4,4'-dimethyl-2,2'-bipyridine and 1,2-bis(diphenylphosphino)ethane, 1147 Unusual stabilities of 6,6'-bis(aminomethyl)-2,2'-bipyridyl chelates

Unusual stabilities of 6,6'-bis(aminomethyl)-2,2'-bipyridyl chelates of transition-metal ions and crystal structures of the ligand and its copper(II) and nickel(II) complexes, 1511

Synthesis and characterization of phenylimidorhenium(v) compounds containing polypyridyl ligands. Crystal structures of mer-[Re(NPh)Cl<sub>3</sub>(bipy)], trans-[Re(NPh)(OEt)(bipy)<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub> and trans-[Re(NPh)Cl<sub>2</sub>(terpy)]PF<sub>6</sub> (bipy = 2,2'-bipyridine, terpy = 2,2':6',2'-terpyridine), 1733

Synthesis, characterisation and crystal structure of molybdenum and molybdenum conver hydroxyrich Schiff-base complexes

and molybdenum-copper hydroxy-rich Schiff-base complexes, 2591

2591
Excited-state properties of [(OC)<sub>5</sub>W(L)W(CO)<sub>5</sub>] [L = 4,4'-bipyridyl (4,4'-bipy) or pyrazine] and [(OC)<sub>5</sub>W(4,4'-bipy)], 2711
Co-ordination chemistry of mixed pyridine-phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with Ni<sup>II</sup>, Cd<sup>II</sup>, Mn<sup>II</sup> and Mn<sup>II</sup>Mn<sup>III</sup>, 3071
Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocene-functionalized believed 4' 4" (differenearly)

functionalized helicand 4',4"'-di(ferrocenyl)-2,2':6',2":6",2":6",2":e",2"'-sexipyridine, 3253 Oxo complexes of ruthenium with N,N'-donors as oxidation

catalysts for alkenes, alkanes and alcohols, and their osmium analogues, 3537

analogues, 335/ Hypodentate ligands: systematic approaches to complexes containing didentate 2,2':6',2"-terpyridine (terpy) and the crystal and molecular structures of [Ru(bipy-N,N');[erpy-N,N')][PF<sub>6</sub>]<sub>2</sub> and [Ru(bipy-N,N'),2(bterpy-N,N')][PF<sub>6</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine, bterpy = 6-bromo-2,2':6',2"-terpyridine), 3571 Dinuclear ruthenium(II) and/or osmium(II) complexes of a non-

symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence properties and intercomponent energy transfer, 3601

Spectroelectrochemistry and excited-state absorption spectroscopy

of rhenium(1) α,α'-diimine complexes, 3677 Copper(II) bipyridyl and iminopyridyl analogues of streptonigrin, 3905

Some remarkable reactions of the alkylidyne cluster [Os<sub>3</sub>(μ-H)<sub>2</sub>-(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N)] (NC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N = 4,4'-bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(μ-H)<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>NH)][BF<sub>4</sub>]<sub>2</sub>·H<sub>2</sub>O, 3995
Synthesis, structure and magnetic properties of a singly carboxylate-bridged dinuclear manganese(μ) complex 4001

carboxylate-bridged dinuclear manganese(II) complex, 4001 Rigid multinuclear arrays assembled around platinum centres,

BIPYRIDYL

Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549 Application of deuteriation to determine the location of the emitting state in mixed-ligand Ru<sup>II</sup> polypyridyl complexes, 2705 BIPYRIMIDINE

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>4</sub>O<sub>4</sub>)(H<sub>2</sub>O)<sub>3</sub>]-2H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>4</sub>O<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>] (bipym = 2,2'-bipyrimidine), 3207

BISMUTH

Some Group 15 pseudo-halides and the crystal structure of diphenylbismuth(III) thiocyanate, 383

Bismuth(III) chloride complexation with diphosphine and diarsine oxide ligands: formation and crystal structures of [BiCl<sub>3</sub>{Ph<sub>2</sub>P(O)CH<sub>2</sub>P(O)Ph<sub>2</sub>}]<sub>2</sub> and [BiCl<sub>3</sub>{As(O)MePh<sub>2</sub>}-{Ph<sub>2</sub>As(O)CH<sub>2</sub>CH<sub>2</sub>As(O)Ph<sub>2</sub>}]<sub>3</sub>, 759

Co-ordination complexes of the bismuth(III) thiolate Bi(SC<sub>6</sub>F<sub>5</sub>)<sub>3</sub>, 1163

Ranitidine bismuth(III) citrate, 1395 Chalcogenolato complexes of bismuth and antimony. Syntheses, thermolysis reactions, and crystal structure of Sb(SC<sub>6</sub>H<sub>2</sub>Pr<sup>i</sup><sub>3</sub>-2,4,6)<sub>3</sub>, 1649 Neutral thiolates of antimony(III) and bismuth(III), 2129

BLOOD PLASMA

Metal-ion speciation in blood plasma as a tool for elucidating the in vivo behaviour of radiopharmaceuticals containing 153 Sm and 1641. 6Ho. 1411

BOND CLEAVAGE

Cleavage of an aryl carbon–sulfur bond in hydride–thiolate complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)(OMe)(PMePh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>], 2583 **BOND VALENCE SUM** 

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach,

RONE

Metal-ion speciation in blood plasma as a tool for elucidating the in vivo behaviour of radiopharmaceuticals containing <sup>153</sup>Sm and <sup>166</sup>Ho, 1411

BORANE

Molecular structure of 1-(dichloroboryl)pentaborane(9), in the gas phase as determined by electron diffraction and supported by theoretical calculations, 2193

Circonium complexes incorporating the new tridentate diamide ligand [(Me<sub>3</sub>Si)N{CH<sub>2</sub>CH<sub>2</sub>N(SiMe<sub>3</sub>)}<sub>2</sub>]<sup>2-</sup> (L); the crystal structures of [Zr(BH<sub>4</sub>)<sub>2</sub>L] and [ZrCl{CH(SiMe<sub>3</sub>)<sub>2</sub>}L], 25 Crystal and molecular structure of racemic cis-α-[CoL(No<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] and cis-α-[CoL(No<sub>2</sub>)<sub>2</sub>][BF<sub>2</sub>O] (L = 3,6-dithiaoctane-1,8-diamine), a compound containing an anion newly isolated in crystalline form, 99

rystainne form, 99
Formation of η²-aroyl, η¹-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related oxidants, 1709

Molecular zinc oxide and sulfide complexes stabilized by pyrazolylborate ligands, 1915

pyrazolylorate nganos, 1913
Boratropic rearrangements in tris(pyrazolyl)borate molybdenum
mononitrosyl complexes: effects of co-ligands, 2281
Redox-responsive bi- and tri-nuclear iron/molybdenum complexes
incorporating the ferrocenyl unit as a redox spectator, 2769
A reversible intramolecular hydrogen-bonding interaction involving
second-sphere co-ordination of a water ligand, 2921
Molybdenum(1)mononitrosyl complexes: syntheses, electrochemistry.

Sector-spire co-ordination of a water figant, 2921

Molybdenum(i)mononitrosylcompiexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of complexes with N<sub>6</sub> and N<sub>3</sub>I first-co-ordination spheres and the crystal structures of [Mo {HB(dmpz)<sub>3</sub>}(NO)(NC<sub>9</sub>H<sub>3</sub>)<sub>2</sub>]NO)(NC<sub>9</sub>H<sub>4</sub>P<sub>1</sub>-1)<sub>2</sub>]I and [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>9</sub>H<sub>7</sub>)<sub>2</sub>]BPh<sub>4</sub> (dmpz = 3,5-dimethylpyrazol-1-yl), 3243

Synthesis spectroscopic properties and crystal structures of

dimethylpyrazol-1-yl), 3243

Synthesis, spectroscopic properties and crystal structures of [ML<sub>2</sub>Cl<sub>2</sub>] [M = Th or U; L = η-C<sub>3</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] and [UL<sub>2</sub>X<sub>2</sub>] (X = Br, I or BH<sub>4</sub>), 3335

Reaction of alkali-metal tetraphenylborates with amines in the presence of CO<sub>2</sub>: a new easy way to aliphatic and aromatic alkali-metal carbamates, 3359

BORATROPIC REARRANGEMENT

Boratropic rearrangements in tris(pyrazolyl)borate molybdenum mononitrosyl complexes: effects of co-ligands, 2281

Unexpected gold-containing boride clusters formed from the reactions of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>9</sub>BH]<sup>-</sup> with gold(t) phosphine derivatives: crystal structures of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>9</sub>B{Au(PPh<sub>3</sub>)}<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> and [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)}(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-diphenylphosphino)ferrocene], 2639

BORON

Synthesis of η-cyclopentadienyl-polyborane derivatives of molybdenum and tungsten, 67

Eight-vertex polyhedral monocarbaborane chemistry. Three *closo* anions, [CB<sub>7</sub>H<sub>8</sub>]<sup>-</sup>, [CB<sub>7</sub>H<sub>7</sub>I]<sup>-</sup> and [CB<sub>7</sub>H<sub>6</sub>I<sub>2</sub>]<sup>-</sup>. Preparation and structural studies, 431

structural studies, 431
Heterometallic boride clusters: formation of octahedral

[M<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B]<sup>-</sup> (M = Rh or Ir) and gold(1) phosphine
derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B],
trans-[Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{µ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>5</sub>}] and cis[Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{µ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>5</sub>}], 549

Synthesis and nuclear magnetic resonance studies of halogeno
and hydrido tris(pyrazol-1-yl)borato ruthenium(II) complexes,
1629

Enhanced slip distortions in 1-phenyl-2-methyldicarbaplatina-boranes. Conformational destabilisation in the isomerisation of 1-phenyldicarbaplatinaboranes, 1755

Molecular structure of 1-(dichloroboryl)pentaborane(9), in the gas phase as determined by electron diffraction and supported by theoretical calculations, 2193

C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)}(AuCl)]·CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639 Synthesis, structure and physical properties of tetrathiafulvalenium

Synthesis, structure and physical properties of tetratmaturalenium salts of the ferracarborane complex *commo*-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-1,2-C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>}<sub>2</sub>]<sup>-</sup>, 2851

A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>4</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935

Group 6 metallocene(iv)—main group metal complexes: synthesis and structures of a Mo-B-Li compound and of [W(η-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>H-(5-C) [CHCS:M-3], 3 2000

(SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>)], 2999 Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>2</sub>], 3789 BROMIDE.

Matrix-isolation and mass spectrometric studies on the vaporisation of chromium(III) bromide: characterisation of molecular CrBr<sub>4</sub>, CrBr<sub>3</sub> and CrBr<sub>2</sub>, 1423 BROMINATION

Bromination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489 BUTADIENE

Dinitrogen, butadiene and related complexes of molybdenum. Crystal structures of [Mo(N<sub>2</sub>)(PMe<sub>3</sub>)<sub>5</sub>] and <sup>3</sup>-CH<sub>3</sub>CHCHCH<sub>2</sub>)(η<sup>4</sup>-C<sub>4</sub>H<sub>6</sub>)(PEt<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801

[Mo(η<sup>3</sup>-

Synthesis and characterization of some mixed alkyl-carbamates of zinc or cadmium: crystal structures of [Zn<sub>4</sub>Me<sub>2</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>6</sub>] and [Zn<sub>4</sub>Me<sub>4</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>4</sub>], 1043
Cadmium(II) complexes containing a discrete tetrakis(carboxylato)-

bridged dimetal core: isomorphous dinitratotetrakis(μ-triphenyl-phosphoniopropionate)dicadmium(II) dinitrate and diperchlorate, and dichlorotetrakis(µ-triphenylphosphonio-propionate)dicadmium(II) diperchlorate, 1519 Synthesis and structure of bis(phosphaallyl) complexes with two-co-ordinate phosphorus, 1951 Polymeric and bimetallic complexes of diisopropyl monothio-shoephote, 2360

phosphate, 2369

Mono- and poly-nuclear cryptate complexes of cage-like azamacro-cyclic compounds: a thermodynamic and electrochemical approach, 2377

Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549
Synthesis of phosphinochalcogenoic amidato complexes of zinc
and cadmium. The crystal and molecular structure of

and cadmium. The crystal and molecular structure of [Zn{Bu¹<sub>2</sub>P(Se)NPr¹<sub>2</sub>], 2813
Co-ordination chemistry of mixed pyridine–phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with Ni<sup>II</sup>, Cd<sup>II</sup>, Mn<sup>II</sup> and Mn<sup>II</sup>Mn<sup>III</sup>, 3071
Topologically different infinite co-ordination structures of [CdNi(CN)<sub>4</sub>]-2H<sub>2</sub>N(CH<sub>2</sub>)<sub>n</sub>NH<sub>2</sub>-mH<sub>2</sub>O complexes (n = 2-7 and 9, m = 0-2) caused by the catenation behaviour of the diamine and the -NC-Ni(CN)<sub>2</sub>-CN- moieties, 3195
Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7-malonate, -7,16-bis(malonate) and -7,16-bis(α-methylacetate) 3353

acetate), 3353

Silica-mimetic polymorphism of the Cd(CN)<sub>2</sub> host lattice depending on the guest G in Cd(CN)<sub>2</sub>·xG clathrates, 3715 CALCIUM

Self-assembly of a columnar polymeric calcium phosphinate derived from camphene, 2109 CALIXARENE

Versatile cation complexation by a calix[4]arene tetraamide (L).

Synthesis and crystal structure of [ML][ClO<sub>4</sub>]<sub>2</sub>·nMeCN
(M = Fe<sup>II</sup>, Ni<sup>II</sup>, Cu<sup>II</sup>, Zn<sup>II</sup> or Pb<sup>II</sup>), 1273

Facile synthetic route to cone-shaped phosphorylated [CH<sub>2</sub>P(O)Ph<sub>2</sub>] calix[4]arenes, 3097

Synthesis and co-ordination chemistry of a novel bis(benzo crown ether) substituted calix[4]arene that can simultaneously complex cations and anions, 3117

Lanthanide picrate complexes and picric acid adduct of a calix[4]arene diamide. Syntheses and structures of [Tm(LH<sub>-2</sub>)A], [Ce(LH<sub>-2</sub>)(MeOH)<sub>2</sub>A]-HA, [PrLA<sub>3</sub>] and L-2HA [L = 5,11,17,23-tetra-tert-butyl-25,27-bis(diethylcarbamoylmethoxy)-26,28-dihydroxycalix[4]arene, LA wirel oxid: 2455

HA = picric acid}, 3455
CAMPHENE

Self-assembly of a columnar polymeric calcium phosphinate derived from camphene, 2109

CAMPHOR

Alkene epoxidation catalysed by camphor-derived β-ketophosphonate complexes of molybdenum(vi), 1221 CARBABORANE

Eight-vertex polyhedral monocarbaborane chemistry. Three *closo* anions, [CB<sub>7</sub>H<sub>8</sub>]<sup>-</sup>, [CB<sub>7</sub>H<sub>7</sub>I]<sup>-</sup> and [CB<sub>7</sub>H<sub>6</sub>I<sub>2</sub>]<sup>-</sup>. Preparation and structural studies, 431

Enhanced slip distortions in 1-phenyl-2-methyldicarbaplatina-boranes. Conformational destabilisation in the isomerisation of 1-phenyldicarbaplatinaboranes, 1755

Synthesis and characterisation of the mixed-sandwich complex closo-[3-(η-C<sub>5</sub>Me<sub>5</sub>)Fe-4-Me<sub>2</sub>S-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>] and its charge-transfer

CARBABORANE (contd)

salts; crystal structure of  $[Fe(\eta-C_3Me_5)(C_2B_9H_{10}SMe_5)]^*[ddq]^*-CH_2Cl_2$  (ddq = 2,3-dichloro-5,6-dicyano-*p*-benzoquinone),

Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex commo-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-

1,2-C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>}<sub>2</sub>] -, 2851 Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane

anions, 3221
CARBAMATE

Synthesis and characterization of some mixed alkyl-carbamates of zinc or cadmium: crystal structures of  $[Zn_4Me_2(O_2CNEt_2)_6]$  and  $[Zn_4Me_4(O_2CNEt_2)_4]$ , 1043 Reaction of alkali-metal tetraphenylborates with amines in the

presence of CO<sub>2</sub>: a new easy way to aliphatic and aromatic alkali-metal carbamates, 3359

Synthesis and characterization of mono(carbene) complexes of copper and crystal structure of a linear thiazolinylidene compound, 313

Reaction of a side-on co-ordinated carbene ligand with the Wittig reagent, 3251

CARBIDE

ARBIDE.
A zwitterionic cluster compound: synthesis and characterisation of the triphenylphosphoniocyclopentadienide derivative  $[Ru_6C(CO)_{14}(\eta^5-C_5H_4PPh_3)]$ , 495
Chemistry of the carbido- and nitrido-decaruthenium cluster anions  $[Ru_{10}R(C)(CO)_{24}]^-$ ,  $[Ru_{10}C(CO)_{24}]^2$  and  $[Ru_{10}N(CO)_{24}]^-$ , 741
Preparation, characterisation, molecular and crystal structure of the octaruthenium arene clusters  $[Ru_8H_4(CO)_{18}(\eta^6-arene)]$  (arene =  $C_6H_6$  or  $C_{16}H_{16}$ ), 909
Electrophilic reactivity of arene carbonyl cluster complexes with the  $Ru_C$  core. Crystal and molecular structure of

Electrophilic reactivity of arene carbonyl cluster complexes with the Ru<sub>6</sub>C core. Crystal and molecular structure of [Ru<sub>6</sub>C(CO)<sub>14</sub>(n<sup>6</sup>·C<sub>6</sub>H<sub>4</sub>Ph<sub>2</sub>-1,4)], 1061

Syntheses and crystal structures of the ruthenium carbidocarbonyl clusters [Ru<sub>5</sub>C(CO)<sub>11</sub>(μ-Br)<sub>2</sub>(η<sup>3</sup>-C<sub>2</sub>H<sub>3</sub>)[μ-η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)[μ-η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)], [Ru<sub>5</sub>C(CO)<sub>14</sub>(μ-Br)] — with novel metal frameworks, 1369

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>] — [Ru<sub>10</sub>C(CO)<sub>24</sub>] and [Ru<sub>10</sub>N(CO)<sub>24</sub>], 1527

Solution and solid-state nuclear magnetic resonance studies on interstitial atoms within transition-metal carbonyl clusters, 1985

C.-Ring ligand-transfer reactions; amplications to cluster chemistry

C<sub>4</sub>-Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of [Ru<sub>3</sub>C(CO)<sub>15</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)] and [Ru<sub>4</sub>C(CO)<sub>15</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)], 2749 Synthesis and crystallographic characterisation of [Ru<sub>7</sub>C(CO)<sub>16</sub>(C<sub>9</sub>H<sub>8</sub>)] and [Ru<sub>7</sub>C(CO)<sub>16</sub>(C<sub>12</sub>H<sub>12</sub>)]: facial π bonding and σ bonding from the same ring system, 3431
A novel reaction between physically separated solid reactants 3825

A novel reaction between physically separated solid reactants, 3825 Synthesis, structural characterisation and nuclear magnetic resonance study of [Ru<sub>6</sub>C(CO)<sub>15</sub>(μ<sub>2</sub>-η<sup>1</sup>; η<sup>2</sup>: η<sup>2</sup>-C<sub>16</sub>H<sub>16</sub>-μ-O)]: an intermediate in the formation of [Ru<sub>6</sub>C(CO)<sub>14</sub>(μ<sub>3</sub>-η<sup>2</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>16</sub>H<sub>16</sub>)], 4113

CARBOHYDRATE

Metal complexes of carbohydrates: isolation and characterisation of cobalt(III) complexes containing N-substituted glycosylamine ligands derived from ethane-1,2-diamine and glucosamine, 783 Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and

nuclear magnetic resonance spectroscopic study, 799
Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799), 1202

Oxo- and imido-molybdenum(v1) and -tungsten(v1) functionalities supported by diacetoneglucose, 3329

CARBON

Determination by electron diffraction of the molecular structure of bromotris(methoxydimethylsilyl)methane in the gas phase, 975 Tetraruthenium cluster isomers containing both  $C_6H_8$  and [2.2]paracyclophane ligands: a new face-bridging co-ordination mode for a C<sub>6</sub> aromatic ring, 1063

CARBONATE

Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(II) and -(III) complexes, 707

Dinuclear pentafluorophenyl compounds of rhodium(III) with anionic bridging ligands. Molecular structures of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(µ-SCN)<sub>2</sub>] and [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(µ-CO<sub>3</sub>)], 917
Reaction of pentaammineaquarhodium(III) with carbonate in

strongly basic solution: a multiple choice of potential interactions, 3591

**CARBON DIOXIDE** 

Cobalt and nickel complexes of 2,2':6',2":6",2"'-quaterpyridine as

catalysts for electrochemical reduction of carbon dioxide,

Reaction of alkali-metal tetraphenylborates with amines in the presence of CO<sub>2</sub>: a new easy way to aliphatic and aromatic alkali-metal carbamates, 3359

Synthesis, electrochemistry and reactivity of formato- and acetato-niobocene complexes, 3409

CARBONYL

Crystal structures of salts of transition-metal halide clusters, 287 Synthesis and structural characterization of the tetraruthenium cluster complexes [Ru<sub>4</sub>(µ-H)<sub>4</sub>(CO)<sub>10</sub>(L-L)] (L-L = diphosphine),

A zwitterionic cluster compound: synthesis and characterisation of the triphenylphosphoniocyclopentadienide derivative [Ru<sub>6</sub>C(CO)<sub>14</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>PPh<sub>3</sub>)], 495

Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B] (M = Rh or Ir) and gold(1) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B], trans-[Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B(μ<sub>3</sub>-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>]], 549

Neutron diffraction study on a single crystal of pentacarbonyl-diethylcyanamidechromium at 110 K, 665

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 741

Synthesis and characterisation of precursors to organometal cluster networks, 843

networks, 843

Kinetics and mechanism of the addition of azide ion to a carbonyl ligand of [Ru<sub>3</sub>(CO)<sub>12</sub>]: cluster activation, 905

Preparation, characterisation, molecular and crystal structure of the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>(η<sup>6</sup>-arene)] (arene =  $C_6H_6$  or  $C_{16}H_{16}$ ), 909

Synthesis, structural characterization and thermal reactivities of osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2thione, 1047

Electrophilic reactivity of arene carbonyl cluster complexes with the Ru<sub>6</sub>C core. Crystal and molecular structure of [Ru<sub>6</sub>C(CO)<sub>14</sub>(n<sup>6</sup>-C<sub>6</sub>H<sub>4</sub>Ph<sub>2</sub>-1,4)], 1061 Crystal construction and molecular recognition for [Cr(CO)<sub>6</sub>], 1215

Syntheses, reactivities and molecular structures of tungsten complexes containing the diphenylphosphinodithioformato ligand, 1305

ligand, 1305
Distortions in six-co-ordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of mer-[Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sup>1</sup><sub>2</sub>-2,4,6)<sub>2</sub>-(CO)<sub>3</sub>(PMePh<sub>2</sub>)], cis,cis,cis,-[W(SC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>(CO)<sub>2</sub>-(PMe<sub>2</sub>Ph<sub>2</sub>)], 1315
Syntheses and crystal structures of the ruthenium carbidocarbonyl clusters [Ru<sub>3</sub>C(CO)<sub>11</sub>(μ-Br)<sub>2</sub>(η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)(μ-η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)], [Ru<sub>5</sub>C(CO)<sub>13</sub>(μ-I)(μ-η<sup>2</sup>-COMe)] - [Ru<sub>5</sub>C(CO)<sub>14</sub>(μ-Br)<sub>2</sub>] and [Ru<sub>6</sub>C(CO)<sub>16</sub>(μ-Br)] - with novel metal frameworks, 1369
Metallosupramolecular cluster assemblies based on donor–acceptor type structural frameworks. Syntheses, crystal structures and spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors. 1379

spectroscopic properties of nover trosmum arkyndyne carbonyn clusters bearing remote ferrocenyl units as electron donors, 1379

Synthesis of novel mixed-metal clusters of mercury and osmium; crystal and molecular structures of cis-[Os(CO)<sub>4</sub>(μ-Hg)Os<sub>3</sub>-(CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>- (μ<sub>4</sub>-Hg)], 1389

The preparation and characterisation of new mixed carbonyl nitro complexes of Group 6 metals, 1391

Bromination of molybdenum carbonyls revisited: oxo complexes

Bromination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489 Reaction of  $[Os_3(\mu+H)_2(CO)_9(\mu_3-CNC_3H_4CH=CH_2)]$  with phenylacetylene. A novel type of alkylidyne-alkyne coupling in a triosmium alkylidyne cluster, 1497 The synthesis of the first examples of water-soluble seven-coordinate complexes of tungsten(II), 1525 Chemistry of the carbido- and nitrido-decaruthenium cluster anions  $[Ru_{10}H(C)(CO)_{24}]^-$ ,  $[Ru_{10}C(CO)_{24}]^2^-$  and  $[Ru_{10}N(CO)_{24}]^-$ , 1527 Synthesis, molecular and crystal structure of tetraruthenium butterfly arene clusters, 1555 Ligand substitution in  $[Fe_2(CO)_6(NO)(\mu-PPh_2)]$  and the isomerism of  $[Fe_2(CO)_4(PMe_2)_2(NO)(\mu-PPh_2)]$ , 1791 Synthesis of tetracobalt clusters from dicobalt alkyne complexes, 1805

1805

Di- and tri-metallic complexes containing two bridging cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>{μ-cis-[PhNP(OC<sub>6</sub>H<sub>4</sub>Me-p)]<sub>2</sub>}<sub>2</sub>], 1933
Solution and solid-state nuclear magnetic resonance studies on

interstitial atoms within transition-metal carbonyl clusters, 1985

Molecular dynamics of tricarbonyl(pentamethylbenzene)chromium: a <sup>13</sup>C solid-state nuclear magnetic resonance study, 2125
Reaction of CH<sub>2</sub>(Ph<sub>2</sub>PSe)<sub>2</sub> with [Ru<sub>3</sub>(CO)<sub>12</sub>]. Crystal structure of [Ru<sub>4</sub>Se<sub>4</sub>(CO)<sub>10</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)], a missing link in the [M<sub>4</sub>E<sub>4</sub>L<sub>12</sub>] cubane series (M = Group 8 metal, E = chalcogenido ligand),

CARBONYL (contd)

ARBONYL (contd)

The electronic structure of the carbonyl dihalides, COF<sub>2</sub>, COCl<sub>2</sub>, COBr<sub>2</sub>, COClF, COBrF and COBrCl: a combined computational and experimental study, 2359

Reactivity patterns of the unsaturated tetrahedral cluster [Re<sub>4</sub>- (μ<sub>3</sub>-H)<sub>4</sub>(CO)<sub>12</sub>]. Easy addition of four MeCN molecules and 'ionic' or 'neutral' fragmentation pathways of the spiked-triangle intermediate [Re<sub>4</sub>(μ-H)<sub>4</sub>(CO)<sub>12</sub>(NCMe)<sub>4</sub>], 2407

Unexpected gold-containing boride clusters formed from the reactions of [RhRu,H(η<sup>5</sup>-C<sub>Me</sub>)<sub>4</sub>(CO)<sub>9</sub>BH] – with gold(t) phosphine derivatives: crystal structures of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>Me</sub>)<sub>4</sub>(CO)<sub>9</sub>B<sub>4</sub>(Au(PPh<sub>3</sub>))<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> and [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>Me</sub>C<sub>3</sub>(CO)<sub>9</sub>B(Au(Pph<sub>3</sub>))<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639

Di- and linear tri-nuclear carbonyl ruthenium clusters containing asymmetrically bridging 2,7-disubstituted naphthyridines, 2663

Excited-state properties of [(OC)<sub>5</sub>W(L)W(CO)<sub>5</sub>] [L = 4,4'-bipyridyl (4,4'-bipy) or pyrazine] and [(OC)<sub>5</sub>W(4,4'-bipy)], 2711 Synthesis and structural characterisation of some new triosmium alkylidyne clusters containing sulfur-donor ligands. The formation of C-S and C-C bonds, 2735 Synthesis and characterisation of the clusters [R)<sub>1</sub> (1, H) (1, 1)<sup>2</sup> (CO)

Synthesis and characterisation of two clusters [Ru<sub>8</sub>(μ-H)<sub>2</sub>(μ<sub>6</sub>-η<sup>2</sup>-CO)-(CO)<sub>3</sub>(η<sup>6</sup>-C<sub>16</sub>H<sub>16</sub>)] and [Ru<sub>8</sub>(μ<sub>6</sub>-η<sup>2</sup>-CO)(μ<sub>4</sub>-η<sup>2</sup>-CO)(CO)<sub>18</sub>-(η<sup>6</sup>-C<sub>16</sub>H<sub>16</sub>)] having an unusual metal geometry and considerable elongation of the μ<sub>6</sub>-C-O bond, 2741
C<sub>4</sub>-Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of [Ru<sub>5</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)] and [Ru<sub>6</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)], 2749
Synthesis and structural studies of new ruthenium cluster carbonyl derivatives derived from (PhP), and [Ru<sub>6</sub>C(CO)<sub>1-1</sub> and [Ru<sub>6</sub>C(CO

derivatives derived from (PhP)<sub>5</sub> and [Ru<sub>3</sub>(CO)<sub>12</sub>] and [Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757 Chemical behaviour of the mixed-metal carbonyl clusters

[Fe<sub>2</sub>Rh(CO)<sub>10</sub>] and [Fe<sub>2</sub>Rh<sub>2</sub>(CO)<sub>12</sub>]<sup>2</sup>. Crystal structures of [Fe<sub>2</sub>Rh(CO)<sub>9</sub>(PPh<sub>3</sub>)] and [Fe<sub>2</sub>Rh<sub>2</sub>( $\mu$ -CO)<sub>3</sub>(CO)<sub>9</sub>( $\mu$ 3-Au(PPh<sub>3</sub>)] ].

Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>3</sub>(μ<sub>3</sub>-CPBu<sup>3</sup>Ph<sub>2</sub>)] and (R)-[Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>-(μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH,PPh<sub>2</sub>)], 2831
The generation and reactivity of versatile ruthenium carbonyl

organometallic intermediates by cluster photochemistry, 2923 A spiked-butterfly cluster: crystal and electronic structures of [RhRu,H(n<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935 Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTeF<sub>3</sub>; compatibility of phosphine, alkyl and OTeF<sub>3</sub><sup>-</sup> ligands in low-valent transition-metal complexes,

Synthesis and characterisation of iridium carbonyl fluorides, 2945 Synthesis and characterisation of indum carbony nuorides, 2945 Synthesis, structure and reactivity of bicycloheptatrienyl-bridged dimolybdenum complexes: crystal structure of [Mo<sub>2</sub>(CO)<sub>4</sub>(μ-I)-(μ-Γ)-(γ-

Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>12</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287 Molecular structure and crystal structure generation for

[Fe<sub>3</sub>(CO)<sub>12</sub>], 3297

Synthesis and characterisation of guaiazulene derivatives of two ruthenium carbonyl clusters, 3307

Synthesis and crystallographic characterisation of [Ru<sub>7</sub>C(CO)<sub>16</sub>(C<sub>2</sub>H<sub>8</sub>)] and [Ru<sub>7</sub>C(CO)<sub>16</sub>(C<sub>12</sub>H<sub>12</sub>)]: facial π bonding and σ bonding from the same ring system, 3431

Palladium-catalysed formation of aroylcobalt complexes from iodoarene and tetracarbonylcobaltate anion. Syntheses, characterization and reactivities of model intermediate complexes, 3489

Thermal reactions of Mo(CO)6 on metal-oxide surfaces, 3753 Reaction chemistry of alkynes with the tris(acetonitrile)ruthenium cluster [Ru<sub>3</sub>(CO)<sub>6</sub>(MeCN)<sub>3</sub>], 3785

Mono- and di-entate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>3</sub>], 3789

Syntheses and structural characterization of a series of hydrido

Syntheses and structural characterization of a series of hydrido osmium-palladium carbonyl clusters: [Os<sub>2</sub>Pd(CO)<sub>16</sub>H<sub>n+4</sub>(μ-Cl)<sub>2-n</sub>] (n = 0-2), [{Os<sub>2</sub>Pd(CO)<sub>2</sub>(μ-H)<sub>2</sub>(μ-Cl)<sub>2</sub>(μ-Cl)<sub>2</sub>H<sub>3</sub>Oand [Os<sub>2</sub>Pd(CO)<sub>11</sub>(μ-H)<sub>3</sub>(μ-Cl)<sub>3</sub>(C<sub>3</sub>H<sub>3</sub>N)]-0.5c<sub>3</sub>H<sub>4</sub>, 3987

Some remarkable reactions of the alkylidyne cluster [Os<sub>2</sub>(μ-H)<sub>2</sub>(CO)<sub>2</sub>(μ<sub>3</sub>-CNC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N)] (NC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N = 4,4'-bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(μ-H)<sub>3</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-CNC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>NH)][BF<sub>4</sub>]<sub>2</sub>·H<sub>2</sub>O, 3995

Comparison of the reactivity of [2.2]paracyclophane and p-xylene, 4039

Triphosphorus macrocycle complexes of divalent Group 6 transition metals; crystal structure of bromotricarbonyl[1,5,9-tris-(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(II) tetraphenylborate, 4091

Synthesis, structural characterisation and nuclear magnetic resonance study of  $[Ru_6C(CO)_{19}(\mu_3-\eta^1:\eta^2:\eta^2-C_{10}H_{10}-\mu-O)]$ : an intermediate in the formation of  $[Ru_6C(CO)_{19}(\mu_3-\eta^2:\eta^2:\eta^2-\mu^2)]$ .

C<sub>16</sub>H<sub>16</sub>)], 4113 CARBONYLATION

Synthesis and carbonylation studies on methylpalladium(II) complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159

Structural characterisation of solution species implicated in the rhodium-catalysed carbonylation of methanol by Rh K-edge

X-ray absorption spectroscopy, 3089 CARBOXAMIDE

ARBOXAMIDE

Complexes of Ga<sup>3+</sup> and In<sup>3+</sup> with the N,N<sup>-</sup>-bis(butylamide)
derivative of diethylenetriaminepentaacetic acid: stability constants
and nuclear magnetic resonance studies in aqueous solution, 327

Homoleptic molybdenum complexes of α,β-unsaturated amides and

esters: preparation and crystal structures, 1563
Synthesis, crystal structure and catalytic activities of [Ru<sup>III</sup>(bbpc)-(PPh<sub>3</sub>)CI] [H<sub>2</sub>bbpc = 1,2-bis(4-tert-butylpyridine-2-carboxamido)-4,5-dichlorobenzene], 2215

CARBOXYLATE

Synthesis, structural characterisation and studies of octanuclear copper complexes of pyridonate and carboxylate ligands, 163 Kinetics of ternary complex formation between cobalt(II) species

and 2,2'-bipyridine: parametrization of bound-ligand effects, 449 Cisplatin analogues with sulfur donor ligands. (Ethylenediamine)platinum(II) complexes with ligands possessing

a sulfinyl or sulfanyl group linked to an anionic oxygen donor atom. Reactivity and cytotoxicity, 579

Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(II) and -(III) complexes, 707

Binuclear and polymeric manganese(II) salicylate complexes:

Binuclear and polymeric manganese(II) salicylate complexes: synthesis, crystal structure and catalytic activity of [Mn<sub>2</sub>(Hsal)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>] and [{Mn<sub>2</sub>(sal)<sub>2</sub>(Hsal)(H<sub>2</sub>O)(H<sub>3</sub>O)(py)<sub>4</sub>· 2py}<sub>n</sub>] (H<sub>2</sub>sal = salicylic acid, py = pyridine), 771
Dinuclear pentafluorophenyl compounds of rhodium(III) with anionic bridging ligands. Molecular structures of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[{Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>/2(µ-SCN)<sub>2</sub>] and [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[{Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>/2(µ-CO<sub>3</sub>)], 917
Ranitidine bismuth(III) citrate, 1395
Cadmium(II) complexes containing a discrete tetrakis(carboxylate)

Ramitaine bismutn(III) citrate, 1393
Cadmium(II) complexes containing a discrete tetrakis(carboxylato)bridged dimetal core: isomorphous dinitratotetrakis(µ-triphenylphosphoniopropionate)dicadmium(II) dinitrate and
diperchlorate, and dichlorotetrakis(µ-triphenylpropionate)dicadmium(II) diperchlorate, 1519

Second- and third-row transition-metal complexes of dihydroxy-benzoic acids, and the crystal structure of [NMe<sub>4</sub>]<sub>2</sub>-[MoO<sub>2</sub>(2,3-dhb)<sub>2</sub>]·1.5H<sub>2</sub>O (2,3-H<sub>2</sub>dhb = 2,3-dihydroxy-benzoic acid), 1775

Base hydrolysis in homometallic dinuclear chromium(III) complexes

bridged by hydroxide and carboxylate, 1823 Syntheses and structures of nickel(0) complexes containing the methyl methacrylate monomer as ligand, 2033

Formation and decomposition study of electrochemically-generated nickel(III)-nota complexes in aqueous solution (nota<sup>3</sup> = 1,4,7-triazacyclononane-N,N',N"-triacetate), 2041

Synthesis, crystal structures and physical properties of μ-οxο-μ-carboxylato-diiron(III) complexes with tripodal polybenzimidazole ligands containing distinct iron sites, 2045

polybenzimidazole ligands containing distinct iron sites, 2045
Diphenylantimony(v) oxo/chloro carboxylates and phosphinates:
crystal structures of {SbPh<sub>2</sub>Cl[C<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>]}<sub>2</sub>O and
[SbPh<sub>2</sub>(O<sub>2</sub>CPh)<sub>2</sub>]<sub>2</sub>O, 2151
Synthesis and carbonylation studies on methylpalladium(II)
complexes containing chelating pyridinecarboxylate ligands:
dynamic behaviour of the ligands and implications for the
carbonylation mechanism, 2159
Non-polymeric diruthenium(II,III) carboxylates. Crystal structures
of [Ru<sub>2</sub>Cl(μ-O<sub>2</sub>CCMe<sub>2</sub>)<sub>4</sub>(H<sub>2</sub>O)] and [Ru<sub>2</sub>Cl(μ-O<sub>2</sub>CCHMe<sub>2</sub>)<sub>4</sub>(thf)]
(thf = tetrahydrofuran), 2183
Syntheses structures and magnetic studies of homometallic

Syntheses, structures and magnetic studies of homometallic manganese and heterometallic iron-sodium one-dimensional polymers, 2311

polymers, 2311
Resonance-Raman spectra and excited-state geometry of the bis(μ-acetato)(μ-oxo) ruthenium(III) dimeric ion [Ru<sub>2</sub>(μ-O<sub>2</sub>CMe)<sub>2</sub>(μ-O)(py)<sub>6</sub>]<sup>2+</sup> (py = pyridine), 2417
Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)]<sup>-</sup> with nucleic bases, nucleosides
and DNA (calf-thymus) in aqueous solution (edta =
ethylenediamine-N,N,N',N'-tetraacetate), 2497
Determination of the local environment of the metals in
[Cr<sup>III</sup><sub>2</sub>Co<sup>II</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>]-py (py = pyridine) by chromium
and cobalt K-edge extended X-ray absorption fine structure.
Geometric and charge-polarisation influences on Cr-O-Cr
superexchange, 2515
Metal-directed syntheses of dithiadiazacyclotetradecane

Metal-directed syntheses of dithiadiazacyclotetradecane macrocycles with pendant alcohol and nitro or carboxylate groups involving macrocycle ring expansion, 2541

CARBOXYLATE (contd)

Building two-dimensional silver(1) co-ordination polymers with dicarboxylate-like ligands: synthesis and crystal structures of polymeric complexes of silver nitrate and perchlorate with flexible double betaines, 2671

Complexation of thorium(iv) with 2-thenoic and 2-furoic acids in aqueous solution at low pH, 2697

Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825

Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacycloocta-decane-7-malonate, -7,16-bis(malonate) and -7,16-bis(α-methylacetate), 3353

Synthesis, electrochemistry and reactivity of formato- and acetato-niobocene complexes, 3409

Equilibria and thermodynamic quantities for the reactions of molybdenum(v1) and tungsten(v1) with mandelate (α-hydroxy-benzeneacetate), 3433 Mixed-valence dinuclear iron complexes with a nonadentate

polypyridine ligand: high-spin iron(II)-low-spin iron(III), 3533 Preparation and crystal structures of the silver(I) carboxylates

Preparation and crystal structures of the suver(i) carboxylates [Ag<sub>5</sub>(C<sub>6</sub>H<sub>4</sub>(CO<sub>2</sub>)<sub>2</sub>)(NH<sub>3</sub>)<sub>2</sub>, [NH<sub>4</sub>][Ag<sub>5</sub>(C<sub>6</sub>H<sub>3</sub>(CO<sub>2</sub>)<sub>2</sub>](NH<sub>3</sub>)<sub>2</sub>. (H<sub>2</sub>O<sub>3</sub>)<sub>2</sub>-H<sub>2</sub>O and [NH<sub>4</sub>][Ag<sub>5</sub>(C<sub>4</sub>H<sub>2</sub>N<sub>2</sub>(CO<sub>2</sub>)<sub>2</sub>], 3565 Kinetics and mechanism of complex formation of some bivalent and trivalent metal ions with pentaammine(nitrilotriacetato)-

cobalt((III) in aqueous medium, 3627 μ-Pyrazolato-μ-carboxylato- and di(μ-pyrazolato)-dimanganese(II) complexes: synthesis, characterization and catalase-like function, 3635

Complexes of Rh(C5Me5) with picolinic acid, pyrones and pyridinones, 3709

Potentiometric study of the molybdenum(v1)-benzilic acid system.

Structural characterisation and electrochemical properties of [NH<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>{O<sub>2</sub>CC(O)Ph<sub>2</sub>}<sub>2</sub>]-2H<sub>2</sub>O, 3891

Polynuclear zinc(II) complexes of phenol-imine and -amine

macrocycles, 3897

Synthesis, structure and magnetic properties of a singly carboxylate-bridged dinuclear manganese(II) complex, 4001
New polynuclear manganese(II) complexes with orotic acid and some of its derivatives: crystal structures, spectroscopic and magnetic studies, 4005

Dimanganese(II) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and catalase-like activity, 4015

CARBOXYLIC ACID Impact of dioxygen and carboxylic acids on the transformation of rhodium(i) to rhodium(ii) complexes, 105

The reaction of cobalt(III) β-ketoenolates with trifluoroacetic acid,

CARBYNE

Formation of η²-aroyl, η¹-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related oxidants, 1709

Synthesis of new heterodinuclear aminocarbyne complexes: crystal structures of [AuW{ $\mu$ -CN(Et)Me}(C<sub>6</sub>F<sub>3</sub>)(CO)<sub>2</sub>( $\eta$ -C<sub>5</sub>H<sub>5</sub>)] and [{CuW{ $\mu$ -CN(Et)Me}Cl(CO)<sub>2</sub>( $\eta$ -C<sub>3</sub>H<sub>5</sub>)}<sub>2</sub>], 2087

CATALASE

Dimanganese(II) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and catalase-like activity, 4015

**CATALYSIS** 

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31

Ruthenium(II) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6'-dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49 Structure and mechanism in aerobic alkene epoxidations promoted by ruthenium complexes of bis(dihydrooxazole) ligands, 367 Hydridorhodium diphosphite catalysts in the asymmetric

hydroformylation of styrene, 409

Chromium(III)-catalysed oxidation of antimony(III) by alkaline hexacyanoferrate(III) and analysis of chromium(III) in microamounts by a kinetic method, 483 Lewis-acid catalysed oxidation of alkanes by chromate and

permanganate, 695

permanganate, 695
Binuclear and polymeric manganese(II) salicylate complexes:
synthesis, crystal structure and catalytic activity of
[Mn<sub>2</sub>(Hsal)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>] and [{Mn<sub>2</sub>(sal)<sub>2</sub>(Hsal)(H<sub>2</sub>O)(H<sub>3</sub>O)(py)<sub>4</sub>\*
2py}<sub>n</sub>] (H<sub>2</sub>sal) = salicylic acid, py = pyridine), 771
Cobalt and nickel complexes of 2,2':6',2"-6",2"-quaterpyridine as
catalysts for electrochemical reduction of carbon dioxide,

Alkene epoxidation catalysed by camphor-derived \( \beta \)-ketophosphonate complexes of molybdenum(vi), 1221 Synthesis and characterization of new di- and tetra-meric vanadium intermediates of olefin polymerization catalysts.

Crystal structures of  $[V_2(\mu-Cl)_2Cl_4(MeCO_2Et)_4]$  and  $[\{VOCl_2[CH_2(CO_2Et)_2]\}_4]$ -2CH\_2Cl\_2, 1727

[{VOCl<sub>2</sub>(CO<sub>2</sub>Et)<sub>2</sub>]}<sub>4</sub>]-2CH<sub>2</sub>Cl<sub>2</sub>, 1727

Synthesis, reactivity and catalytic activity of [RuH(η¹-OCMe<sub>2</sub>)-(CO)<sub>2</sub>(PPτ'<sub>3</sub>)<sub>2</sub>]BF<sub>4</sub>, 2171

Synthesis, crystal structure and catalytic activities of [Ru<sup>III</sup>(bbpc)-(PPh<sub>3</sub>)Cl] [H<sub>2</sub>bbpc = 1,2-bis(4-tert-butylpyridine-2-carboxamido)-4,5-dichlorobenzene], 2215

Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825

Structural characterisation of solution species implicated in the

Structural characterisation of solution species implicated in the rhodium-catalysed carbonylation of methanol by Rh K-edge X-ray absorption spectroscopy, 3089

The crystal structures of [NMe<sub>4</sub>]<sub>2</sub>[(PhPO<sub>3</sub>){MoO(O<sub>2</sub>)<sub>2</sub>}<sub>2</sub>-{MoO(O<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)}] and [NBu<sup>n</sup><sub>4</sub>]<sub>2</sub>[W<sub>4</sub>O<sub>6</sub>(O<sub>2</sub>)<sub>6</sub>(OH)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and their use as catalytic oxidants, 3131

Palladium-catalysed formation of aroylcobalt complexes from iodoarene and tetracarbonylcobaltate anion. Syntheses, characterization and reactivities of model intermediate complexes, 3489

Oxo complexes of ruthenium with N,N'-donors as oxidation catalysts for alkenes, alkanes and alcohols, and their osmium

analogues, 3537
Kinetics and mechanism of complex formation of some bivalent and trivalent metal ions with pentaammine(nitrilotriacetato)cobalt(III) in aqueous medium, 3627

CATALYST

Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and alcohols, 1833

CATECHOL

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31

Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259

CHAIN

Crystal structure and magnetic properties of [Cu(ox)(py)<sub>2</sub>] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143

New polynuclear manganese(II) complexes with orotic acid and some of its derivatives: crystal structures, spectroscopic and magnetic studies, 4005

CHALCOGENIDE

Microwave-assisted solid-state reactions involving metal powders,

2013

Synthesis and structures of bis[bis(trimethylsilyl)amido]tin(tv) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)<sub>1</sub><sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>3</sub>Si)<sub>2</sub>N}<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179

CHARGE TRANSFER

Synthesis and characterisation of the mixed-sandwich complex

Synthesis and characterisation of the mixed-sandwich complex Synthesis and characterisation of the mixed-sandwich complex closo-[3-(ŋ-C<sub>2</sub>Me<sub>3</sub>)Fe-4-Me<sub>2</sub>S-1,2-C<sub>2</sub>B<sub>2</sub>H<sub>10</sub>] and its charge-transfer salts; crystal structure of [Fe(ŋ-C<sub>2</sub>Me<sub>3</sub>)(C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>SMe<sub>2</sub>)]\*[ddq]<sup>7-</sup> CH<sub>2</sub>Cl<sub>2</sub> (ddq = 2,3-dichloro-5,6-dicyano-*p*-benzoquinone), 2509 Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane arions 3221

CHIRALITY

Synthesis, resolution and reactions of (±)-(2-aminophenyl)-

Synthesis, resolution and reactions of (±)-(2-aminophenyl)methylphenylphosphine. Crystal and molecular structure of
(R\*,R\*,S\*,R\*)-(±)-(1,3-bis{[2-(methylphenylphosphino)phenyl]amino}propane)nickel(II) perchlorate, 57
Optically active asymmetric bidentate ligands. Crystal and
molecular structure of [SP-4-4-(R),(R)]-(-)<sub>589</sub>-{1-[1-(dimethylamino)ethyl]naphthyl-C²,N}{1-(diphenylphosphino)-2(methylphenylphosphino)ethane-P,P']palladium(II)
hexafluorophosphate, 649
Synthesis and structure of carboxyl-bonded oxovanadium(v)
complexes incorporating \( \alpha \)-amino acid salicylaldiminates and

complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 1115

quintifications to the chiral rhenium alkene complexes  $[Re(\eta^2-C_5H_5)(NO)(PPh_3)(H_2C=CHR)]BF_4$  (R = H, Me, CH<sub>2</sub>CH<sub>2</sub>Me, Ph or CH<sub>2</sub>Ph): regio-, diastereo- and enantioselectivities, 1857

selectivities, 1857 Synthesis, resolution and reactions of  $(\pm)$ -1-(dimethylarsino)-2-(methylphenylphosphino)benzene. Crystal and molecular structure of [(S),(S)]- $(+)_{589}$ - $\{2$ -[1-(dimethylamino)ethyl]-phenyl-C-N-[1-(dimethylarsino)-2-(methylphenylphosphino)-benzene- $A_5$ ,P-[palladium(II) hexafluorophosphate, 1867 Synthesis, crystal structure and nuclear magnetic resonance spectral study of the (+)- $(R,R,R^*,S^*)$ - and (-)- $(S,S,R^*,S^*)$ -enantiomers of the chiral diphosphine  $[C_6H_4(PPhCH_2CHO)_2CMe_2]$ -1,2, 2005

Chiral tetraphenylcyclopentadienyl complexes of ruthenium and palladium; crystal structure of [Ru(η<sup>5</sup>-C<sub>3</sub>Ph<sub>4</sub>R<sup>1\*</sup>)(CO)<sub>2</sub>Br] (R<sup>1\*</sup> = menthyl), 2101

The first orthopalladation of a primary nitrobenzylamine.

CHIRALITY (contd)

Synthesis of chiral cyclopalladated complexes derived from (S)α-methyl-4-nitrobenzylamine, 2535 Co-ordination of copper(II) with monoamino-triols and -tetrols.

Effect of stereochemistry on complex formation, 2657

Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(µ+H)<sub>2</sub>(CO)<sub>9</sub>(µ<sub>3</sub>-CPB<sub>2</sub>Pb<sub>2</sub>)] and (R)-[Os<sub>3</sub>(µ-H)<sub>2</sub>(CO)<sub>8</sub>[H]<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>2</sub>PPh<sub>2</sub>], 2831

HI ORIDE

CHLORIDE

The structure of solutions of gallium(I) chloride in benzene, 245 Spectroscopic investigation of concentrated solutions of gallium(III) chloride in mesitylene and benzene, 255

Complex-formation reactions of aquacobalamin revisited: effect of chloride on the rate and activation parameters, 685 Synthesis and structural characterization of three new

compounds containing [Nb<sub>6</sub>Cl<sub>12</sub>]<sup>2+</sup> units as hydrated hydroxides, 1441 CHLOROQUINE Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

CHROMIUM

Chromium(III)-catalysed oxidation of antimony(III) by alkaline hexacyanoferrate(III) and analysis of chromium(III) in microamounts by a kinetic method, 483

Neutron diffraction study on a single crystal of pentacarbonyl-diethylcyanamidechromium at 110 K, 665 Lewis-acid catalysed oxidation of alkanes by chromate and

permanganate, 695

Effect of amine substituents and neutral leaving groups on the activation volume for aquation of octahedral pentaamine complexes of Cr<sup>III</sup> and Rh<sup>III</sup>, 891

Crystal construction and molecular recognition for [Cr(CO)<sub>6</sub>], 1215

The preparation and characterisation of new mixed carbonyl nitro complexes of Group 6 metals, 1391 Matrix-isolation and mass spectrometric studies on the vaporisation

of chromium(III) bromide: characterisation of molecular CrBr4,

CrBr<sub>3</sub> and CrBr<sub>2</sub>, 1423

The electronic polarizability distribution of several substituted ferrocenes and di(η<sup>6</sup>-benzene)chromium, 1469

Transition-metal saccharide chemistry and biology: synthesis, characterisation, redox behaviour, biointeraction and data correlations of disuplementations for the supplementations of the supplementations and the supplementations of the supplementation of the supplementations of the supplementation of the suppleme

correlations of dinuclear chromium(III) complexes, 1569 New hetero- and homo-metallic dihydroxo-bridged dinuclear complexes of cobalt(III) and chromium(III): synthesis,

spectroscopy and crystal structures, 1813

Base hydrolysis in homometallic dinuclear chromium(III) complexes bridged by hydroxide and carboxylate, 1823 Arylimido complexes of chromium-(vi), -(v) and -(iv), 2111

Molecular dynamics of tricarbonyl(pentamethylbenzene)chromium: a <sup>13</sup>C solid-state nuclear magnetic resonance study, 2125 Mechanism of the oxidation of DL-penicillamine and glutathione

by chromium(vi) in aqueous solution, 2267

Determination of the local environment of the metals in Determination of the local environment of the metals in [Cr<sup>III</sup><sub>2</sub>Co<sup>II</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>]-py (py = pyridine) by chromium and cobalt K-edge extended X-ray absorption fine structure. Geometric and charge-polarisation influences on Cr-O-Cr superexchange, 2515

Solvent-dependent <sup>2</sup>H nuclear magnetic resonance spectra and solvatochromism in ligand-field absorption bands of cis-[CrF<sub>3</sub>N<sub>4</sub>]-type complexes with triethylenetetramine, pyridine or 2,2'-bipyridine, 2837

Kinetics of the formation, reactivity and crystal structure of the sulfite-bridged cation di-u-hydroxo-u-(sulfito-O-O')-bis[(1.4.7-

sulfite-bridged cation di- $\mu$ -hydroxo- $\mu$ -(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(III)], 2843

Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane anions, 3221

Type 1 blue copper protein amicyanin from Thiobacillus versutus: line-broadening effects of chromium(III) complexes and related studies, 3395

Comparison of the reactivity of [2.2] paracyclophane and p-xylene, 4039

Electron paramagnetic resonance spectroscopic characterization of {2,2-bis(hdyroxymethyl)-2-[bis(2-hydroxyethyl)amino]-ethanolato}oxochromate(v), 4129

CISPLATIN

L-Methionine increases the rate of reaction of 5'-guanosine monophosphate with the anticancer drug cisplatin: mixed-ligand adducts and reversible methionine binding, 3721

CITRATE Ranitidine bismuth(III) citrate, 1395

CLATHRATE

Topologically different infinite co-ordination structures of [CdNi(CN)<sub>4</sub>]-2H<sub>2</sub>N(CH<sub>2</sub>)<sub>n</sub>NH<sub>2</sub>·mH<sub>2</sub>O complexes (n = 2-7 and 9, m = 0-2) caused by the catenation behaviour of the diamine and the -NC-Ni(CN)<sub>2</sub>-CN-moieties, 3195

Silica-mimetic polymorphism of the Cd(CN), host lattice depending on the guest G in Cd(CN), xG clathrates, 3715

CLUSTER

Crystal structures of salts of transition-metal halide clusters, 287

A mixed-bridged Cu<sub>3</sub> cluster with an isosceles-triangular array of copper(II) ions: synthesis, crystal structure and magnetic properties, 343

Synthesis and structural characterization of the tetraruthenium cluster complexes  $[Ru_4(\mu-H)_4(CO)_{10}(L-L)]$  (L-L = diphosphine),

A 19
A zwitterionic cluster compound: synthesis and characterisation of the triphenylphosphoniocyclopentadienide derivative [Ru<sub>6</sub>C(CO)<sub>14</sub>(η<sup>2</sup>-C<sub>5</sub>H<sub>4</sub>PPh<sub>3</sub>)], 495
Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B] [M = Rh or Ir) and gold(1) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B], trans-[Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ<sub>3</sub>-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>]] and cis-[Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>]], 549
Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>] , [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2-</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>] , 741
Synthesis and characterisation of precursors to organometal cluster networks, 843

networks, 843

Formation and decomposition of high-mass metal-oxygen cluster ions in the fast atom bombardment of lanthanide salts, 875 Formation and decomposition of uranium-oxygen clusters in fast

atom bombardment of dioxouranium(VI) salts, 885 Kinetics and mechanism of the addition of azide ion to a carbonyl ligand of [Ru<sub>3</sub>(CO)<sub>12</sub>]: cluster activation, 905

Preparation, characterisation, molecular and crystal structure of the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>(η<sup>6</sup>-arene)]

(arene =  $C_0H_6$  or  $C_{16}H_{16}$ ), 909 Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear octahedral clusters  $[Fe_6(\mu_3-S)_8(PEt_3)_6][PF_6]_n$  (n=1 or 2), 963 Synthesis, structural characterization and thermal reactivities of

osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2thione, 1047 Electrophilic reactivity of arene carbonyl cluster complexes with

the Ru<sub>6</sub>C core. Crystal and molecular structure of [Ru<sub>6</sub>C(CO)<sub>14</sub>(η<sup>6</sup>-C<sub>6</sub>H<sub>4</sub>Ph<sub>2</sub>-1,4)], 1061
Tetraruthenium cluster isomers containing both C<sub>6</sub>H<sub>8</sub> and

Tetraruthenium cluster isomers containing both C<sub>6</sub>H<sub>8</sub> and [2.2] paracyclophane ligands: a new face-bridging co-ordination mode for a C<sub>6</sub> aromatic ring, 1063

Dynamics and molecular aggregation in crystalline [{M(C<sub>3</sub>H<sub>3</sub>)<sub>3</sub>(μ<sub>1</sub>-η<sup>2</sup>:η<sup>2</sup>:η<sup>2</sup>-C<sub>6</sub>H<sub>3</sub>R)] [M = Co, R = CH(Ph)Me, CH,CH<sub>3</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089

Syntheses and crystal structures of the ruthenium carbidocarbonyl clusters [Ru<sub>3</sub>C(CO)<sub>11</sub>(μ-Br)<sub>2</sub>(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)(μ-η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)], [Ru<sub>3</sub>C(CO)<sub>14</sub>(μ-Br)] with novel metal frameworks, 1369

Metallosupramolecular cluster assemblies based on donor-acceptor type structural frameworks, 8 with beses, crystal structures and

type structural frameworks. Syntheses, crystal structures and type structural frameworks. Syntheses, crystal structures and spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors, 1379 Synthesis of novel mixed-metal clusters of mercury and osmium; crystal and molecular structures of cis-[Os(CO)<sub>4</sub>{(µ-Hg)Os<sub>3</sub>-(CO)<sub>10</sub>(µ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>] and [{Os<sub>3</sub>(CO)<sub>10</sub>(µ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>-(µ<sub>4</sub>-Hg)], 1389 Synthesis and structural characterization of three new compounds

containing [Nb<sub>6</sub>Cl<sub>12</sub>]<sup>2+</sup> units as hydrated hydroxides, 1441 Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne-alkyne coupling in a triosmium alkylidyne cluster, 1497
Chemistry of the carbido- and nitrido-decaruthenium cluster

Chemistry of the carbido- and intrido-decarumentum cluster anions  $[Ru_1_0H(C)(CO)_{24}]^-$ ,  $[Ru_1_0C(CO)_{24}]^2$  and  $[Ru_1_0N(CO)_{24}]^-$ , 1527

Synthesis, molecular and crystal structure of tetraruthenium butterfly arene clusters, 1555

Synthesis of tetracobalt clusters from dicobalt alkyne complexes,

Structure refinement from powder neutron diffraction data of Sn<sub>10</sub>W<sub>16</sub>O<sub>44</sub>, which contains a metal-metal bonded W<sub>6</sub>O<sub>12</sub> cluster, 1947

Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+</sup> core by a tridentate thiolate and chemical analogues of the molybdenum co-ordination environment in the

iron-molybdenum cofactor of nitrogenase, 1965 Solution and solid-state nuclear magnetic resonance studies on interstitial atoms within transition-metal carbonyl clusters, 1985

Facile synthesis of Sn<sub>4</sub>N<sub>4</sub> cubanes; syntheses and structures of [Sn(NC<sub>6</sub>H<sub>11</sub>)]<sub>4</sub> and [Sn(2-NCH<sub>2</sub>C<sub>5</sub>H<sub>4</sub>N)]<sub>4</sub>, 1991 Microwave-assisted solid-state reactions involving metal powders, Microwave-a 2073

Characterisation of the predominant low-pH lead(II)-hydroxo cation, [Pb4(OH)4]4<sup>4+</sup>; crystal structure of [Pb4(OH)4][NO<sub>3</sub>]4 and the implications of basic salt formation on the transport of lead in the aqueous environment, 2081

CLUSTER (contd)

Synthesis and structural characterisation of [Pd<sub>4</sub>( $\mu_3$ -CH)( $\mu$ -Cl)<sub>3</sub>-(PBu'<sub>3</sub>)<sub>4</sub>]: a tetrahedral palladium cluster with a  $\mu_3$ -methylidyne ligand, 2107

Supramolecular chemistry of  $[\{M(CO)_3(\mu_3\text{-}OH)\}_4]$  (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233 Characterisation of the tin(II) hydroxide cation  $[Sn_3(OH)_4]^{2+}$ , and the crystal structure of tritin(II) tetrahydroxide dinitrate,

Reaction of  $CH_2(Ph_2PSe)_2$  with  $[Ru_3(CO)_{12}]$ . Crystal structure of  $[Ru_4Se_4(CO)_{10}(Ph_2PCH_2PPh_2)]$ , a missing link in the  $[M_4E_4L_{12}]$  cubane series  $(M = Group \ 8 \ metal, \ E = chalcogenido ligand)$ ,

Reactivity patterns of the unsaturated tetrahedral cluster [Re<sub>4</sub>-(μ<sub>2</sub>-H)<sub>4</sub>(CO)<sub>12</sub>]. Easy addition of four MeCN molecules and 'ionic' or 'neutral' fragmentation pathways of the spiked-triangle intermediate [Re<sub>4</sub>(μ-H)<sub>4</sub>(CO)<sub>12</sub>(NCMe)<sub>4</sub>], 2407
An extended X-ray absorption fine structure (EXAFS) study of mixed molybdenum-tungsten M<sub>3</sub> clusters in Zn<sub>2</sub>Mo<sub>3-x</sub>W<sub>x</sub>O<sub>8</sub> (x = 1, 1.5 or 2), 2555
Synthesis, characterisation and crystal structure of molybdenum and molybdenum-conper hydroxy-rich Schiff-base complexes

and molybdenum-copper hydroxy-rich Schiff-base complexes, 2591

Unexpected gold-containing boride clusters formed from the reactions of [RhRu<sub>3</sub>H(η<sup>2</sup>-C<sub>5</sub>Me<sub>3</sub>)(CO)<sub>9</sub>BH]<sup>-</sup> with gold(1) phosphine derivatives: crystal structures of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(ApPh<sub>3</sub>)<sub>1</sub>/AuCI)]-CH<sub>2</sub>Cl<sub>3</sub> and [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)}(AuCI)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639
Di- and linear tri-nuclear carbonyl ruthenium clusters containing asymmetrically bridging 2,7-disubstituted naphthyridines, 2663
Synthesis and structural characterisation of some new triosmium alkylidythe clusters containing sulfur-donor ligands. The

Synthesis and structural characterisation of some new triosmium alkylidyne clusters containing sulfur-donor ligands. The formation of C-S and C-C bonds, 2735 
Synthesis and characterisation of two clusters  $[Ru_g(\mu-H)_2(\mu_6-\eta^2-CO)(CO)_{16}\eta^6-C_{16}H_{16})]$  and  $[Ru_g(\mu_6-\eta^2-CO)(\mu_4-\eta^2-CO)(CO)_{18}-(\eta^6-C_{16}H_{16})]$  having an unusual metal geometry and considerable elongation of the  $\mu_6$ -C-O bond, 2741  $C_4$ -Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of  $[Ru_5(CO)_{16}(\eta-C_4Ph_4)]$  and  $[Ru_6(C(CO)_{15}(\eta-C_4Ph_4)]$ , 2749 
Synthesis and structural studies of new ruthenium cluster carbonyl derivatives derived from  $(PhP)_5$  and  $[Ru_5(CO)_{12}]$  and  $[Ru_3(CO)_{16}(NCMe)_2]$ , 2757

[Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757 Chemical behaviour of the mixed-metal carbonyl clusters [Fe<sub>2</sub>Rh(CO)<sub>10</sub>] and [Fe<sub>2</sub>Rh<sub>2</sub>(CO)<sub>12</sub>]<sup>2-</sup>. Crystal structures of [Fe<sub>2</sub>Rh(CO)<sub>9</sub>(PPh<sub>3</sub>)] and [Fe<sub>2</sub>Rh<sub>2</sub>( $\mu$ -CO)<sub>3</sub>(CO)<sub>9</sub>{ $\mu$ -Au(PPh<sub>3</sub>)}], 2763

2763
Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-CPBu<sup>n</sup>Ph<sub>2</sub>)] and (R)-[Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>-{μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>2</sub>PPh<sub>2</sub>], 2831
The generation and reactivity of versatile ruthenium carbonyl organometallic intermediates by cluster photochemistry, 2923
A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>4</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>3</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935
Reaction of a side-on co-ordinated carbene ligand with the Wittig reagent. 3251

reagent, 3251

Synthesis and crystal structure of an encapsulated fragment of MoO<sub>2</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>8</sub>O<sub>8</sub>Cl<sub>6</sub>-(µ<sub>3</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(µ-OH)<sub>4</sub>(µ-OEt)<sub>4</sub>(HOEt)<sub>4</sub>] and its relevance to the sol-gel synthesis of molybdenum oxides, 3263

Molecular structure and crystal organization of neutral and ionic derivatives of  $[M_4(CO)_{12}]$  (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287

bonding study by extended-Hucket calculations, 3287 Molecular structure and crystal structure generation for [Fe<sub>3</sub>(CO)<sub>12</sub>], 3297

Synthesis and characterisation of guaiazulene derivatives of two ruthenium carbonyl clusters, 3307

Synthesis and crystallographic characterisation of [Ru<sub>7</sub>C(CO)<sub>16</sub>(C<sub>2</sub>H<sub>3</sub>)] and [Ru<sub>7</sub>C(CO)<sub>16</sub>(C<sub>12</sub>H<sub>12</sub>)]: facial π bonding and σ bonding from the same ring system, 3431

Palladium(ii) 2-diphenylphosphinohydroquinone (H<sub>2</sub>pphq) complexes: preparation and structures of a powel cluster.

Paliadium(II) 2-diphenylphosphinohydroquinone (H<sub>2</sub>pphq) complexes: preparation and structures of a novel cluster, [{PdBr<sub>1</sub>Hzphq}}<sub>1</sub>-2H<sub>2</sub>O, and a phosphine-phosphinite complex, cis-[PdBr<sub>2</sub>{C<sub>6</sub>H<sub>3</sub>(OH)-1,PPh<sub>2</sub>-3,PPh<sub>2</sub>O-4}]-H<sub>2</sub>O, 3731
Reaction chemistry of alkynes with the tris(acetonitrile)ruthenium cluster [Ru<sub>3</sub>(CO)<sub>6</sub>(MeCN)<sub>3</sub>], 3785
Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>2</sub>], 3789
Synthesis, characterization and electronic structure of the novel 'stellated' octahedral cluster [CO<sub>2</sub>(tu-S<sub>2</sub>)(tu-HVPEt<sub>2</sub>), 1<sup>+</sup> Crystal

'stellated' octahedral cluster  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_a]^+$ . Crystal and molecular structure of  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_a]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_a]_0$ .

S)<sub>8</sub>(PEt<sub>3</sub>)<sub>8</sub>]<sub>0.3</sub>[BPh<sub>4</sub>], 3881 Syntheses and structural characterization of a series of hydrido osmium–palladium carbonyl clusters:  $[Os_5Pd(CO)_{16}H_{n+4}(\mu-Cl)_{2-n}]$  (n = 0-2),  $[\{Os_3Pd(CO)_9(\mu-H)_2(\mu-Cl)\}_2(\mu-Cl)_2]$ -H<sub>2</sub>O

and  $[Os_4Pd(CO)_{11}(\mu-H)_3(\mu-Cl)_3(C_5H_5N)] \cdot 0.5C_6H_{14}$ , 3987 Some remarkable reactions of the alkylidyne cluster  $[Os_3(\mu-H)_2-(CO)_5(\mu_3-CNC_5H_4C_5H_4N)]$   $(NC_5H_4C_5H_4N) = 4,4'$ -bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(μ-H)<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-

water-soluble dicationic cluster complex  $[Os_3(\mu-H)_3(CO)_9(\mu_3-CNC_3H_4C_3H_4NH)][BF_4]_2\cdot H_2O$ , 3995 Synthesis, structural characterisation and nuclear magnetic resonance study of  $[Ru_6C(CO)_{15}(\mu_3-\eta^1:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ : an intermediate in the formation of  $[Ru_6C(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ .

C<sub>16</sub>H<sub>16</sub>)], 4113

Crystal and molecular structure of racemic cis- $\alpha$ -[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] and cis- $\alpha$ -[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>2</sub>O] (L = 3,6-dithiaoctane-1,8-diamine), a compound containing an anion newly isolated in

crystalline form, 99
Quantitative and structural investigations of hydrogen-bonding interactions in anion binding of mono- and 1,1'-bis-substituted

aryl cobaltocenium receptors, 403

Synthesis, structure and properties of cobalt(III) complexes of pentadentate ligands with pyridyl pendant arms, 439

Kinetics of ternary complex formation between cobalt(III) species and 2,2'-bipyridine: parametrization of bound-ligand effects, 449

and 2,2'-bipyridine: parametrization of bound-ligand effects, 449 Crystallization behaviour of meso-Δ(δλ)-[Co{trans-(R,S)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)][Pb<sub>2</sub>Cl<sub>3</sub>]-2H<sub>2</sub>O, Λ(λλ)-[{[Co{trans-(R,R)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)]] (meen = N-methylethylene-diamine), 611 Metal complexes of carbohydrates: isolation and characterisation of cobalt(III) complexes containing N-substituted glycosylamine ligands derived from ethane-1,2-diamine and glucosamine, 783 Steady-state fluorescence emission studies on polyazacyclophane macrocyclic receptors and on their adducts with

macrocyclic receptors and on their adducts with

hexacyanocobaltate(III), 993
The reaction of cobalt(III) β-ketoenolates with trifluoroacetic acid,

Dynamics and molecular aggregation in crystalline [{M(C<sub>3</sub>H<sub>3</sub>)}<sub>3</sub>(µ<sub>3</sub>·η<sup>2</sup>:η<sup>2</sup>·η<sup>2</sup>·C<sub>6</sub>H<sub>3</sub>R)] [M = Co, R = CH(Ph)Me, CH<sub>2</sub>CH<sub>2</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089 Reactivity of cobalt(ti) complexes [Co(OEPh<sub>3</sub>)<sub>2</sub>X<sub>2</sub>] (E = P or As; X = Cl, Br, I or NCS) with SO<sub>2</sub> under aerobic and anaerobic conditions. Crystal structure of cocrystallised [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>2</sub> and [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>2</sub>, 1095 Cobalt and nickel complexes of 2,2°:6′,2°:6′,2″-quaterpyridine as catalysts for electrochemical reduction of carbon dioxide, 1103 Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented

water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325

Synthesis and molecular structure of the mixed polymeric cobalt compound [Co<sub>3</sub>(SCH<sub>3</sub>(CH<sub>3</sub>C)<sub>3</sub>)[PE<sub>3</sub>)<sub>3</sub>][Co<sub>2</sub>Cl<sub>4</sub>(µ-O<sub>3</sub>SE<sub>1</sub>)<sub>2</sub>], 1447

Synthesis of tetracobalt clusters from dicobalt alkyne complexes,

New hetero- and homo-metallic dihydroxo-bridged dinuclear complexes of cobalt(III) and chromium(III): synthesis, spectroscopy and crystal structures, 1813
Photoelectrochemical oxidation of tris(dimethyldithiocarbamato-

S,S')cobalt(III), 1917

Tris{bis[imino(methoxy)methyl]aminato}cobalt(III): an electronic analogue of tris(β-diketonates), 1921 Synthesis, magnetic and mass spectrometric studies on dinuclear

complexes based on Schiff-base triazolic ligands, 2305 Polymeric and bimetallic complexes of diisopropyl monothio-

phosphate, 2369

Polyamine synthesis and co-ordination: structural characterisation of cobalt(III) complexes from an octadentate ligand preparation,

Determination of the local environment of the metals in [Cr<sup>III</sup><sub>2</sub>Co<sup>II</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>]-py (py = pyridine) by chromium and cobalt K-edge extended X-ray absorption fine structure. Geometric and charge-polarisation influences on Cr–O-Cr superexchange, 2515

An unusual dimerization of 6-amino-2-thiouracilate in a cobalt(III) complex, 2627

Cobalt(III) complexes with thiosemicarbazones as co-ordinating agents. Spontaneous resolution by crystallization and absolute configuration, 3035

Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>12</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287

Synthesis, structure and anion co-ordination chemistry of a novel macrocyclic cobaltocenium receptor, 3447
Palladium-catalysed formation of aroylcobalt complexes from

iodoarene and tetracarbonylcobaltate anion. Syntheses characterization and reactivities of model intermediate

complexes, 3489
Chelating ether-phosphine complexes of the cobalt group metals.
Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]bis(trifluoromethanesulfonato)cobalt(II) and -trichloro rhodium(111), 3551

Kinetics and mechanism of complex formation of some bivalent

COBALT (contd)

and trivalent metal ions with pentaammine(nitrilotriacetato)-cobalt(III) in aqueous medium, 3627

Synthesis, characterization and electronic structure of the novel 'stellated' octahedral cluster  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]^+$ . Crystal and molecular structure of  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-F)_7(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-F)_7(\mu_3-H)(PEt_3)_7(\mu_3-H)(PEt_3)_7[Co_6(\mu_3-H)(PEt_3)_7[Co_6(\mu_3-H)(PEt_3)_7[Co_6(\mu_3-H)(PET_3)_7[Co_6(\mu_3-H)(PET_3)_7[Co_6(\mu_3-H)(PET_3)_7[Co_6(\mu_3-H)(PET_3)_7[$ 

S)<sub>8</sub>(PEt<sub>3</sub>)<sub>6,3</sub>[BPh<sub>4</sub>], 3881 Outer-sphere redox reactions of [Co<sup>III</sup>{N<sub>5</sub>}(H<sub>n</sub>PO<sub>4</sub>)]<sup>n+</sup> [{N<sub>5</sub>} = (NH<sub>3</sub>)<sub>5</sub>, (NH<sub>2</sub>Me)<sub>5</sub> or 10-amino-10-methyl-1,4,8,12tetraazacyclopentadecane] complexes. A temperature- and pressure-dependence kinetic study on the effects of the different

{N<sub>5</sub>} groups, 4107 COBALTOCENIUM

Synthesis, structure and anion co-ordination chemistry of a novel macrocyclic cobaltocenium receptor, 3447
CONDUCTIVITY

Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex commo-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-1,2-C<sub>2</sub>B<sub>3</sub>H<sub>0</sub>|<sub>2</sub>] -, 2851 Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafuvalenium salts of paramagnetic metallacarborane

anions, 3221

Perylene salts with tetrahalogenoferrate(III) anions. Synthesis, crystal structure of  $[(C_{20}H_{12})_3][FeCl_4]$  and characterisation, 3543

CONFORMATION

Prediction and observation of the structure of the zinc(II) complex of 1,5,9,13-tetraazacyclohexadecane. A crystallographic and molecular mechanics study of the conformations assumed by the macrocycle when complexed with metal ions, 1363 Conformational control in PtS<sub>2</sub>(PR<sub>2</sub>)<sub>2</sub>N metallacycles via ligand-substituent effects (R = Ph or OPh), 2467

Determination of active-site conformations in paramagnetic

myoglobin from analyses of cross-relaxation and hyperfine shifts, 3281

**CO-ORDINATION POLYMER** 

Building two-dimensional silver(1) co-ordination polymers with dicarboxylate-like ligands: synthesis and crystal structures of polymeric complexes of silver nitrate and perchlorate with flexible double betaines, 2671

Comparative study of the catalytic oxidation of catechols by

copper(II) complexes of tripodal ligands, 31 Copper-63 nuclear quadrupole resonance frequencies and molecular geometries of three-co-ordinate complexes of copper(1) halides with N-alkylimidazolidinethione and thiazolidinethione ligands,

Potentiometric and spectroscopic study of equilibria in the aqueous ternary system copper II-L-histidine-HA (HA = aminomethane-or 2-aminobenzene-sulfonic acid), 129

Synthesis, structural characterisation and studies of octanuclear copper complexes of pyridonate and carboxylate ligands, 163
New β-diketones with oligoether side-chains and their complexes

with barium and copper. Crystal and molecular structure of bis(1-phenyl-7,10-dioxaundecane-1,3-dionato)copper(II) at 150 K, 269

Synthesis and characterization of mono(carbene) complexes of copper and crystal structure of a linear thiazolinylidene compound, 313

A mixed-bridged Cu<sub>3</sub> cluster with an isosceles-triangular array of copper(II) ions: synthesis, crystal structure and magnetic

properties, 343
Synthesis and characterization of a di-N-hydroxyethylated tetraaza

macrocycle and its nickel(II) and copper(II) complexes: crystal structure of the nickel(II) complex, 363

Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]-

Facial co-ordination in bis bis(benzimidazol-2-ylmethyl)amine]copper(II) perchlorate dihydrate. Synthesis, structure, spectra
and redox behaviour, 455
Synthesis, photophysical and electrochemical properties of
luminescent dinuclear copper(I) diimines, 499
Aqueous electrochemistry of mono- and bi-nuclear copper(II)
complexes with polyaza[n]paracyclophane ligands, 541
Extended X-ray absorption fine structure, crystal structures at 295
and 173 K, and electron paramagnetic resonance and electronic
spectra of bis[tris(2-pyridyl))methane]copper(II) dinitrate, 595
Synthesis, crystal structure, photophysical properties and

spectra of bis[tris(2-pyridy])methane [copper(II] dinitrate, 595 Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>3</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>(WS<sub>4</sub>)]ClO<sub>4</sub>, 753 Synthesis of the potentially pentadentate ligand 6,6'-bis(2-hydroxyphenyl)-2,2':6',2'-terpyridine (H<sub>2</sub>L) and the crystal structure and magnetic properties of [{Cu(HL)<sub>2</sub>}][PF<sub>2</sub>]<sub>2</sub>-5MeCN, 819 Partially encapsulated copper(I) complexes of mono(o-aryl)-substituted derivatives of 2,2'-bipyridine and 1,10-phenanthroline, 815

phenanthroline, 835

Bis(µ-2-cyanoguanidine)-bis[(2-cyanoguanidine)copper(i)], a planar dimeric cation containing co-ordinatively unsaturated copper(i),

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach, 1177

Kinetics of oxidation of azide ion by bis(dihydrogentellurato)-

cuprate(III) and -argentate(III) in alkaline media, 1227

Potentiometric and spectroscopic study of ternary complexes of copper(II), 1,10-phenanthroline and oxidised glutathione, 1267

copper(II), 1,10-phenanthroline and oxidised glutathione, 1267 Syntheses, characterisation and crystal structures of metal complexes of a novel 1,2-dithiolate ligand, 6,7-dihydro-6-methylene-5*H*-1,4-dithiepine-2,3-dithiol, 1285 Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325 Co-ordination chemistry of adenine (HAde): synthesis and characterization of [Cull(tren)(nucleobase)]X<sub>2</sub> [tren = tris(2-aminoethyl)amine, X = Cl or NO<sub>3</sub>] complexes and crystal structure of [Cull(tren)(Ade)]Cl-2H<sub>2</sub>O, 1461 Hydrolytically-sensitive hexaimino and hydrolytically-inert octaamino-cryptand hosts for dicopper, 1739

octaamino-cryptand hosts for dicopper, 1739

A dimer of dimers and a polymer of tetramers: structures of copper complexes involving 6-fluoro-2-hydroxypyridine, 1765

complexes involving o-inuoro-z-nyuloxypyriume, 1705
Synthesis, electrochemical and magnetic properties of new acyclic
'side-off' binuclear copper(II) complexes, 1851
Linear enthalpy relationships in co-ordination reactions of
macrocyclic ligands with copper(II), 1879
A mononuclear copper(II) complex of an unsymmetrical

A mononuclear copper(II) complex of an unsymmetrical dinucleating ligand, 1883

Structure and properties of copper-(II) and -(I) complexes with 2,6-bis[2-(thiophen-2-ylmethylimino)ethyl]pyridine, 1939

Synthesis of new heterodinuclear aminocarbyne complexes: crystal structures of [AuW{µ-CN(Et)Me}(Ct\_0F\_0;(n-C\_0F\_0),(n-C\_0F\_0)] and [{CuW{µ-CN(Et)Me}(Cl(CO)\_2(n-C\_0F\_0),2,087} Crystal structure and magnetic properties of [Cu(ox)(py)\_2] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143

Syntheses, structures and properties of copper(I) or oxidination.

2143
Syntheses, structures and properties of copper(1) co-ordination polymers with bridging phenazine: construction of one- and two-dimensional structures with π-π stacking of phenazine, 2201
Synthetic, structural and magnetic studies of asymmetric trinuclear copper(II) compounds [CuX<sub>2</sub>(Hae)<sub>2</sub>][Cu<sub>2</sub>(ae)<sub>2</sub>X<sub>2</sub>] (X = Cl or Br; Hae = 2-aminoethanol), 2209
New 1,4,7,10-tetraazacyclotridecane-11,13-dione ligands appended with additional denge(s) 8 methylauricoline(s) crystal structures

with additional donor(s) 8-methylquinoline(s): crystal structures and characterization of their copper(II) complexes, 2289 Synthesis, magnetic and mass spectrometric studies on dinuclear complexes based on Schiff-base triazolic ligands, 2305 Copper(II) chloride—I-methylbenzotriazole chemistry: variation of

product as a function of metal-to-ligand reaction ratio; synthesis, structure and properties of a dinuclear complex and a novel chain polymer with two alternating chromophores, 2317

Heteroleptic tripodal complexes of copper(II): towards a synthetic model for the active site in galactose oxidase, 2323
Natural glycine unidentate on copper(II): a novel mode of bonding,

Mono- and poly-nuclear cryptate complexes of cage-like azamacro-cyclic compounds: a thermodynamic and electrochemical approach, 2377

Porphyrin-like macrocyclic complexes: molecular and electronic structure of (5,14-dihydro-6,8,15,17-tetramethyldibenzo[b,t]-[1,4,8,11]tetraazacyclotetradecinato)copper(II), 2385

Metal-directed syntheses of dithiadiazacyclotetradecane

macrocycles with pendant alcohol and nitro or carboxylate groups involving macrocycle ring expansion, 2541 Siderophore analogues. Synthesis and chelating properties of a new

macrocyclic trishydroxamate ligand, 2565 Synthesis, characterisation and crystal structure of molybdenum and molybdenum-copper hydroxy-rich Schiff-base complexes, 2591

Dinuclear Cu<sup>II</sup>M<sup>II</sup> (M = Co, Ni, Cu or Zn) and Cu<sup>II</sup>Cu<sup>I</sup> complexes of a phenol-based dinucleating macrocycle with dissimilar  $N_2O_2$  and  $N_2O_2S$  sites, 2599 Structure and magnetism of novel tetranuclear  $\mu_4$ -oxo-bridged

Structure and magnetism of novel tetranuctear µ4-oxo-bridged copper(II) complexes, 2649

Co-ordination of copper(II) with monoamino-triols and -tetrols. Effect of stereochemistry on complex formation, 2657

Ligand transfer from a tris(imino)stannate anion; syntheses and structures of [{Cu[µ-N=C(Bu¹)Ph]}4-thf (thf = tetrahydrofuran) and [{Cu[µ-N=C(Bu¹)Ph]}4(PPh\_3)2]-6thf, 2707

N-p-Amino- and N-p-nitro-phenylsulfonyl derivatives of dipeptides, a new family of ligands for copper(II). Potentiometric and erpectroscopic studies. 2729

a new family of ngands for copper(II). Foreintometric and spectroscopic studies, 2729

Histamine H<sub>2</sub> antagonists: powerful ligands for copper(II). Reinterpretation of the famotidine-copper(II) system, 2909

A reversible intramolecular hydrogen-bonding interaction involving second-sphere co-ordination of a water ligand, 2921

Structural and vibrational spectroscopic studies of complexes of trimethylphosphine with copper(1) and silver(1) halides,

Syntheses, crystal structures and electronic properties of  $[Cu(bipym)(C_4O_4)(H_2O)_3]$ - $2H_2O$  and  $[Cu_2(bipym)(C_4O_4)_2(H_2O)_6]$  (bipym = 2,2'-bipyrimidine), 3207

COPPER (contd)

Synthesis and structural characterization of crown thioether complexes of silver(i) and copper(ii), 3215

One-step template synthesis and solution structures of

One-step tempiate synthesis and solution structures of bis(macrocyclic) octaamine dicopper(II) complexes, 3269

Copper(I), silver(I) and gold(I) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the crystal structure of [Au(ppye-P)2]PF6, 3343

Type I blue copper protein amicyanin from Thiobacillus versutus: line-broadening effects of chromium(III) complexes and related studies. 3395

studies, 3395

Macrocyclic 'dimer-of-dimers' type tetranuclear copper(II) complexes with two bridging hydroxy groups in a face-to-face

manner, 3419

Synthesis and co-ordination chemistry of the pyridyl pendant-arm azamacrocycles 1-(2-pyridylmethyl)-1,5,9-triazacyclododecane L¹ and 1-(2-pyridyl-2'-ethyl)-1,5,9-triazacyclododecane L², with nickel(III), copper(II) and zinc(II). Crystal structures of [Ni(L¹)(O<sub>2</sub>NO)]NO<sub>3</sub> and [ZnL²][Zn(NO<sub>3</sub>)<sub>3,0</sub>rCl<sub>3,31</sub>], 3659

Structure of the copper(II) complex of a highly preorganised tetradentate ligand based on bispidine (3,7-diazabicyclo[3,3,1]-nonane), 3705

Crystal structures and electron paramagnetic resonance spectra of

Crystal structures and electron paramagnetic resonance spectra of [Cu{P(C<sub>5</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]Br<sub>2</sub>·8H<sub>2</sub>O and Cu<sup>2+</sup>-doped [Zn{P(C<sub>5</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]-Br<sub>2</sub>·8H<sub>2</sub>O, examples of a dynamic Jahn-Teller effect in two dimensions, 3809

Macrocyclic Cu<sup>11</sup><sub>4</sub> and Cu<sup>11</sup><sub>2</sub>M<sup>11</sup> complexes. Structure of a heterotrinuclear Cu<sup>11</sup><sub>2</sub>Zn<sup>11</sup> complex exhibiting a helical twist,

Co-ordination chemistry of iodine(1) with tetraazamacrocycles or monodentate ligands. Comparisons with bromine(1) and with some d-block metals, 3837

1,5-Diaminopentanetriols and 1,6-diaminohexanetetrols, potent dimer-forming ligands for Cu<sup>2+</sup> ions. Potentiometric and spectroscopic studies, 3849

Copper(11) bipyridyl and iminopyridyl analogues of streptonigrin, 3905

Copper(II) co-ordination by oxime analogues of amino acids and Synthesis, solid-state and solution structures of bis{N,N'-bis[(2-thienyl)methylene]-1,2-diaminoethane}-silver(1) and -copper(1) trifluoromethanesulfonate complexes, 4021

Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and copper compounds, 4099

CORROLATE

First-row transition-metal complexes of corroles: synthesis and characterization of oxotitanium(tv) and oxovanadium(tv) complexes of β-alkylcorroles, 3617

CROWN ETHER

Crown ether complexation of scandium(III). Formation and spectroscopic characterisation of ScCl<sub>2</sub>\*-oxacrown species and crystal structures of two scandium dibenzocrowns, 811 Stereochemical factors affecting second-sphere co-ordination of foreignation of the second sphere co-ordination of foreignation of the second sphere co-ordination of the second sphere co-ordi

ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503

Synthesis and co-ordination chemistry of a novel bis(benzo crown ether) substituted calix[4]arene that can simultaneously complex cations and anions, 3117

Synthesis and structural characterization of crown thioether complexes of silver(I) and copper(II), 3215 CRYPTAND

Hydrolytically-sensitive hexaimino and hydrolytically-inert octaamino-cryptand hosts for dicopper, 1739
Thermodynamic and electrochemical studies of lanthanide and

alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689
Studies of the reaction system [ScCl<sub>3</sub>(thf)<sub>3</sub>]-SbCl<sub>5</sub>-L (thf = tetrahydrofuran, L = 4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane): unexpected formation and crystal structure of [H<sub>2</sub>L]Cl<sub>2</sub>-ScCl<sub>3</sub>(H<sub>2</sub>O)<sub>3</sub>-3H<sub>2</sub>O, 3173

CRYPTATE

Mono- and poly-nuclear cryptate complexes of cage-like azamacro-cyclic compounds: a thermodynamic and electrochemical approach, 2377

Thermodynamic and electrochemical studies of lanthanide and alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689 CRYSTAL STRUCTURE

Five-co-ordinate complexes [MoH(SC<sub>6</sub>H<sub>2</sub>R<sub>3</sub>-2,4,6)<sub>3</sub>(PR'Ph<sub>2</sub>)] (R = Me or Pr', R' = Me or Et) and their reactions with nitrogen donors. Crystal structures of [MoH(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>2</sub>-2,4,6)<sub>3</sub>(C<sub>3</sub>H<sub>3</sub>N)(PMe<sub>2</sub>Ph)], [MoH(NC<sub>3</sub>H<sub>4</sub>S-2)<sub>2</sub>(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>3</sub>(EtPh<sub>2</sub>)] and [PPh<sub>4</sub>][MoO(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>,5], 5

Synthesis and spectroscopic properties of di-2-pyridyl sulfide (dps) compounds. Crystal structure of [Ru(dps)<sub>2</sub>Cl<sub>2</sub>], 17

Zirconium complexes incorporating the new tridentate diamide ligand [(Me<sub>3</sub>Si)N\{CH<sub>2</sub>CH<sub>2</sub>N(SiMe<sub>3</sub>)\}<sub>2</sub>]<sup>2-7</sup> (L); the crystal structures of [Zr(BH<sub>4</sub>)<sub>2</sub>L] and [ZrCl\{CH(SiMe<sub>3</sub>)<sub>2</sub>\}<sub>2</sub>], 25

Structure and magnetism of electronically distorted iron(III) Schiff-base complexes, 37

Schiff-base complexes, 37
2,2'-Bipyridine complexes of the lithium chalcogenolates Li(EPh) and Li(NC<sub>2</sub>H<sub>4</sub>E-2) (E = S or Se), 45
Synthesis, resolution and reactions of (±)-(2-aminophenyl)-methylphenylphosphine. Crystal and molecular structure of (R\*,R\*,S\*,R\*)-(±)-(1,3-bis{[2-(methylphenyl-phosphino)phenyl]amino}propane)nickel(II) perchlorate, 57
Synthesis of η-cyclopentadienyl-polyborane derivatives of molybdenum and tungsten, 67
Synthesis and crystal structure of a novel cyclic trinuclear platinum(II) complex, [Pt<sub>3</sub>(L-HMet)<sub>3</sub>]-H<sub>2</sub>O (H<sub>3</sub>Met = methionine). 77

platinum(II) complex, [Pt<sub>3</sub>(L-HMet)<sub>3</sub>]·Pt<sub>2</sub>O (Ft<sub>3</sub>Met) = methionine), 77

Design of luminescent building blocks for supramolecular triple-helical lanthanide complexes, 83

Crystal and molecular structure of racemic cis-α-[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] and cis-α-[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>2</sub>O] (L = 3,6-dithiaoctane-1,8-diamine), a compound containing an anion newly isolated in crystalline form, 99

Impact of dioxygen and carboxylic acids on the transformation of rhodium(II) to rhodium(III) complexes, 105

Copper-63 nuclear quadrupole resonance frequencies and molecular

Copper-63 nuclear quadrupole resonance frequencies and molecular geometries of three-co-ordinate complexes of copper(1) halides with N-alkylimidazolidinethione and thiazolidinethione ligands, 115

Synthesis and characterization of tin(IV) and organotin(IV) 1,4-dimethylpiperazine-2,5-dione (cyclosarcosylsarcosine) adducts,

Mercury(II) chloride adducts of flexible double betaines: influence of different polymethylene bridges between the quaternary nitrogen atoms, 139

Self-assembly of polyoxometalate conjugates: novel models for catalytic surfaces from crystal data, 145
Bis(η-cyclopentadienyl)imidomolybdenum compounds, 155
Synthesis, structural characterisation and studies of octanuclear

copper complexes of pyridonate and carboxylate ligands, 163 Synthesis and structures of sterically crowded aryloxide-substituted aluminium chloride, 177 tert-Butylimido compounds of manganese-(VII), -(VI), -(V) and -(II); nitrido, amido, alkyl, zinc and aluminium compounds, 205

Mono(η-cyclopentadienyl)benzamidinato alkyl compounds of

titanium and zirconium, 217 Preparation and crystal structures of cationic dienehydrido and dienyl ruthenium complexes containing N,N',N"-trimethyl-1,4,7-triazacyclononane, 227

Initial Trivonium complexes with Me<sub>2</sub>Si(C<sub>3</sub>H<sub>4</sub>)<sub>2</sub> as bridging ligand. Molecular structure of [{Zr(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>Bu<sup>1</sup><sub>2</sub>)Me<sub>2</sub>)<sub>2</sub>(μ-O)-{μ-Me<sub>2</sub>Si(C<sub>3</sub>H<sub>4</sub>)<sub>2</sub>], 231 Synthesis and reactions of uranium(IV) tetrathiolate complexes, 237 New β-diketones with oligoether side-chains and their complexes with being more of the complexes with the single part of the complexes with the complexes w

with barium and copper. Crystal and molecular structure of bis(1-phenyl-7,10-dioxaundecane-1,3-dionato)copper(II) at 150 K, 269 Dinuclear zinc(II) complexes of a Robson macrocycle, 275

Preparation, crystal structure and single-crystal polarized spectra of bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diiminopyrrolizinido)-

ot bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diiminopyrrolizinido)zinc(n)-tetrahydrofuran (1/4), 281
Crystal structures of salts of transition-metal halide clusters, 287
Preparation of [Ru(η<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl(C≡CPh)(RNC)] (R = C<sub>8</sub>H<sub>9</sub> or
C<sub>6</sub>H<sub>2</sub>Me<sub>7</sub>-2,4,6) and its reaction with tetracyanoethylene. Crystal
structures of [Ru(η<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl{C[=(CN)<sub>2</sub>]CPh=C(CN)<sub>2</sub>}(C<sub>8</sub>H<sub>9</sub>NC)] and cis-[RuCl<sub>2</sub>(C<sub>8</sub>H<sub>9</sub>NC)<sub>2</sub>], 307
Synthesis and characterization of mono(carbene) complexes of
copper and crystal structure of a linear thiazolinylidene compound,
313

Synthesis of [Au(NH<sub>3</sub>)<sub>2</sub>]\* salts and the crystal structure of [Au(NH<sub>3</sub>)<sub>2</sub>]Br, 319

Non-planar co-ordination of the Schiff-base dianion N,N'-2,2-

dimethyltrimethylenebis[salicylideneiminate(2-)] to vanadium,

321
 Variable geometry of nickel(II) complexes with N¹-isopropyl-2-methyl-propane-1,2-diamine (L). Crystal structures of [Nil\_2]Br<sub>2</sub>·3H<sub>2</sub>O, [Nil\_2]Br<sub>3</sub>Br<sub>3</sub>Dr and [Nil\_2(NCS)<sub>2</sub>] and solid-state thermochromism in [Nil\_3]Br<sub>2</sub>·3H<sub>2</sub>O, 337
 A mixed-bridged Cu<sub>3</sub> cluster with an isosceles-triangular array of copper(II) ions: synthesis, crystal structure and magnetic properties 343

properties, 343

properties, 343
Niobium complexes with terdentate diphosphino- and diaminoamido ligands. Crystal structure of

[{NbCl<sub>3</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>]-C<sub>6</sub>H<sub>3</sub>Me, 355
Synthesis and characterization of a di-N-hydroxyethylated tetraaza
macrocycle and its nickel(II) and copper(II) complexes: crystal
structure of the nickel(II) complex, 363
Structure and mechanism in aerobic alkene epoxidations promoted
by ruthenium complexes of bis(dihydroxazole) ligands, 367
Preparation and crystal structures of diphenylantimon(III)

Preparation and crystal structures of diphenylantimony(III) thiocyanate and bis(2,6-dimethylphenyl)antimony(III)

thiocyanate, 377
Some Group 15 pseudo-halides and the crystal structure of diphenylbismuth(III) thiocyanate, 383

Syntheses and reactions of ansa-[2,2-bis(η-cyclopentadienyl)-propane]-tungsten and -molyb-lenum compounds, 395 Quantitative and structural investigations of hydrogen-bonding

interactions in anion binding of mono- and 1,1'-bis-substituted aryl cobaltocenium receptors, 403

Synthesis and structural characterization of the tetraruthenium cluster complexes [Ru<sub>4</sub>(μ-H)<sub>4</sub>(CO)<sub>10</sub>(L-L)] (L-L = diphosphine),

Eight-vertex polyhedral monocarbaborane chemistry. Three *closo* anions, [CB<sub>7</sub>H<sub>8</sub>]<sup>-</sup>, [CB<sub>7</sub>H<sub>7</sub>I]<sup>-</sup> and [CB<sub>7</sub>H<sub>6</sub>I<sub>2</sub>]<sup>-</sup>. Preparation and structural studies, 431

Synthesis, structure and properties of cobalt(III) complexes of pentadentate ligands with pyridyl pendant arms, 439

Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]-copper(II) perchlorate dihydrate. Synthesis, structure, spectra and redox behaviour, 455

A zwitterionic cluster compound: synthesis and characterisation of the triphenylphosphoniocyclopentadienide derivative [Ru<sub>6</sub>C(CO)<sub>14</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>PPh<sub>3</sub>)], 495
Synthesis of two new antimony sulfide clusters: structures of [PPh<sub>4</sub>]<sub>5</sub>[Sb<sub>5</sub>S<sub>4</sub>] and [PPh<sub>4</sub>]<sub>5</sub>[Sb<sub>5</sub>S<sub>4</sub>], 501
Platinum(ii) co-ordination chemistry of bis(diphenylphosphino)-

amine, \$\frac{52}{1}\$

Synthesis, crystal structure, electrochemistry and electronic paramagnetic resonance spectroscopy of [M((PPh<sub>2</sub>CH<sub>2</sub>)<sub>2</sub>CMe)-(o-S<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)][PF<sub>6</sub>]<sub>2</sub>(M = Fe, Co or Rh; n = 0 or 1), 531

Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>Ru<sub>4</sub>(CO)]<sub>16</sub>B] (M = Rh or Ir) and gold(i) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>2</sub>Ru<sub>4</sub>(CO)]<sub>16</sub>B], trans-[Ir<sub>2</sub>Ru<sub>4</sub>(CO)]<sub>16</sub>B], trans-[Ir<sub>2</sub>Ru<sub>4</sub>(CO)]<sub>16</sub>B[\(\text{\pi}\)-AuP(\(\C\_6\)H\_{11})\(\text{\pi}\)] 549

Primary amines as nucleation centres for gold clustering, and the structural chemistry of polygold ammonium cations, 559

Phosphorus hydrazides as building blocks for potential photoaffinity labels. Synthesis and co-ordination chemistry of perfluoroaryl azide conjugates of phenylphosphonothioic dihydrazide, 565

perfluoroaryl azude conjugates of place of dihydrazide, 565 CsFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>2</sub>: a mixed-valence iron phosphate containing trimeric units of iron-oxygen polyhedra, 571 Preparation, properties and crystal structures of new nickel(II) complexes of 1,2-asymmetrically substituted dithiolenes for third order non-linear optical applications, 587

Extended X-ray absorption fine structure, crystal structures at 295 and 173 K, and electron paramagnetic resonance and electronic spectra of bis[tris(2-pyridyl)methane]copper(II) dinitrate, 595

spectra of bis[tris(2-pyridyl)methane]copper(II) dinitrate, 595
Exploring the auxiliary co-ordination sphere of tripodal
amino(triamido) actinide complexes, 603
Crystallization behaviour of meso-Δ(δλ)-[Co{trans-(R,S)(meen)}{(C<sub>2</sub>O<sub>4</sub>)][Pb<sub>2</sub>Cl<sub>3</sub>]-2H<sub>2</sub>O, Δ(λλ)-[[Co{trans-(R,R)(meen)}{(C<sub>2</sub>O<sub>4</sub>)]] I (meen = N-methylethylene-diamine), 611
Optically active asymmetric bidentate ligands. Crystal and molecular structure of [SP-4-4-(R),(R)]-(-)<sub>589</sub>-{1-[1-(dimethyl-amino)ethyl]naphthyl-C<sup>2</sup>,N}[1-(diphenylphosphino)-2-(methylphenylphosphino)ethane-P,P']palladium(II)
hexafluorophosphate, 649
Luminescent nitridometal complexes. Photophysical and

Luminescent nitridometal complexes. Photophysical and photochemical properties of the <sup>3</sup>[(d<sub>x</sub>,)<sup>3</sup>(d<sub>x</sub>,)<sup>3</sup>] excited state of nitridoosmium(v1) complexes with polypyridine ligands, 657 Neutron diffraction study on a single crystal of pentacarbonyl-diethylcyanamidechromium at 110 K, 665

Low-temperature structures and Raman spectra of crystalline modifications of selenium difluoride dioxide, 689

Dinuclear five-co-ordinate zinc complexes bridged by a phosphate

monoester or an inorganic phosphate group, 697

Synthesis and reactivity towards dioxygen of some manganese(II)

complexes oftertiary amines. Crystal structures of [{MnI<sub>2</sub>(NEt<sub>3</sub>)}<sub>2</sub>],

[{MnI<sub>2</sub>(NPr<sub>9</sub>)}<sub>2</sub>] and [NHMe<sub>3</sub>][MnI<sub>3</sub>(NMe<sub>3</sub>)], 701

Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(II) and -(III)

complexes, 707
Conversion of hydrogen-bonded manganese(II) and zinc(II) squarate (C<sub>4</sub>O<sub>4</sub>/<sup>2</sup>) molecules, chains and sheets to three-dimensional cage

(C<sub>4</sub>O<sub>4</sub>,<sup>2-</sup>) molecules, chains and sheets to three-dimensional cage networks, 727

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2-</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 741

Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)(WS<sub>4</sub>)[ClO<sub>4</sub>, 753

Bismuth(III) chloride complexation with diphosphine and diarsine oxide ligands: formation and crystal structures of [BiCl<sub>3</sub>{Ph<sub>2</sub>P(O)CH<sub>2</sub>P(NPO)Ph<sub>2</sub>}], and [BiCl<sub>3</sub>{As(O)MePh<sub>2</sub>}-{Ph<sub>3</sub>As(O)CH<sub>2</sub>CH<sub>2</sub>As(O)Ph<sub>2</sub>}], 759

Attempted functionalisation of a mononuclear barium complex of a 24-membered histography and testamine Schiff-base macrocycle

a 24-membered bibracchial tetraimine Schiff-base macrocycle derived from tris(2-aminoethyl)amine using salicylaldehyde, 765 Binuclear and polymeric manganese(II) salicylate complexes:

synthesis, crystal structure and catalytic activity of

[Mn<sub>2</sub>(Hsal)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>] and [{Mn<sub>2</sub>(sal)<sub>2</sub>(Hsal)(H<sub>2</sub>O)(H<sub>3</sub>O)(py)<sub>4</sub>· 2py)<sub>5</sub>] (H<sub>3</sub>sal = salicylic acid, py = pyridine), 771
Cyclometallated derivatives of platinum(II) derived from 6-(tert-butyl)-2,2'-bipyridine (HL). Crystal and molecular structure of [Pt(L)CI], 777
Metal complexes of carbohydrates: isolation and characterisation of cobalt(III) complexes containing N-substituted glycosylamine ligands derived from ethane-1,2-diamine and glucosamine, 783
Synthesis and structural characterization of methanide silver(I)

complexes. Unprecedented co-ordination of the methanide silver(i) ligand in [Ag<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>(SPPh<sub>2</sub>CHPPh<sub>2</sub>CHCO<sub>2</sub>Me)]ClO<sub>4</sub>·4CH<sub>2</sub>Cl<sub>2</sub>, 805

Crown ether complexation of scandium(III). Formation and spectroscopic characterisation of ScCl<sub>2</sub><sup>+</sup>-oxacrown species and crystal structures of two scandium dibenzocrowns, 811

Synthesis of the potentially pentadentate ligand 6,6°-bis(2-hydroxyphenyl)-2,2':6',2"-terpyridine (H,L) and the crystal structure and magnetic properties of [{Cu(HL)}<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub>-5MeCN,

Conventional and cyclometallated complexes of ruthenium(II) with ambidentate terdentate ligands displaying N<sub>3</sub> or N<sub>2</sub>C binding modes, 825

Partially encapsulated copper(1) complexes of mono(o-aryl)-substituted derivatives of 2,2'-bipyridine and 1,10-

phenanthroline, 835 Synthesis and characterisation of precursors to organometal cluster

Synthesis, crystal structures and reactivity of ruthenium-(II) and -(III) complexes containing β-ketophosphine or phosphine enolate

Synthesis, crystal structures and reactivity of rhodium(III) complexes containing β-ketophosphine and phosphino enolate ligands, 863 Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Preparation, characterisation, molecular and crystal structure of

Preparation, characterisation, molecular and crystal structure of the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>(η<sup>6</sup>-arene)] (arene = C<sub>6</sub>H<sub>4</sub> or C<sub>16</sub>H<sub>16</sub>), 909

Dinuclear pentafluorophenyl compounds of rhodium(III) with anionic bridging ligands. Molecular structures of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[{Rh(C<sub>6</sub>F<sub>5</sub>)<sub>3</sub>]<sub>2</sub>(μ-SCN)<sub>2</sub>] and [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[{Rh(C<sub>6</sub>F<sub>5</sub>)<sub>3</sub>]<sub>2</sub>(μ-CO<sub>3</sub>)], 917

Cs<sub>3</sub>Ti<sub>3</sub>P<sub>2</sub>O<sub>29</sub>: a titanium(IV) phosphate containing TiO<sub>5</sub> trigonal bipyramids, 927

Unusual migration of manganese to an arene via protonation of an agostic η<sup>3-CH</sup>-cyclohexenyl complex, 931
Anionic and cationic bi- and tri-nuclear tert-butylimido complexes of manganese-(v) and -(v1), 937
3-Amino-6,6'-bis(methoxycarbonyl)-2,2'-bipyridine, a model for the central chelation unit of streptonigrin, 951

Bis(μ-2-cyanoguanidine)-bis[(2-cyanoguanidine)copper(1)], a planar dimeric cation containing co-ordinatively unsaturated copper(1),

Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear

octahedral clusters [Fe<sub>6</sub>( $\mu_3$ -S)<sub>8</sub>(PEt<sub>3</sub>)<sub>6</sub>][FF<sub>6</sub>]<sub>n</sub> (n=1 or 2), 963 Synthesis and solid-state structural characterization of N,N'-dicyclohexyldithiooxamide complexes of HgX<sub>2</sub> (X = SCN or

Kinetics and mechanisms of halogen-bridge cleavage in dimethylaminomethylphenyl-C<sup>1</sup>, N pallada- and platina-cycles by pyridines. Pressure effects, and crystal structures of the N,N-cis reaction product, its N,N-trans orthometallated analogue and a dimer of similar reactivity, 999

Gimer of similar reactivity, 999

Synthesis and structural characterisation of new isocyanate and imido niobocene complexes. Crystal structures of [{Nb(η-C<sub>3</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>Cl}<sub>2</sub>] and [Nb(η-C<sub>3</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>(=NPh)Cl], 1007

Synthesis and characterization of some mixed alkyl-carbamates of zinc or cadmium: crystal structures of [Zn<sub>4</sub>Me<sub>2</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>6</sub>] and [Zn<sub>4</sub>Me<sub>4</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>6</sub>], 1043

Synthesis, structural characterization and thermal reactivities of

osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2thione, 1047

thione, 1047
A new type of sulfenamido ligand. Crystal structure of W(NBu')<sub>2</sub>(n<sup>2</sup>-PhSNBu')<sub>2</sub>, 1059
Electrophilic reactivity of arene carbonyl cluster complexes with the Ru<sub>6</sub>C core. Crystal and molecular structure of [Ru<sub>6</sub>C(CO)<sub>14</sub>(n<sup>6</sup>-C<sub>6</sub>H<sub>4</sub>Ph<sub>2</sub>-1,4)], 1061
Tetraruthenium cluster isomers containing both C<sub>6</sub>H<sub>8</sub> and [2.2]paracyclophane ligands: a new face-bridging co-ordination reconstructions of the Computation of the Computation in the

[2.2]paracyclophane ligands: a new lace-bridging co-ordination mode for a C<sub>6</sub> aromatic ring, 1063
Ruthenium and osmium acyl fluoride complexes. Crystal structure of [OC-6-13][RuF<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]-CD<sub>2</sub>Cl<sub>3</sub>, 1073
Reactivity of cobalt(II) complexes [Co(OEPh<sub>3</sub>)<sub>2</sub>X<sub>2</sub>] (E = P or As; X = Cl, Br, I or NCS) with SO<sub>2</sub> under aerobic and anaerobic conditions. Crystal structure of cocrystallised [Co(OPMe<sub>3</sub>)<sub>2</sub>(OH<sub>2</sub>)<sub>2</sub>]I<sub>2</sub> and [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>3</sub>, 1095
Dynamic nuclear magnetic resonance studies of the η<sup>3</sup>-triphenyl-cyclopropenyl complexes [M(η<sup>3</sup>-C<sub>3</sub>Ph<sub>3</sub>)L]PF<sub>6</sub> [M = Ni, Pd or

Pt; L = MeC(CH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>]. Crystal structure of the platinum derivative, 1109

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 1115

Macrocyclic ligand design. Effect of donor-set and ring-size variation on silver(1)/lead(II) discrimination within an extended series of dibenzo substituted rings, 1127

series of dibenzo substituted rings, 1127

1,5,9-Triphosphacyclododecane complexes of molybdenum and tungsten; crystal structure of tricarbonyl[1,5,9-tris(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(0), 1139

2,6-Diisopropylphenylimido and diphenylacetylene complexes of tungsten containing the bidentate ligands 4,4'-dimethyl-2,2'-bipyridine and 1,2-bis(diphenylphosphino)ethane, 1147

High-valent diphenylacetylene complexes of tungsten, 1153

Co-ordination complexes of the bismuth(III) thiolate Bi(SC<sub>6</sub>F<sub>5</sub>)<sub>3</sub>, 1163

Phenylantimony(III) dithiocyanate and the crystal structure of K[SbPh(SCN)<sub>3</sub>], 1173

Action (3-4), 1173, 1173 at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Synthesis and properties of the diamino-acetylene complexes trans-[MX(η²-MeHNC=CNHMe)-(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]A (X = F, Cl or ClO<sub>4</sub>; A = BF<sub>4</sub>, PF<sub>6</sub>, HCl<sub>2</sub> or ClO<sub>4</sub>) and of their di(aminocarbyne)-type precursors,

Reactions of the  $\mu$ -alkyne dimer [ $W_2(\eta-C_5H_4Pr^i)_2Cl_4(\mu-C_2Et_2)$ ]: synthesis and bonding analysis of a  $\mu$ -alkyne- $\mu$ -imido bridged ditungsten complex, 1207

Hydroxide-bridged diiron(III) complexes of tetraaminodiphenol macrocyclic ligands: structure and properties, 1239

Synthetic, structural and electrochemical studies on some doubly bridged trichalcogen [3.3] ferrocenophanes, 1245

Synthesis of complexes [Au(PPh<sub>3</sub>)L]\* (L = primary, secondary or tertiary amine). Crystal structure of [Au(PPh<sub>3</sub>)(NMe<sub>3</sub>)][CIO<sub>4</sub>]. CH.Cl. 1251

tertiary amine). Crystal structure of [Au(PPh<sub>3</sub>)(NMe<sub>3</sub>)][ClO<sub>4</sub>]CH<sub>2</sub>Cl<sub>2</sub>, 1251
Versatile cation complexation by a calix[4]arene tetraamide (L).
Synthesis and crystal structure of [ML][ClO<sub>4</sub>]<sub>2</sub>-nMeCN
(M = Fe<sup>II</sup>, Ni<sup>II</sup>, Cu<sup>II</sup>, Zn<sup>II</sup> or Pb<sup>II</sup>), 1273
Syntheses, characterisation and crystal structures of metal
complexes of a novel 1,2-dithiolate ligand, 6,7-dihydro-6methylene-5H-1,4-dithiepine-2,3-dithiol, 1285
Phosphorus-31 solid-state nuclear magnetic resonance
spectroscopy, individual gauge for localized orbitals calculations
and crystal structures of dithiadiphosphetanes [RSP(S)S]<sub>2</sub>
(R = alkyl or aryl) 1297 (R = alkyl or aryl), 1297 Syntheses, reactivities and molecular structures of tungsten

complexes containing the diphenylphosphinodithioformato

ligand, 1305

ligand, 1305
Distortions in six-co-ordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of mer-[Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)<sub>2</sub>-(CO)<sub>3</sub>(PMePh<sub>2</sub>)], cis,cis,cis-[W(SC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>(CO)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>] and [W(SeC<sub>6</sub>H<sub>3</sub>Pr<sub>3</sub>-2,6)<sub>2</sub>(CO)<sub>2</sub>(PMe<sub>2</sub>Ph)<sub>2</sub>], 1315
Homo- and hetero-dinuclear complexes of palladium and platinum containing phosphinoacetylene and/or chloride as bridging ligands, 1333

Structural, far-infrared and <sup>31</sup>P nuclear magnetic resonance studies of two-co-ordinate complexes of tris(2,4,6-trimethoxyphenyl)-phosphine with gold(i) halides, 1341

phosphine with gold() halides, 1341

Thermodynamic and spectroscopic studies on the complexation of silver(i) by mixed phosphorus-sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(i)—thiophosphine complex, 1349

Rhenium complex of a triply deprotonated chelated thiosemicarbazide and its conversion to a privide complex via budgetic internal internal control of the complex via budgetic inte

and its conversion to a nitride complex via a hydrazide intermediate. Crystal structure of [ReCl<sub>2</sub>(NH)(NHNH<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>], 1357 Prediction and observation of the structure of the zinc(II) complex

of 1,5,9,13-tetraazacyclohexadecane. A crystallographic and molecular mechanics study of the conformations assumed by the macrocycle when complexed with metal ions, 1363

macrocycle when complexed with metal lons, 1965
Syntheses and crystal structures of the ruthenium carbidocarbonyl clusters [Ru<sub>2</sub>C(CO)<sub>11</sub>(μ-Br)<sub>2</sub>(η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)(μ-η<sup>3</sup>-C<sub>3</sub>H<sub>3</sub>)], [Ru<sub>5</sub>C(CO)<sub>14</sub>(μ-Br)<sub>2</sub> and [Ru<sub>6</sub>C(CO)<sub>16</sub>(μ-Br)] with novel metal frameworks, 1369
Metallosupramolecular cluster assemblies based on donor–acceptor

Metallosupramolecular cluster assemblies based on donor–acceptor type structural frameworks. Syntheses, crystal structures and spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors, 1379 Synthesis of novel mixed-metal clusters of mercury and osmium; crystal and molecular structures of cis-[Os(CO)<sub>4</sub>{(μ-Hg)Os<sub>3</sub>-(CO)<sub>10</sub>(μ-η²-CH=CHPh)}<sub>2</sub>] and [{Os<sub>3</sub>(CO)<sub>10</sub>(μ-η²-CH=CHPh)}<sub>2</sub>-(μ<sub>4</sub>-Hg)], 1389

The preparation and characterisation of new mixed carbonyl nitro complexes of Group 6 metals, 1391

Dinuclear five-co-ordinate zinc complexes bridged by a phosphate monoester or an inorganic phosphate group (1995, 697), 1393 Protodemetallation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal

and molecular structures of [TIPh<sub>2</sub>{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>], [TIPh{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>], and [Ti{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>], CHCl<sub>3</sub>, 1403 Chemistry of [RuL<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup> (HL = 8-hydroxyquinoline): synthesis, structure, metal redox behaviour and isomer selectivity, 1417

Synthesis and characterisation of lanthanide(II) aryloxides including the first structurally characterised europium( $\Pi$ ) compound [Eu(OC<sub>6</sub>H<sub>2</sub>But<sub>2</sub>-2,6-Me-4)<sub>2</sub>(thf)<sub>3</sub>]-thf (thf = tetrahydrofuran)<sub>3</sub>

1427 Synthesis and <sup>171</sup>Yb-{<sup>1</sup>H} nuclear magnetic resonance spectra of the ytterbium(II) aryloxides [Yb(OR')<sub>2</sub>(L)<sub>n</sub>] [(L)<sub>n</sub> = (OEt<sub>2</sub>)<sub>2</sub>, (thf)<sub>2</sub>, (thf)<sub>3</sub>, (pyridine)<sub>2</sub> or Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>] and [Yb( $\mu$ -OR')(X)}<sub>2</sub>] (X = OR' or NR<sub>2</sub>) (R' = Ce,  $\mu$ -Bu'<sub>2</sub>-2,6-Me-4, R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 1435

Synthesis and structural characterization of three new compounds containing [Nb<sub>6</sub>Cl<sub>12</sub>]<sup>2+</sup> units as hydrated hydroxides, 1441 Synthesis and molecular structure of the mixed polymeric cobalt compound [Co<sub>3</sub>(SCH<sub>2</sub>CH<sub>2</sub>S)<sub>3</sub>(PEt<sub>3</sub>)<sub>3</sub>]<sub>2</sub>[Co<sub>2</sub>Cl<sub>4</sub>(μ-O<sub>2</sub>SEt<sub>2</sub>)<sub>2</sub>], 1447 Manganese complexes of 1,3-bis(3-nitrosalicylideneamino)propan-2-ol. Structure and magnetic and electrochemical properties, 1453

1453
Co-ordination chemistry of adenine (HAde): synthesis and characterization of [Cu<sup>II</sup>(tren)(nucleobase)]X<sub>2</sub> [tren = tris(2-aminoethyl)amine, X = Cl or NO<sub>3</sub>] complexes and crystal structure of [Cu<sup>II</sup>(tren)(Ade)]Cl-2H<sub>2</sub>O<sub>3</sub>, 1461
Synthesis of silver(i) complexes with 1,1'-bis(diphenylphosphino)-ferrocene (dppf), Crystal structures of [Ag(dppf)(PPh<sub>3</sub>)]ClO<sub>4</sub>· 2CH<sub>2</sub>Cl<sub>2</sub>, [Ag(dppf)<sub>2</sub>]ClO<sub>4</sub>·2CHCl<sub>3</sub> and [Ag(dppf)(phen)]ClO<sub>4</sub> (phen = 1,10-phenanthroline), 1473
Bromination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489
Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>3</sub>H<sub>4</sub>-CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne-alkyne coupling in a triosmium alkylidyne cluster, 1497
Unusual stabilities of 6,6'-bis(aminomethyl)-2,2'-bipyridyl chelates of transition-metal ions and crystal structures of the ligand and its copper(II) and nickel(III) complexes, 1511
Cadmium(II) complexes containing a discrete tetrakis(carboxylato)-

Cadmium(II) complexes containing a discrete tetrakis(carboxylato)-bridged dimetal core: isomorphous dinitratotetrakis(µ-triphenyl-phosphoniopropionate)dicadmium(II) dinitrate and diperchlorate, and dichlorotetrakis(µ-triphenyl-phosphonio-propionate)dicadmium(II) diperchlorate, 1519

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 1527 Barium and titanium aryl oxides as precursors for the preparation of thin-film oxides. The effect of bombardment by O<sub>2</sub><sup>+</sup>, 1529 η<sup>5</sup>-Pentamethylcyclopentadienylruthenium(II) complexes containing η<sup>6</sup>-co-ordinated dipeptides with aromatic side chains, 1549

Synthesis, molecular and crystal structure of tetraruthenium butterfly arene clusters, 1555
Homoleptic molybdenum complexes of α,β-unsaturated amides and esters: preparation and crystal structures, 1563 Properties and crystal structure of a four-co-ordinate nickel(1)

complex with the macrotricycle 1,3,6,8,12,15-hexaazatricyclo-[13.3.1.18,12]icosane, 1577

Step-wise nucleophilic substitution of bis(cyclopentadienyl)tin(II); synthesis and structural characterisation of [{Sn(n³-C<sub>5</sub>H<sub>5</sub>)[µ-

N=C(NMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>] and [{Sn[S(CH<sub>2</sub>)<sub>3</sub>SC(R)][µ-N=C(NMe<sub>2</sub>)<sub>2</sub>]}<sub>2</sub>] (R = H or SiMe<sub>3</sub>), 1587 Synthesis of new alkyne-bridged ditungsten complexes [W<sub>2</sub>(CO)<sub>4</sub>-(µ-HC<sub>2</sub>R)(η-C<sub>3</sub>H<sub>5</sub>)<sub>2</sub>] (R = Me or Ph) and the reactions of these and related alkyne-bridged complexes with chlorodiphenyl-brothers 1607

phosphine, 1597
Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Synthesis and characterisation of manganese(II) chalcogenolato

complexes. Crystal and molecular structure of  $[\{Mn(\mu-SeC_6H_2Me_3-2,4,6)_2\}_{\infty}]$ , 1645 Chalcogenolato complexes of bismuth and antimony. Syntheses, thermolysis reactions, and crystal structure of  $Sb(SC_6H_2Pr)_3$ -2,4,6), 1649

Steric properties of sulfoxide ligands. Synthesis and crystal structure of mer-[RuCl<sub>3</sub>(Ph<sub>2</sub>SO)<sub>3</sub>], 1653

Mono- and bis-diazenido complexes of rhenium(III) containing bidentate ditertiary phosphine ligands. The crystal and molecular structures of [Re(NNC<sub>6</sub>H<sub>4</sub>Me-4)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>] · 2dmf, [Re(NNC<sub>6</sub>H<sub>4</sub>Cl-4)<sub>2</sub>(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>] and [ReC(NNC<sub>6</sub>H<sub>4</sub>Me-4)(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>], 1663 Lipophilic hexadentate gallium, indium and iron complexes of new phenolate-derivatized cyclohexanetriamines as potential *in vivo* 

metal-transfer reagents, 1677
General strategy for inducing C-H bond fission (cycloiridat' m) in some aryl, heterocyclic, alkenyl or alkyl groups in azines derived from aldehydes or methyl ketones, 1689
Palladium complexes of azines, \( \alpha \)-diazines and \( \alpha \)-2-pyridylazines

containing (1R)-(+)-camphor or (1R)-(-)-fenchone groups,

CRYSTAL STRUCTURE (contd)

Formation of n²-aroyl, n¹-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related oxidants, 1709

Synthesis and characterization of new di- and tetra-meric

Synthesis and characterization of new di- and tetra-meric vanadium intermediates of olefin polymerization catalysts. Crystal structures of [V<sub>2</sub>(µ-Cl)<sub>2</sub>Cl<sub>4</sub>(MeCO<sub>2</sub>Et)<sub>4</sub>] and [{VOCl<sub>2</sub>[CH<sub>2</sub>(CO<sub>2</sub>Et)<sub>2</sub>]}<sub>4</sub>]-2CH<sub>2</sub>Cl<sub>2</sub>. 1727
Synthesis and characterization of phenylimidorhenium(v) compounds containing polypyridyl ligands. Crystal structures of mer-[Re(NPh)Cl<sub>3</sub>(tepy)], trans-[Re(NPh)(Cl<sub>2</sub>(tepy)]PF<sub>6</sub> (bipy = 2,2'-bipyridine, terpy = 2,2': 6',2"-terpyridine), 1733
Hydrolytically-sensitive hexaimino and hydrolytically-inert octamino-cryotand hosts for dicopper, 1739

Hydrolytically-sensitive hexaimino and hydrolytically-inert octamino-cryptand hosts for dicopper, 1739

Crystal structure and molecular mechanics, dynamics and quantum-mechanical ab initio studies of 2,2,4,4,6,6-hexakis(p-phenoxy-phenoxy)-2\(^3\), 4\(^3\), 6\(^3\)-cyclotriphosphaza-1,3,5-triene, 1749

Enhanced slip distortions in 1-phenyl-2-methyldicarbaplatinaboranes. Conformational destabilisation in the isomerisation of 1-phenyldicarbaplatinaboranes, 1755

A dimer of dimers and a polymer of tetramers: structures of copper complexes involving 6-fluoro-2-hydroxypyridine, 1765

Synthesis, crystal structures and reactivity of rhodium(iii) complexes containing B-ketophosphine and phosphino enolate ligands (1995, 863), 1767

Second- and third-row transition-metal complexes of dihydroxy-benzoic acids, and the crystal structure of [NMe,][MoO<sub>2</sub>(2,3-dhb),]-1.5H<sub>2</sub>O (2,3-H<sub>2</sub>dhb = 2,3-dihydroxy-benzoic acid), 1775

Bis(alkynyl) and alkynyl-vinylidene iron(ii) complexes with monodentate phosphite ligands, 1783

monodentate phosphite ligands, 1783 Ligand substitution in [Fe<sub>2</sub>(CO)<sub>4</sub>(NO)(μ-PPh<sub>2</sub>)] and the isomerism of [Fe<sub>2</sub>(CO)<sub>4</sub>(PMe<sub>3</sub>)<sub>2</sub>(NO)(μ-PPh<sub>2</sub>)], 1791 Synthesis of tetracobalt clusters from dicobalt alkyne complexes, 1805 New hetero- and homo-metallic dihydroxo-bridged dinuclear complexes of cobalt(III) and chromium(III): synthesis,

spectroscopy and crystal structures, 1813
Alkyne insertions into the σ-Pd-C(sp², ferrocene) bond of cyclopalladated complexes containing Schiff bases derived from ferro-

palladated complexes containing Schiff bases derived from ferrocene. Crystal structures of [Pd{[(EtC=Ct)<sub>2</sub>(n<sup>5</sup>- C<sub>3</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph)]Fe(n<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)(Cl)] (R = H or Me), 1839

Nucleophilic additions to the chiral rhenium alkene complexes [Re(n<sup>5</sup>- C,H<sub>3</sub>)(NO)(PPh<sub>3</sub>)(H<sub>2</sub>C=CHR)]BF<sub>4</sub> (R = H, Me, CH<sub>2</sub>CH<sub>2</sub>Me, Ph or CH<sub>3</sub>Ph): regio-, diastereo- and enantio-selectivities, 1857

Synthesis, resolution and reactions of (±)-1-(dimethylarisno)-2-(methylphenylphosphino)benzene. Crystal and molecular structure of [(5),(5)]-(+)<sub>599</sub>-[2-[1-(dimethylarino)ethyl]-phenyl-C¹,N}[1-(dimethylarisno)-2-(methylphenylphosphino)benzene-As,P]palladium(n) hexafluorophosphate, 1867

A mononuclear copper(n) complex of an unsymmetrical A mononuclear copper(II) complex of an unsymmetrical

dinucleating ligand, 1883

dinucleating ligand, 1883
Synthesis of selenophosphinic and tellurophosphinic amides and amidato complexes. Crystal structures of Bu¹<sub>2</sub>P(Te)NH(C<sub>6</sub>H<sub>11</sub>), [Ti(η-C<sub>2</sub>H<sub>2</sub>)Cl<sub>2</sub>{Bu¹<sub>2</sub>P(Se)NPr¹<sub>3</sub>}] and [TiCl<sub>2</sub>{Bu¹<sub>2</sub>P(Se)N-(C<sub>6</sub>H<sub>11</sub>)]<sub>2</sub>]-C<sub>2</sub>H<sub>8</sub>, 1887
Synthesis, structural characterization, electrochemical properties and polymerization behaviour of the first silicon-bridged [1.1]ferrocenophane [{Fe(η-C,H<sub>6</sub>)<sub>2</sub>SiMe<sub>2</sub>}<sub>2</sub>], 1893
Lithioalkynyl iron(ii) or ruthenium(ii) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging ethynedial system 1901

complexes containing a bridging ethynediyl system, 1901 Evaluation of the 2,6-diisopropylphenylimido ligand as a steric force in d¹ and d² monomeric octahedral complexes of tungsten, 1907

in d'and d' monomeric octahedral complexes of tungsten, 1907 Molecular zinc oxide and sulfide complexes stabilized by pyrazolylborate ligands, 1915 Tris (bis[imino(methoxy)methyl]aminato]cobalt(III): an electronic analogue of tris(β-diketonates), 1921 Di- and tri-metallic complexes containing two bridging cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>{μ-cis-[PhNP(OC<sub>6</sub>H<sub>4</sub>Mc-p)]<sub>2</sub>}<sub>2</sub>], 1933 Structure and properties of copper-(II) and -(I) complexes with 2,6-bis[2-(thiophen-2-ylmethylimino)ethyl]pyridine, 1939 Synthesis and structure of bis(phosphaallyl) complexes with two-co-ordinate phosphorus, 1951 Complexes of 2-diphenylphosphino-benzenethiol and 2-diphenylphosphino-6-trimethylsilylbenzenethiol with rhodium and iridium. Crystal and molecular structures of [IrCl<sub>2</sub>(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)(PMePh<sub>2</sub>)<sub>2</sub>] and [Ir(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)<sub>3</sub>]. 0.75CH<sub>2</sub>Cl<sub>2</sub>, 1957 Ligand-centred chemistry of molybdenum organoimides.

Ligand-centred chemistry of molybdenum organoimides.

Formation of C-C bonds via generation of nitrogen ylides, stereospecific conversion of an allylimide into alkylvinylimides, liberation of cyanoformate or amino acid esters, 1973
Facile synthesis of Sn<sub>4</sub>N<sub>4</sub> cubanes; syntheses and structures of [Sn(NC<sub>6</sub>H<sub>11</sub>)]<sub>4</sub> and [Sn(2-NCH<sub>2</sub>C<sub>5</sub>H<sub>4</sub>N)]<sub>4</sub>, 1991

Diphenylantimony(v) oxide halides and thiocyanate; the crystal structures of dimeric diphenylantimony(v) bromide oxide, and tetrameric diphenylantimony(v) oxide fluoride and thiocyanate,

Reactivity of the P-N bond in the halide salts of bis[bis(diphenylphosphino)methylamine]platinum(II), 2005

Syntheses and structures of nickel(0) complexes containing the methyl methacrylate monomer as ligand, 2033
Synthesis, crystal structures and physical properties of μ-οxο-μcarboxylato-diiron(III) complexes with tripodal polybenzimidazole ligands containing distinct iron sites, 2045

Highly selective mono- and di-alkylation of the backbone of complexes of type fac-

[M(CO)<sub>3</sub>{E,Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=C(Bu')CH<sub>2</sub>PPh<sub>2</sub>}] (M = Mo or W), 2057 Preparation and characterization of the first isothiazolyl and

Preparation and characterization of the first isothiazolyl and isothiazolinylidene complexes of gold(i), 2067 Characterisation of the predominant low-pH lead(II)-hydroxo cation, [Pb4(OH)4]4\*; crystal structure of [Pb4(OH)4][NO3]4 and the implications of basic salt formation on the transport of lead in the aqueous environment, 2081 Synthesis of new heterodinuclear aminocarbyne complexes: crystal structures of [AuWiµ-CN(Et)Me}(C\_6F\_6)(CO)\_2(\eta-C\_3H\_3)]\_1 and [[CuW{µ-CN(Et)Me}Cl(CO)\_2(\eta-C\_3H\_3)]\_2, 2087 Synthesis, crystal structure and nuclear magnetic resonance spectral study of the (+)-(R\_R\_R^\*S^\*)- and (-)-(S\_S\_R^\*S^\*)-enantiomers of the chiral diphosphine [C\_6H\_6(PPhCH\_2CHO)\_2CMe\_2]-1,2, 2095 Chiral tetraphenylcyclopentadienyl complexes of ruthenium and palladium; crystal structure of [Ru( $\eta^5$ -C\_5Ph4R^1\*)(CO)\_2Br] (R^1\* = menthyl), 2101 Synthesis and structural characterisation of [Pd\_4( $\mu_3$ -CH)( $\mu$ -CI)<sub>2</sub>-

Synthesis and structural characterisation of  $[Pd_4(\mu_3\text{-CH})(\mu\text{-Cl})_3$  (PBu's),d]: a tetrahedral palladium cluster with a  $\mu_3$ -methylidyne ligand, 2107

Self-assembly of a columnar polymeric calcium phosphinate derived from camphene, 2109
Arylimido complexes of chromium-(vi), -(v) and -(iv), 2111
Neutral thiolates of antimony(iii) and bismuth(iii), 2129
Preparation, structure and reactivity of dinuclear aminothiolate-bridged indium complexes 2137

bridged iridium complexes, 2137

Crystal structure and magnetic properties of [Cu(ox)(py)<sub>2</sub>] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143

2143

Hydrothermal synthesis and crystal structure of the microporous gallophosphate [NH<sub>4</sub>]<sub>4</sub>[Ga<sub>2</sub>P<sub>5</sub>O<sub>12</sub>(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>]<sup>4</sup>4H<sub>2</sub>O-0.64PrOH with an octahedral-tetrahedral framework, 2147

Diphenylantimony(v) oxo/chloro carboxylates and phosphinates:

crystal structures of {SbPh<sub>2</sub>Cl[O<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>]}<sub>2</sub>O and [SbPh<sub>2</sub>(O<sub>2</sub>CPh)<sub>2</sub>]<sub>2</sub>O, 2151

Synthesis and carbonylation studies on methylpalladium(II)

complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159

Synthesis, reactivity and catalytic activity of [RuH(η¹-OCMe<sub>2</sub>)-(CO)<sub>2</sub>(PPr¹<sub>3</sub>)<sub>2</sub>]BF<sub>4</sub>, 2171
Non-polymeric diruthenium(II,III) carboxylates. Crystal structures of [Ru<sub>2</sub>Cl(μ-O<sub>2</sub>CCMe<sub>2</sub>)<sub>4</sub>(H<sub>2</sub>O)] and [Ru<sub>2</sub>Cl(μ-O<sub>2</sub>CCHMe<sub>2</sub>)<sub>4</sub>(thf)] (thf = tetrahydrofuran), 2183

Substitution of nitrido by the oxo group in reactions of [ReNCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] with multidentate N,O-donor chelates. Crystal structure of [ReOCl<sub>2</sub>(PPh<sub>3</sub>)(HL)][H<sub>2</sub>L = 2,6-bis(hydroxymethyl)pyridine], 2189

structure of [ReOCI<sub>2</sub>(PPh<sub>3</sub>)(HL)][H<sub>2</sub>L = 2,6-bis(hydroxymethyl)-pyridine], 2189

Syntheses, structures and properties of copper(i) co-ordination polymers with bridging phenazine: construction of one- and two-dimensional structures with π-π stacking of phenazine, 2201

Synthetic, structural and magnetic studies of asymmetric trinuclear copper(ii) compounds [CuX<sub>2</sub>(Hae<sub>2</sub>)<sub>2</sub>][Cu<sub>2</sub>(ae)<sub>2</sub>X<sub>2</sub>] (X = Cl or Br; Hae = 2-aminoethanol), 2209

Synthesis, crystal structure and catalytic activities of [Ru<sup>III</sup>(bbpc)-(PPh<sub>3</sub>)Cl] [H<sub>2</sub>bbpc = 1,2-bis(4-tert-butylpyridine-2-carboxamido)-4,5-dichlorobenzene], 2215

Effects of protonation in decavanadates: crystal structure of tetrakis(n-hexylammonium) dihydrogendecavanadate(v), 2225

Supramolecular chemistry of [{M(CO)<sub>3</sub>(μ<sub>2</sub>-OH)<sub>3</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233

Synthesis and electrochemistry of heterobridged gold(i) and gold(ii) complexes of pyridine-2-thiolate. Crystal structures of [Au<sub>2</sub>-{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}(μ-C<sub>3</sub>H<sub>4</sub>NS)] and [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}-(μ-C<sub>3</sub>H<sub>4</sub>NS)Br<sub>2</sub>], 2245

Reactions of ytterbium(ii) amides with various Brønsted acids, CS<sub>2</sub> or LiNR<sub>2</sub>; crystal structures of [{Yb(NR<sub>2</sub>)(μ-OCBu<sup>1</sup><sub>2</sub>)<sub>3</sub>] and [Yb(OCBu<sup>1</sup><sub>2</sub>)<sub>2</sub>(tifh<sub>2</sub>] (R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 2251

Characterisation of the tin(ii) hydroxide cation [Sn<sub>3</sub>(OH<sub>4</sub>)<sup>2+</sup>, and the crystal structure of tritin(ii) tetrahydroxide dinitrate, 2273

Neutral oxorhenium(v) complexes with tridentate dithiolates and monodentate alkane, or arene-thiolate coligents. 2777

Neutral oxorhenium(v) complexes with tridentate dithiolates and monodentate alkane- or arene-thiolate coligands, 2277
Boratropic rearrangements in tris(pyrazolyl)borate molybdenum mononitrosyl complexes: effects of co-ligands, 2281

New 1,4,7,10-tetraazacyclotridecane-11,13-dione ligands appended

with additional donor(s) 8-methylquinoline(s): crystal structures and characterization of their copper(II) complexes, 2289

Transition-metal complexes of cyclohexane-1,2-dione bis(thiosemicarbazone) (H<sub>2</sub>L). Crystal structures of [ZnL(OH<sub>2</sub>)]-dmf (dmf = dimethylformamide) and [Zn(H<sub>2</sub>L)Cl]Cl-2H<sub>2</sub>O, 2297 Syntheses, structures and magnetic studies of homometallic manganese and heterometallic iron–sodium one-dimensional polymers, 2311

Copper(ii) chloride-1-methylbenzotriazole chemistry: variation of product as a function of metal-to-ligand reaction ratio; synthesis, structure and properties of a dinuclear complex and a novel

chain polymer with two alternating chromophores, 2317

Reaction of CH<sub>2</sub>(Ph<sub>2</sub>PSe), with [Ru<sub>3</sub>(CO)<sub>12</sub>]. Crystal structure of [Ru<sub>4</sub>Se<sub>4</sub>(CO)<sub>10</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)], a missing link in the [M<sub>4</sub>E<sub>4</sub>I<sub>2</sub>] cubane series (M = Group 8 metal, E = chalcogenido ligand),

Heteroleptic tripodal complexes of copper(II): towards a synthetic model for the active site in galactose oxidase, 2323 Natural glycine unidentate on copper(II): a novel mode of bonding,

Synthesis and structural characterisation of dithiocarbamate-

stabilised dimeric molybdenum(v) imido complexes via oxo substitution reactions with organic isocyanates, 2337 Chemistry of molybdenum complexes with (triphenylmethyl)allene,

Polymeric and bimetallic complexes of diisopropyl monothio-

phosphate, 2369
Mono- and poly-nuclear cryptate complexes of cage-like azamacrocyclic compounds: a thermodynamic and electrochemical approach, 2377

approach, 2377

Porphyrin-like macrocyclic complexes: molecular and electronic structure of (5,14-dihydro-6,8,15,17-tetramethyldibenzo[b,t]-[1,4,8,11] tetraazacyclotetradecinato)copper(II), 2385

Novel heterotrinuclear, PtAg<sub>2</sub>, and hexanuclear, Pt<sub>2</sub>Ag<sub>4</sub>, compounds containing bridging alkynyl groups. Crystal structure of [Pt<sub>2</sub>Ag<sub>4</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(H<sub>3</sub>-η<sup>2</sup>-C=CPh<sub>4</sub>(Ph<sub>3</sub>)<sub>2</sub>]-0.5CH<sub>2</sub>Cl<sub>2</sub>, 2397

The isolation from diethyl ether of ionic [(Me<sub>2</sub>N)<sub>2</sub>Pt]I and [(CH<sub>2</sub>=CHCH<sub>2</sub>)<sub>2</sub>PhPI]I, and the crystallographically characterised molecular 'spoke' structure PhMe<sub>2</sub>Pt<sub>2</sub>, 2421

Syntheses and structures of a four-co-ordinate monomeric dialkylaluminium complex and a cyclic trimeric alkylaluminium propeller complex with a bidentate amide ligand, Al(PhNCH<sub>2</sub>-CH<sub>2</sub>NH<sub>2</sub>)Me<sub>3</sub> and [Al(µ-PhNCH<sub>2</sub>CH<sub>2</sub>NH)Me]<sub>3</sub>, 2425

Polyamine synthesis and co-ordination: structural characterisation of cobalt(III) complexes from an octadentate ligand preparation,

of cobalt(III) complexes from an octadentate ligand preparation,

2431

Activation of  $\sigma(C-H)$  bonds in ferrocenyl- and bis(ferrocenyl)-

imines promoted by palladium, 2445

Synthesis and structures of cyclopentadienyl fluoro and chloro complexes of a triad (Ti, Zr, Hf) containing acyclic and cyclic siloxane building blocks, 2453

Mononuclear cis-dioxovanadium(v) anionic complexes [VO,L]

 $\{H_3L = [1+1] \text{ Schiff base derived from salicylaldehyde (or substituted derivatives) and 2-amino-2-methylpropan-1-ol}: synthesis, structure, spectroscopy, electrochemistry and reactivity$ 

Studies, 2439

Conformational control in PtS₂(PR₂)₂N metallacycles via ligand-substituent effects (R = Ph or OPh), 2467

Structure of a C,N,N-cyclometallated palladium(II) complex of 2-amino-4-phenylamino-6-(2-pyridyl)-1,3,5-triazine, an α-diimine ligand with donor-acceptor-donor hydrogen-bonding capability, 2469

Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}(PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd(Ph<sub>2</sub>PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489

Synthesis and characterisation of the mixed-sandwich complex closo-[3-(η-C<sub>3</sub>Me<sub>5</sub>)Fe-4-Me<sub>2</sub>S-1,2-C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>] and its charge-transfer salts; crystal structure of [Fe(η-C<sub>3</sub>Me<sub>5</sub>)(C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>SMe<sub>2</sub>)]<sup>1</sup>[ddq]<sup>1</sup>-CH<sub>2</sub>Cl<sub>2</sub>(ddq = 2,3-dichloro-5,6-dicyano-p-benzoquinone), 2509

Reduced polyoxomolybdates with the Keggin and Dawson structures: preparation and crystal structures of two-electron reduced [K(18-crown-6)]<sub>2</sub>[N(PPh<sub>3</sub>)<sub>2</sub>]<sub>2</sub>[HPMo<sub>12</sub>O<sub>40</sub>]-8MeCN-18-crown-6 and four-electron reduced [NBu<sup>0</sup><sub>3</sub>]<sub>3</sub>[H<sub>3</sub>S<sub>2</sub>Mo<sub>18</sub>O<sub>62</sub>]-4MeCN (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane), 2521

Insertion of internal acetylenes into orthopalladated α-methylbenzylamine. Crystal structure of [Pd{C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)

Metal-directed syntheses of dithiadiazacyclotetradecane macrocycles with pendant alcohol and nitro or carboxylate groups involving macrocycle ring expansion, 2541
Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549
Synthesis and crystal structure of {[Aux(dien)\_2]^2+}<sub>n</sub> (dien =

diethylenetriamine), an infinite linear polymer based on weak gold-gold contacts, 2575

gold-gold contacts, 25/5

Cleavage of an aryl carbon-sulfur bond in hydride-thiolate complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)(OMe)(PMePh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>], 2583

Synthesis, characterisation and crystal structure of molybdenum and molybdenum corporate bydrow, rich Schiff base complexes 2501

molybdenum-copper hydroxy-rich Schiff-base complexes, 2591

Dinuclear Cu<sup>II</sup>M<sup>II</sup> (M = Co, Ni, Cu or Zn) and Cu<sup>II</sup>Cu<sup>I</sup> complexes
of a phenol-based dinucleating macrocycle with dissimilar N<sub>2</sub>O<sub>2</sub>
and N<sub>2</sub>O<sub>2</sub>S sites, 2599

Complexing properties of phosphonodipeptides containing 1-aminoethylphosphonic acid, 2611

Mononuclear manganese(III) complexes of a heterodonor (N<sub>2</sub>OS) ligand containing thiolate-type sulfur: synthesis, structure, redox and spectroscopic properties, 2619

An unusual dimerization of 6-amino-2-thiouracilate in a cobalt(III)

complex, 2627

complex, 2627
Unexpected gold-containing boride clusters formed from the reactions of [RhRu₃H(η²-C₃Me₃)(CO)₃BH]¬ with gold(i) phosphine derivatives: crystal structures of [RhRu₃H(η²-C₃Me₃)(CO)₃B{Au(Ph₃)}₃(AuCl)]-CH₂Cl₂ and [RhRu₃H(η²-C₃Me₃)(CO)₃B{Au(2dppf)}{AuCl)]-CH₂Cl₂ [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639
Structure and magnetism of novel tetranuclear μ₄-oxo-bridged copper(ii) complexes, 2649
Di- and linear tri-nuclear carbonyl ruthenium clusters containing asymmetrically bridging 2,7-disubstituted naphthyridines, 2663
Building two-dimensional silver(i) co-ordination polymers with dicarboxylate-like ligands: synthesis and crystal structures of polymeric complexes of silver nitrate and perchlorate with

polymeric complexes of silver nitrate and perchlorate with flexible double betaines, 2671

flexible double betaines, 2671
New organolanthanide complexes containing a σ-bonded 1,3-dithiane. Crystal structures of [M(C<sub>5</sub>H<sub>4</sub>Bu<sup>3</sup>)<sub>2</sub>(C<sub>4</sub>H<sub>7</sub>S<sub>2</sub>-1,3)]-LiCl-2thf (M = Lu or Y; thf = tetrahydrofuran), 2679
Reactions of dichlorobis(2,3-dimethylbutane-2,3-diolato)-tungsten(v1) with water and alcohols, 2701
Ligand transfer from a tris(imino)stannate anion; syntheses and structures of [{Cu[μ-N=C(Bu<sup>3</sup>)Ph]}<sub>4</sub>-j-thf (thf = tetrahydrofuran) and [{Cu[μ-N=C(Bu<sup>3</sup>)Ph]}<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>]-6thf, 2707
Single-crystal and high-resolution X-ray diffraction studies and Raman spectrum of a phosphorus(v) chloride complex containing

Raman spectrum of a phosphorus(v) chloride complex containing a single bromide ion, P<sub>3</sub>Cl<sub>14</sub>Br, 2719 Synthesis and structural characterisation of some new triosmium

alkylidyne clusters containing sulfur-donor ligands. The formation of C-S and C-C bonds, 2735

formation of C-S and C-C bonds, 2735

Synthesis and characterisation of two clusters [Ru<sub>8</sub>(μ-H)<sub>2</sub>(μ<sub>6</sub>-η<sup>2</sup>-CO)-(CO)<sub>19</sub>(η<sup>6</sup>-C<sub>16</sub>H<sub>16</sub>)] and [Ru<sub>8</sub>(μ<sub>5</sub>-η<sup>2</sup>-CO)(μ<sub>4</sub>-η<sup>2</sup>-CO)(CO)<sub>18</sub>-(η<sup>6</sup>-C<sub>16</sub>H<sub>16</sub>)] having an unusual metal geometry and considerable elongation of the μ<sub>6</sub>-C-O bond, 2741

C<sub>4</sub>-Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of [Ru<sub>5</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)] and [Ru<sub>6</sub>C(CO)<sub>15</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)], 2749

Synthesis and structural studies of new ruthenium cluster carbonyl derivatives derived from (Ph.9) and [Ru<sub>1</sub>(CO)<sub>1</sub>] and

derivatives derived from (PhP)5 and [Ru3(CO)12] and

[Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757 Chemical behaviour of the mixed-metal carbonyl clusters [Fe<sub>2</sub>Rh(CO)<sub>10</sub>]<sup>-</sup> and [Fe<sub>2</sub>Rh<sub>2</sub>(CO)<sub>12</sub>]<sup>2</sup><sup>-</sup>. Crystal structures of [Fe<sub>2</sub>Rh(CO)<sub>9</sub>(PPh<sub>3</sub>)]<sup>-</sup> and [Fe<sub>2</sub>Rh<sub>2</sub>(μ-CO)<sub>3</sub>(CO)<sub>9</sub>{μ<sub>3</sub>-Au(PPh<sub>3</sub>)}]<sup>-</sup>, 2763

Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769

Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and nitrido analogues; crystal structure of TReVIND(COLOR COLOR COL

[Re'(NMe)(py)<sub>3</sub>(OEt)Cl]ClO<sub>4</sub> (py = pyridine), 2779

Molecular structures of cyclic mono- and di-(phosphoranylidene)aminophosphazenes: small-molecule models for high polymers,

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>6</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P-S compounds, 2797

Synthesis and characterisation of homo- and hetero-trinuclear complexes containing the triply-bridging diphenylthiophosphinito [μ<sub>3</sub>-SPPh<sub>2</sub>]— ligand: molecular structure of [Pd<sub>3</sub>(μ<sub>3</sub>-SPh<sub>2</sub>)<sub>2</sub>-(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>NMe<sub>2</sub>-2)(PPh<sub>3</sub>)<sub>2</sub>]ClO<sub>4</sub>-0.8CH<sub>2</sub>Cl<sub>2</sub>, 2805
Synthesis of phosphinochalcogenoic amidato complexes of zinc and cadmium. The crystal and molecular structure of [Zn{Bu¹<sub>2</sub>P(Se)NPr¹<sub>2</sub>], 2813
Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825
Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-CPBu°Ph<sub>2</sub>)] and (R)-[Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>[μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>3</sub>PPh<sub>2</sub>], 2831
Kentics of the formation, reactivity and crystal structure of the Synthesis and characterisation of homo- and hetero-trinuclear

sulfite-bridged cation di-µ-hydroxo-µ-(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(III)], 2843

Synthesis, structure and physical properties of tetrathiafulvalenium

Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex commo-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-1,2-C<sub>3</sub>B<sub>4</sub>H<sub>6</sub>}<sub>2</sub>]-7, 2851

Rhodium complexes with 1,8-diazabicyclo[5,4,0]undec-7-ene (dbu): crystal structure of trans-[Rh(CO)(dbu)(PPh<sub>3</sub>)]ClO<sub>4</sub>, 2861

Synthesis and characterization of gold(iii) adducts and cyclometallated derivatives with 2-substituted pyridines. Crystal structure of [Au{NC<sub>3</sub>H<sub>4</sub>(CMc<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)-2}Cl<sub>2</sub>], 2865

Vinylidene complexes of the molybdenum auxiliary Mo(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)(C<sub>7</sub>H<sub>7</sub>). Structural and spectroscopic investigations on vinylidene ligand orientation, 2873

Structural investigations of the organoantimony(v) halides Ph<sub>4</sub>SbX and Ph<sub>3</sub>SbX<sub>2</sub> (X = Cl, Br or I) in the solid state and in solution, 2895

Four-membered chelate rings in complexes with 2.2-

Four-membered chelate rings in complexes with 2,2 bis(diphenylphosphino)propane, Crystal and molecular structures of trans-[RuCl<sub>2</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>}], [RuCl<sub>3</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>}], [RuCl<sub>3</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>], and [(η-C<sub>3</sub>H<sub>3</sub>)Ru(μ-CO)<sub>3</sub>{μ-Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>RhCl<sub>3</sub>[Rh-Ru), 2901 Cyclooctadienyl complexes of molybdenum: synthesis and η<sup>5</sup> → η<sup>3</sup> hapticity interconversion, 2915

The gold-germanium bond in co-ordination compounds of the

The gold-germanium bond in co-ordination compounds of the type (Ph<sub>2</sub>P)<sub>8</sub>AuGeCl<sub>3</sub> with n = 1, 2 or 3, 2919

A reversible intramolecular hydrogen-bonding interaction involving second-sphere co-ordination of a water ligand, 2921

A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>4</sub>H(η<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935

Pentafluorophenylplatinum complexes containing η<sup>1</sup>- or η<sup>2</sup>-aryl-Pt interactions. Crystal structure of cis-[Pt(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>({NC<sub>3</sub>H<sub>4</sub>[CH(η<sup>2</sup>-Ph)Ph]-2}-κN]-0.5C<sub>6</sub>H<sub>3</sub>Me, 2949

Synthesis, characterization and crystal structures of some halfsandwich ruthenium(II) complexes of 1,4,7-trimethyl-1,4,7-triazacyclononane containing π-acidic ancillary ligands, 2955

Synthesis, properties and crystal structures of iron-(II) and -(III) complexes of 2,2': 6'.2": 6'.2" -quaterpyridine, 2961

Metal-oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent transdoxosmium(VI) complexes with cyanide and mesityl ligands, 2967

Synthesis and structural characterization of platinum(II) bis(chelate)

Synthesis and structural characterization of piantifff(II) of specific complexes derived from the ligand system meso/rac-Ph(O)HPCH<sub>2</sub>CH<sub>2</sub>PH(O)Ph, 2975

Synthetic, spectroscopic and structural studies on uranium and thorium complexes of diphosphazane dioxides, 2991

Group 6 metallocene(tv)-main group metal complexes: synthesis and structures of a Mo-B-Li compound and of [W(η-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>H-f<sub>5</sub>nCLCH(SiMc<sub>5</sub>)<sub>1</sub> 2999 {SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>}], 2999

Synthesis, crystal structure and electrospray mass spectrometric study of the rhodium(III) dioxolene complex

[Rh{OCC(CO<sub>2</sub>Et)SC(CO<sub>2</sub>Et)CO}{η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>(PPh<sub>3</sub>)], 3007 Synthesis of cationic uranium compounds by protonolysis of amide precursors: amide and chloroamide complexes, 3019 Synthesis of cationic uranium compounds by protonolysis of amide precursors: cyclopentadienyl and cyclooctatetraene complexes, 3027

Cobalt(III) complexes with thiosemicarbazones as co-ordinating agents. Spontaneous resolution by crystallization and absolute configuration, 3035

connguration, 3035
Synthesis and characterization of organoimido- and organoamidorhenium(v) complexes. Crystal structures of [ReCl<sub>2</sub>(NC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>2)(HNC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)], [Re(8-HNC<sub>6</sub>H<sub>6</sub>N)<sub>2</sub>O(PPh<sub>3</sub>)][BPh<sub>4</sub>] and
[Re(NPh)(NC<sub>5</sub>H<sub>3</sub>S-2-SiMe<sub>3</sub>-3)<sub>2</sub>(PPh<sub>3</sub>)][BPh<sub>4</sub>], 3041
Phosphorus—carbon bond formation in heterobimetallic
molybdenum—tungsten alkyne complexes, 3049

molybdenum-tungsten alkyne complexes, 3049

Structural and vibrational spectroscopic studies of complexes of trimethylphosphine with copper(i) and silver(i) halides, 3063

Co-ordination chemistry of mixed pyridine-phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with Ni<sup>II</sup>, Cd<sup>II</sup>, Mn<sup>II</sup> and Mn<sup>II</sup>Mn<sup>III</sup>, 3071

Synthesis and crystal structure of [RuCl<sub>2</sub>(PPh<sub>3</sub>){N(SiMe<sub>3</sub>)C(Ph)-NH(PPh<sub>2</sub>)}], 3087

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-lange.

and crystal structure of the 3-palladaindan-1-one [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)], 3093

Facile synthetic route to cone-shaped phosphorylated [CH<sub>2</sub>P(O)Ph<sub>2</sub>]

calix[4]arenes, 3097

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating \( \alpha \) amino acid salicylaldiminates and quinolin-8-olate, 3101

Synthesis and crystal structure of a salt containing the trans-diphenyldi-µ-seleno-diselenodistannate (2-) anion, 3113 Synthesis and co-ordination chemistry of a novel bis(benzo crown ether) substituted calix[4]arene that can simultaneously complex cations and anions, 3117

Synthesis and characterisation of cationic bis(cyclopentadienyl)-

tungsten(IV) complexes containing alkyl, chloride and hydride

The crystal structures of  $[NMe_4]_2[(PhPO_3)\{MoO(O_2)_2\}_2-\{MoO(O_2)_2(H_2O)\}]$  and  $[NBu^n_4]_2[W_4O_6(O_2)_6(OH)_2(H_2O)_2]$  and their use as catalytic oxidants, 3131

The occurrence of both amide and thiolate forms of the benzoxazole-2-thionate anion (C<sub>7</sub>H<sub>4</sub>ONS<sup>-</sup>) in the same molecule: synthesis and crystal structure of C<sub>7</sub>H<sub>4</sub>ONSNa[μ-OP(NMe<sub>2</sub>)<sub>3</sub>]<sub>3</sub>-NaC<sub>7</sub>H<sub>4</sub>ONS, 3139

NaC<sub>2</sub>H<sub>4</sub>ONS, 3139 Synthesis of complexes of Re<sup>v</sup>, Ru<sup>n</sup>, Os<sup>n</sup>, Rh<sup>l</sup>, Ir<sup>l</sup> and Ir<sup>m</sup>, Crystal and molecular structures of [ReO(OH)(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)], [ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)(PPh<sub>3</sub>)] and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>-(PMePh<sub>3</sub>)], 3143 Syntheses and structures of [Re(SC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)<sub>3</sub>(PPh<sub>3</sub>)], [Re(SC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)<sub>3</sub>(Bu<sup>n</sup>NC)<sub>2</sub>], [Re(SC<sub>6</sub>H<sub>3</sub>Pr<sub>3</sub>-2,4,6)<sub>3</sub>L(PPh<sub>3</sub>)] (L = N<sub>2</sub> or CO) and [ReH<sub>4</sub>(PPh<sub>3</sub>)<sub>4</sub>][ReO(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)<sub>4</sub>], 3153

3153
Studies of the reaction system [ScCl<sub>3</sub>(thf)<sub>3</sub>]-SbCl<sub>5</sub>-L (thf = tetrahydrofuran, L = 4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane): unexpected formation and crystal structure of [H<sub>2</sub>L]Cl<sub>2</sub>-ScCl<sub>3</sub>(H<sub>2</sub>O)<sub>3</sub>-3H<sub>2</sub>O, 3173
Synthesis and structures of bis [bis(trimethylsilyl)amido]tin(rv) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(µ-E)<sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>5</sub>Si<sub>2</sub>N)<sub>2</sub>Ge(µ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179
Monoxidised sulfur and selenium derivatives of bis(diphenylphosphino)amine: synthesis and co-ordination chemistry, 3189

phino)amine: synthesis and co-ordination chemistry, 3189 Topologically different infinite co-ordination structures of  $[CdNi(CN)_4]-2H_2N(CH_2)_nNH_2\cdot mH_2O$  complexes (n=2-7) and (n=0-2) caused by the catenation behaviour of the diamine

[CdN(CN<sub>2</sub>)=2H<sub>2</sub>N(C<sub>2</sub>)<sub>n</sub>NH<sub>2</sub>MH<sub>2</sub>D complexes ( $h = 2^{-1}$  and 9,  $m = 0^{-2}$ ) caused by the catenation behaviour of the diamine and the -NC-Ni(CN)<sub>2</sub>-CN- moieties, 3195

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>4</sub>O<sub>4</sub>)(H<sub>2</sub>O)<sub>3</sub>]-2H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>4</sub>O<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>] (bipym = 2,2'-bipyrimidine), 3207

Synthesis and structural characterization of crown thioether

complexes of silver(i) and copper(ii), 3215 Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane anions, 3221

Synthesis, structure and reactivity of bicycloheptatrienyl-bridged dimolybdenum complexes: crystal structure of [Mo<sub>2</sub>(CO)<sub>4</sub>(μ-1)-(μ-η<sup>7</sup>: η<sup>7</sup>-C<sub>14</sub>H<sub>12</sub>)][PF<sub>6</sub>], 3231
Molybdenum(1)mononitrosylcomplexes: syntheses, electrochemistry,

electron paramagnetic resonance spectra and magnetism of complexes with  $N_6$  and  $N_4$  I first-co-ordination spheres and the crystal structures of [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>3</sub>H<sub>4</sub>Ph-4)<sub>2</sub>]I and [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>3</sub>H<sub>2</sub>)<sub>2</sub>]BPh<sub>4</sub> (dmpz = 3,5-dimethylpyrazol-1-yl), 3243

Reaction of a side-on co-ordinated carbene ligand with the Wittig

Reaction of a side-on co-ordinated carbene ligand with the Wittig reagent, 3251

Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocene-functionalized helicand 4',4"-di(ferrocenyl)-2,2'.5',2'.5',2".6",2".6",2".5e",2"-sexipyridine, 3253

Synthesis and crystal structure of an encapsulated fragment of MoO<sub>2</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>8</sub>O<sub>8</sub>Cl<sub>6</sub>-(μ<sub>3</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(μ-OH)<sub>4</sub>(μ-OEt)<sub>4</sub>(HOEt)<sub>4</sub>] and its relevance to the sol-gel synthesis of molybdenum oxides, 3263

Cytosine nucleobase as a tridentate ligand: metal binding to N(3), N(4) and O(2) in trans-[(NH<sub>2</sub>Me)<sub>2</sub>)Pt(dmcyt)<sub>2</sub>Ag<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub> (dmcyt = 1,5-dimethylcytosinate), 3275

Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>1,2</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287

Molecular structure and crystal structure generation for

Molecular structure and crystal structure generation for

Molecular structure and crystal structure generation for [Fe<sub>3</sub>(CO)<sub>12</sub>], 3297

Synthesis and characterisation of guaiazulene derivatives of two ruthenium carbonyl clusters, 3307

Four- versus five-co-ordinate bis(mido) alkene complexes of

molybdenum: the contrasting effects of tert-butyl- and 2,6-disopropylphenyl-imido substituents, 3313

disopropylphenyl-imido substituents, 3313
Oxo- and imido-molybdenum(vl) and -tungsten(vl) functionalities supported by diacetoneglucose, 3329
Synthesis, spectroscopic properties and crystal structures of [ML<sub>2</sub>Cl<sub>2</sub>] [M = Th or U; L = η-C<sub>2</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] and [UL<sub>2</sub>X<sub>2</sub>] (X = Br, I or BH<sub>4</sub>), 3335
Copper(I), silver(I) and gold(I) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the constal ethylthese (FAMPER 3345).

crystal structure of [Au(ppye-P)<sub>2</sub>]PF<sub>6</sub>, 3343 Synthesis, spectroscopic and structural characterisation of periodate complexes of iron(III), 3367

Controlled design of oligomeric ethers with pendant cyclopentadienyliron moieties, 3375 Diphosphinoamido complexes of thorium(IV) and uranium-(IV) and
-(V). Crystal structures of [{ThCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PPr<sup>1</sup><sub>2</sub>)<sub>2</sub>]<sub>2</sub>} and
[{UCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>)<sub>2</sub>]<sub>2</sub>], 3401
Macrocyclic 'dimer-of-dimers' type tetranuclear copper(II) complexes

with two bridging hydroxy groups in a face-to-face manner,

Synthesis and crystallographic characterisation of  $[Ru_7C(CO)_{16}(C_2H_8)]$  and  $[Ru_7C(CO)_{16}(C_12H_1)]$ : facial  $\pi$  bonding and  $\sigma$  bonding from the same ring system, 3431 Homoleptic silver(i) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear

magnetic resonance studies, 3439

Synthesis, structure and anion co-ordination chemistry of a novel macrocyclic cobaltocenium receptor, 3447

macrocyclic cobaltocenium receptor, 3447

Lanthanide picrate complexes and picric acid adduct of a calix [4]arene diamide. Syntheses and structures of [Tm(LH\_2)A], [Cc(LH\_2)(MeOH)<sub>2</sub>A]-HA, [PrLA<sub>3</sub>] and L-2HA {L = 5,11,17,23-tetra-tert-butyl-25,27-bis(diethylcarbamoylmethoxy)-26,28-dihydroxycalix[4]arene, HA = picric acid}, 3455

Hydrogen bonding in imidazolium salts and its implications for ambient-temperature halogenoaluminate(III) ionic liquids, 3467

Syntheses and characterization of amino and amido-imido technetium(y) and thenium(y) complexes with (ca-aminophenyl).

Syntheses and characterization or amino and anno-imitod technetium(v) and rhenium(v) complexes with (o-aminophenyl)-diphenylphosphine-N,P. Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}<sub>2</sub>]Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N+2)}Cl<sub>2</sub>-{PPh<sub>3</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475

Palladium-catalysed formation of aroylcobalt complexes from including a new data to exchange the transfer of the second surface of the second surfac

iodoarene and tetracarbonylcobaltate anion. Syntheses, characterization and reactivities of model intermediate

Perfluoroalkyl- and perfluoroaryl-amidato derivatives of ruthenium, osmium and iridium, 3497

Synthesis, properties and molecular structures of iron(III), cobalt(II), nickel(II), copper(II), copper(I) and zinc(II) complexes with N,N-bis(pyrazol-1-ylmethyl)benzylamine, 3503

Synthesis and structure of small-molecule phosphazene rings

bearing fused-ring aryloxy side groups: models for optically useful high polymers, 3521
Perylene salts with tetrahalogenoferrate(III) anions. Synthesis, crystal structure of [(C<sub>20</sub>H<sub>12</sub>),][FeCl<sub>4</sub>] and characterisation, 3543
Chelating ether-phosphine complexes of the cobalt group metals. Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]-bis(trifluoromethanesulfonato)cobalt(II) and -trichlororhodium(III), 3551

rhodium(III), 3551

Synthesis and reactivity of tungsten vinylallene complexes, 3561

1,1'-Bis(diphenylthiophosphoryl)ferrocene as a trans-chelating ligand in gold(t) and silver(t) complexes, 3563

Preparation and crystal structures of the silver(t) carboxylates [Ag<sub>2</sub>(C<sub>2</sub>H<sub>4</sub>(CO<sub>2</sub>)<sub>2</sub>)(NH<sub>3</sub>)<sub>2</sub>, [NH<sub>4</sub>][Ag<sub>5</sub>(C<sub>6</sub>H<sub>3</sub>(CO<sub>2</sub>)<sub>2</sub>], 3565

Hypodentate ligands: systematic approaches to complexes containing didentate 2,2'.'6',2"-terpyridine (terpy) and the crystal and molecular structures of [Ru(bipy-N,N');(terpy-N,N')][PF<sub>6</sub>]<sub>2</sub> and [Ru(bipy-N,N'),(bterpy-N,N')][PF<sub>6</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine, bterpy = 6-bromo-2,2':6',2"-terpyridine), 3571

Dinuclear ruthenium(ti) and/or osmium(ti) complexes of a non-symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence

electrochemical behaviour, absorption spectra, luminescence

properties and intercomponent energy transfer, 3601

Synthesis, crystal structures and spectroscopic properties of cisand trans-[RhCl<sub>2</sub>L<sub>2</sub>]<sup>+</sup> [L = 1,3-bis(dimethylphosphino)propane or 1,2-bis(dimethylphosphino)ethane (dmpe)]: reinvestigation of the dmpe complexes, 3609

μ-Pyrazolato-μ-carboxylato- and di(μ-pyrazolato)-dimanganese(II) complexes: synthesis, characterization and catalase-like function,

3635

Synthesis and co-ordination chemistry of the pyridyl pendant-arm azamacrocycles 1-(2-pyridylmethyl)-1,5,9-triazacyclododecane L¹ and 1-(2-pyridyl-2¹-ethyl)-1,5,9-triazacyclododecane L², with nickel(II), copper(II) and zinc(II). Crystal structures of [Ni(L¹)(O<sub>2</sub>NO)]NO<sub>3</sub> and [ZnL²][Zn(NO<sub>3</sub>)<sub>3,67</sub>Cl<sub>0,31</sub>, 3659

Iron(II) complexes of polydentate aminopyridyl ligands and an exchangeable sixth ligand; reactions with peroxides. Crystal structure of [FeL¹(H<sub>2</sub>O)][PF<sub>6</sub>]<sub>2</sub>·H<sub>2</sub>O [L¹ = N,N²-bis(6-methyl-2-pyridylmethyl)-N,N²-bis(2-pyridylmethyl)ethane-1,2-diamine], 3667

Synthesis structure and solid state modern acceptation.

Synthesis, structure and solid-state nuclear magnetic resonance studies of P-chiral (dicyclohexylaminosulfanyl)[(-)-p-menthan-3-yloxy]phenylthioxophosphorane, 3683 Studies of [Ag(PPh<sub>3</sub>)<sub>2</sub>]NO<sub>3</sub>, [Ag{P(CH<sub>2</sub>CH<sub>2</sub>CN)<sub>3</sub>}<sub>2</sub>]NO<sub>3</sub> and [Ag{P(C<sub>6</sub>H<sub>4</sub>Me-m)<sub>3</sub>}<sub>2</sub>]NO<sub>3</sub> by X-ray diffraction and solid-state nuclear magnetic resonance, 3691

nuclear magnetic resonance, 3691

Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>L(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>3</sub>H<sub>3</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699

Structure of the copper(II) complex of a highly preorganised tetradentate ligand based on bispidine (3,7-diazabicyclo[3.3.1]-nonane), 3705

Complexes of Rh(C5Me5) with picolinic acid, pyrones and pyridinones, 3709

Silica-mimetic polymorphism of the Cd(CN)<sub>2</sub> host lattice depending on the guest G in Cd(CN)<sub>2</sub>·xG clathrates, 3715 Palladium(II) 2-diphenylphosphinohydroquinone (H<sub>2</sub>pphq)

complexes: preparation and structures of a novel cluster, [{PdBr(Hpphq)}<sub>4</sub>]-2H<sub>2</sub>O, and a phosphine-phosphinite complex, cis-[PdBr<sub>2</sub>{C<sub>6</sub>H<sub>3</sub>(OH)-1,Ph<sub>2</sub>-3,Ph<sub>2</sub>O-4}]-H<sub>2</sub>O, 3731 Exchange of organoimido groups at a mononuclear titanium centre and a crystallographic evaluation of the relative structural influences of the NBu<sup>1</sup>, NC<sub>6</sub>H<sub>4</sub>Me-4 and NC<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>-4 ligands, 3742

Synthesis and characterization of new dimeric aminoalanes, 3747 Unusual hydrogen bonding patterns of N<sup>7</sup> metallated, N<sup>1</sup> deprotonated guanine nucleobases: acidity constants of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(Hegua)<sub>2</sub>]<sup>2+</sup> and crystal structures of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-4H<sub>2</sub>O and cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-Hegua-7H<sub>2</sub>O (Hegua = 9-ethylguanine), 3767

Synthesis, molecular structure (M = Pd, X = OH) and reactivity of trinuclear asymmetric complexes [(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pt(μ-PPh<sub>2</sub>)<sub>2</sub>M(μ-X)<sub>2</sub>Pt(PPh<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt; X = Cl or OH), 3777

Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>2</sub>], 3789

Dinitrogen, butadiene and related complexes of molybdenum. Synthesis and characterization of new dimeric aminoalanes, 3747

Crystal structures of [Mo(N<sub>2</sub>)(PM<sub>3</sub>)<sub>3</sub>] and [Mo(η<sup>3</sup>-CH<sub>3</sub>CH-CHCH<sub>2</sub>)(η<sup>4</sup>-C<sub>4</sub>H<sub>6</sub>)(PE<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801
Crystal structures and electron paramagnetic resonance spectra of [Cu{P(C<sub>3</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]Br<sub>2</sub>-8H<sub>2</sub>O and Cu<sup>23</sup>-doped [Zn{P(C<sub>3</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]-Br<sub>2</sub>-8H<sub>2</sub>O, examples of a dynamic Jahn–Teller effect in two dimensions 3800

dimensions, 3809

Macrocyclic Cu<sup>II</sup><sub>4</sub> and Cu<sup>II</sup><sub>2</sub>M<sup>II</sup> complexes. Structure of a heterotrinuclear Cu<sup>II</sup><sub>2</sub>Zn<sup>II</sup> complex exhibiting a helical twist,

Synthesis and structural characterisation of  $R_3AsX_2$  compounds ( $R = Me, Ph, p-FC_6H_4$  or  $p-MeOC_6H_4$ ;  $X_2 = Br_2$ ,  $I_2$  or IBr); dependency of structure on R, X and the solvent of preparation, 3873

'stellated' octahedral cluster  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]^+$ . Crystal and molecular structure of  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ 

and infolectional structure of [Co<sub>6</sub>(µ<sub>3</sub>-S)<sub>7</sub>(µ<sub>3</sub>-R)<sub>7</sub>(µ<sub>3</sub>-R)<sub>7</sub>(µ<sub>3</sub>-R)<sub>7</sub>(µ<sub>3</sub>-R)<sub>7</sub>(µ<sub>3</sub>-R)<sub>7</sub>(µ<sub>3</sub>-R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>(R)<sub>7</sub>

macrocycles, 3897 Copper(II) bipyridyl and iminopyridyl analogues of streptonigrin, 3905

Crystal and molecular structures of [NaL( $H_2O$ )][(AuCl)<sub>3</sub>SBu'], [NaL][AuCl<sub>2</sub>], [NaL]<sub>4</sub>[AuCl<sub>2</sub>], [AuCl<sub>2</sub>], [NaL]<sub>6</sub>[AuCl<sub>2</sub>], [NaL]<sub>6</sub>[AuCl<sub>2</sub>], [NaL]<sub>6</sub>[AuCl<sub>2</sub>], [NaL]<sub>6</sub>[NaL]<sub>9</sub>[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] (L = 1,4,7,10,13-pentaoxacyclopentadecane), 3917 Reactions of carbonylchlorogold(I) with thiolates and thiols

Synthesis and structures of dilithium(1,2-diphosphido)benzenes,

Synthesis and characterisation of ytterbium(II) alkyls, 3933

Deprotonation of η²(4e)-bonded alkynes as a pathway to σ,η²(3e)prop-2-ynyl, η⁵-pentadienyl and η⁴-trans-1,3-diene substituted molybdenum complexes, 3975

molybdenum complexes, 3975
Syntheses and structural characterization of a series of hydrido osmium-palladium carbonyl clusters: [Os,Pd(CO)<sub>16</sub>H<sub>n+4</sub>(μ-Cl)<sub>2</sub>-n] (n = 0-2), [(Os,Pd(CO)<sub>9</sub>(μ-H)<sub>2</sub>(μ-Cl)<sub>2</sub>-[μ-Cl)<sub>2</sub>-H<sub>2</sub>O and [Os<sub>4</sub>Pd(CO)<sub>1</sub>(μ-H)<sub>3</sub>(μ-Cl)<sub>3</sub>(μ-Sl)<sub>3</sub>O-SC, H<sub>14</sub>, 3987
Some remarkable reactions of the alkylidyne cluster [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC,H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N)] (NC,H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N = 4.4'-bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(μ-H)<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC,H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>NH)][BF<sub>4</sub>]<sub>2</sub>·H<sub>2</sub>O, 3995
Synthesis, structure and magnetic properties of a singly

Synthesis, structure and magnetic properties of a singly carboxylate-bridged dinuclear manganese(II) complex, 4001
New polynuclear manganese(II) complexes with orotic acid and some of its derivatives: crystal structures, spectroscopic and magnetic studies, 4005

Dimanganese(II) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and

ligand with two amino chelating arms: synthesis, structure and catalase-like activity, 4015

Synthesis, solid-state and solution structures of bis{N,N'-bis[(2-thienyl)methylene]-1,2-diaminoethane}-silver(1) and -copper(1) trifluoromethanesulfonate complexes, 4021

Pentafluorophenylphosphine complexes of rhodium(1): extended X-ray absorption fine structure studies of [{Rh[PPh<sub>2</sub>(C<sub>4</sub>F<sub>3</sub>)<sub>3-x</sub>]<sub>2</sub>-(µ-Cl)}<sub>3</sub>](x = 0-2) and [{Rh[(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>P(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>](µ-Cl)}<sub>2</sub>]. Crystal structures of [RhCl(PPh<sub>3</sub>)(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>P(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>]. C<sub>4</sub>H<sub>3</sub>O and (C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>P(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>, 4029

Synthesis and characterisation of palladium(II) complexes of mixed thioether/oxa ionophores. Crystal structures of [PdCl<sub>2</sub>([18]aneS<sub>2</sub>O<sub>4</sub>], [Pd[[18]aneS<sub>2</sub>O<sub>3</sub>)][PF<sub>6</sub>]<sub>2</sub> ([18]aneS<sub>2</sub>O<sub>3</sub> = 1,4,7-trioxa-10,13,16-trithiacyclooctadecane), 4045

Palladium(II)-induced preferential activation of the σ[C<sub>1p</sub><sup>2</sup>(phenyl)-CI] bond versus σ[C<sub>2p</sub><sup>2</sup>(ferrocene)-H]. Crystal structure of [Fe(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>){η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>CH<sub>2</sub>N=CH(C<sub>6</sub>H<sub>3</sub>CI<sub>2</sub>-2,6)}], 4053

Synthesis and crystal structures of  $[C_6H_4SC(\stackrel{...}{-}S)\stackrel{...}{-}NNa$ .  $3P(NMe_2)_3O\cdot NaN\stackrel{...}{-}(S\stackrel{...}{-})CSC_6H_4]$  and  $[C_6H_4SC(\stackrel{...}{-}S)\stackrel{...}{-}NLi-pmdien]$  (pmdien = N,N,N',N'',N'', N-pentamethyldiethylenetriamine): alkali-metal amides from 2-sulfanylbenzothiazole,

Rigid multinuclear arrays assembled around platinum centres, 4067 Triphosphorus macrocycle complexes of divalent Group 6 transition metals; crystal structure of bromotricarbonyl[1,5,9-tris-(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(II) tetraphenylborate, 4091

tetrapnenyinorate, 4091 Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and copper compounds, 4099 Synthesis, structural characterisation and nuclear magnetic resonance study of  $[Ru_6C(CO)_{15}(\mu_3-\eta^1:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ : an intermediate in the formation of  $[Ru_6C(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ 

C<sub>16</sub>H<sub>16</sub>)], 4113 Synthesis, structural characterisation and electrochemistry of the tetranuclear compound [{Pd<sub>2</sub>( $\mu$ -RNNNR})<sub>2</sub>}<sub>2</sub>( $\mu$ -Cl)<sub>4</sub>] (R = C<sub>6</sub>H<sub>4</sub>Me-p): a precursor to triazenido-bridged palladium(II) complexes, 4127

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one, [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)] (1995, 3093), 4131

CUBANE

Supramolecular chemistry of [{M(CO)<sub>3</sub>(µ<sub>3</sub>-OH)}<sub>4</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233

Reaction of CH<sub>2</sub>(Ph<sub>2</sub>PSe), with [Ru<sub>3</sub>(CO)<sub>12</sub>]. Crystal structure of [Ru<sub>4</sub>Se<sub>4</sub>(CO)<sub>10</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)], a missing link in the [M<sub>4</sub>E<sub>4</sub>L<sub>12</sub>] cubane series (M = Group 8 metal, E = chalcogenido ligand), 2321

CYANAMIDE Neutron diffraction study on a single crystal of pentacarbonyl-diethylcyanamidechromium at 110 K, 665

Mechanistic studies on the substitution reactions between aquatetracyanooxotungstate(iv) and HCN-CN<sup>-</sup> and F<sup>-</sup>, 1201 Photolysis of the [Fe(CN)<sub>5</sub>(NO)]<sup>2-</sup> ion in water and poly(vinyl alcohol) films: evidence for cyano radical, cyanide ion and nitric oxide loss and redox pathways, 2013

Electron-transfer reactions and the self-exchange rate of the perruthenate(vii)-ruthenate(vi) couple, 2221
Metal-oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent trans-dioxoosmium(vi) complexes with cyanide and mesityl ligands, 2967

osmium(vi) complexes with cyanide and mesityl ligands, 2967 Structural and spectroscopic characterization of a dicyanooxomolyb-denum(iv) complex with a tetradentate Schiff-base ligand, 3057 Topologically different infinite co-ordination structures of [CdNi(CN)<sub>4</sub>]-2H<sub>2</sub>N(CH<sub>2</sub>)<sub>n</sub>NH<sub>2</sub>·mH<sub>2</sub>O complexes (n = 2-7 and 9, m = 0-2) caused by the catenation behaviour of the diamine and the -NC-Ni(CN)<sub>2</sub>-CN-moieties, 3195 Mechanistic studies on the cis-[VO<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]<sup>\*</sup> and [Mo(CN)<sub>8</sub>]<sup>3</sup> oxidations of the Re<sup>IV</sup><sub>2</sub> complex [(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>Re(μ-O)<sub>2</sub>Re(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>]<sup>4-</sup>, 3317

Co-ordination of nitriles to [Fe(CN)<sub>5</sub>(OH<sub>2</sub>)]<sup>3-</sup> and use of the acetonitrile complex for the determination of equilibrium constants, 3643

Co-ordination of amines to [Fe(CN)<sub>5</sub>(OH<sub>2</sub>)]<sup>3-</sup>, 3651 Silica-mimetic polymorphism of the Cd(CN)<sub>2</sub> host lattice depending on the guest G in Cd(CN)<sub>2</sub>·xG clathrates, 3715 CYCLIDENE

Kinetic versus thermodynamic control in the selective functionalization of nickel(II) cyclidene macrocyclic complexes, 1029 CYCLIZATION

Chemistry of molybdenum complexes with (triphenylmethyl)allene, 2351

CYCLOAURATION

Synthesis and characterization of gold(III) adducts and cyclometallated derivatives with 2-substituted pyridines. Crystal structure of [Au\NC<sub>3</sub>H<sub>4</sub>(CMe<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)-2\Cl<sub>2</sub>], 2865

CYCLOBUTADIENE

C<sub>4</sub>-Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of [Ru<sub>5</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)] and [Ru<sub>5</sub>C(CO)<sub>15</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)], 2749

CYCLOHEPTATRIENYL

Vinylidene complexes of the molybdenum auxiliary Mo(Ph,PCH,2CH,2PPh,)(C,H,). Structural and spectroscopic investigations on vinylidene ligand orientation, 2873

Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules  $[M(\eta^7-C_7H_7)(\eta^5-C_5H_5)]$  (M = Ti, V, N)

Nb or Ta), 3727

CYCLOHEXADIENE

Tetraruthenium cluster isomers containing both C<sub>6</sub>H<sub>8</sub> and [2.2]paracyclophane ligands: a new face-bridging co-ordination mode for a C<sub>6</sub> aromatic ring, 1063
Reaction of a side-on co-ordinated carbene ligand with the Wittig reagent, 3251

CYCLOHEXANE Transition-metal complexes of cyclohexane-1,2-dione bis(thiosemicarbazone) (H<sub>2</sub>L). Crystal structures of [ZnL(OH<sub>2</sub>)]-dmf (dmf = dimethylformamide) and [Zn(H<sub>2</sub>L)Cl]Cl-2H<sub>2</sub>O, 2297

CYCLOMETALLATION

YCLOMETALLATION

Cyclometallation of azine phosphines of type Z,E-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=
N-N-CHR (R = an aromatic or heterocyclic group) involving
X-Y (X = C, N or O; Y = H, I or Br) bond fission by
platinum(II), 641

Cyclometallated derivatives of platinum(II) derived from 6-(tertbutyl)-2,Z-bipyridine (HL). Crystal and molecular structure of
[Pt(L)CI], 777

Conventional and cyclometallated complexes of ruthenium(II) with
ambidentate terdentate ligands displaying N, or N,C binding

ambidentate terdentate ligands displaying N<sub>3</sub> or N<sub>2</sub>C binding modes, 825

General strategy for inducing C-H bond fission (cycloiridation) in some aryl, heterocyclic, alkenyl or alkyl groups in azines derived from aldehydes or methyl ketones, 1689

Palladium(II)-induced preferential activation of the  $\sigma[C_{sp}^2(\text{phenyl})-Cl]$  bond  $versus \sigma[C_{sp}^2(\text{ferrocene})-H]$ . Crystal structure of  $[Fe(\eta^3-C_5H_3)\{\eta^5-C_3H_4CH_2N=CH(C_6H_3Cl_2-2,6)\}]$ ,

Synthesis of methyl-palladium(II) and -platinum(II) complexes containing labile chelates and olefinic tertiary phosphine ligands: intramolecular insertion of an olefin into a palladium-carbon bond, and activation of a carbon-hydrogen bond by a platinum(II) complex, 4081
CYCLOOCTADIENE

Preparation and crystal structures of cationic dienehydrido and dienyl ruthenium complexes containing N,N',N"-trimethyl-1,4,7-triazacyclononane, 227

Synthesis of cationic uranium compounds by protonolysis of amide precursors: cyclopentadienyl and cyclooctatetraene complexes, 3027

CYCLOOCTADIENYL
Cyclooctadienyl complexes of molybdenum: synthesis and η<sup>5</sup>η<sup>3</sup> hapticity interconversion, 2915 CYCLOPALLADATION

Alkyne insertions into the σ-Pd-C(sp², ferrocene) bond of cyclo-palladated complexes containing Schiff bases derived from ferrocene. Crystal structures of [Pd{[(EtC=CEt)<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph]]Fe(η<sup>2</sup>·C<sub>3</sub>H<sub>3</sub>)[Cl] (R = H or Me), 1839 Activation of σ(C-H) bonds in ferrocenyl- and bis(ferrocenyl)-

Activation of of C-H) bonds in terrocenyl- and dis(terrocenyl-imines promoted by palladium, 2445 Structure of a C.N,N-cyclometallated palladium(II) complex of 2-amino-4-phenylamino-6-(2-pyridyl)-1,3,5-triazine, an α-diimine ligand with donor-acceptor-donor hydrogen-bonding capability,

The first orthopalladation of a primary nitrobenzylamine. Synthesis of chiral cyclopalladated complexes derived from (S)-a-methyl-4-nitrobenzylamine, 2535

CYCLOPENTADIENYL

Synthesis of η-cyclopentadienyl-polyborane derivatives of molybdenum and tungster., 67
Bis(η-cyclopentadienyl)imidomolybdenum compounds, 155
Mono(η-cyclopentadienyl)benzamidinato alkyl compounds of titanium and zirconium, 217

Dinuclear zirconium complexes with Me<sub>2</sub>Si(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub> as bridging ligand. Molecular structure of [{Zr(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>Bu<sup>1</sup><sub>2</sub>)Me}<sub>2</sub>(μ-O)- $\{\mu\text{-Me}_2\text{Si}(C_5H_4)_2\}$ ], 231

{μ-Me<sub>2</sub>Si(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>}], 231 Syntheses and reactions of ansa-[2,2-bis(η-cyclopentadienyl)-propane]-tungsten and -molybdenum compounds, 395 Quantitative and structural investigations of hydrogen-bonding interactions in anion binding of mono- and 1,1'-bis-substituted aryl cobaltocenium receptors, 403 Electronic structure of 20-electron bis(cyclopentadienyl)metal oxo compounds of Group 6: investigation by photoelectron spectroscopy. 1023

compounds of Group 6: investigation by photoelectron spectroscopy, 1023

Dynamics and molecular aggregation in crystalline [{M(C<sub>5</sub>H<sub>3</sub>)}<sub>3</sub>(μ<sub>3</sub>·η<sup>2</sup>: η<sup>2</sup>·η<sup>2</sup>·C<sub>6</sub>H<sub>3</sub>R)] [M = Co, R = CH(Ph)Me, CH<sub>2</sub>CH<sub>3</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089

Reactions of the μ-alkyne dimer [W<sub>2</sub>(η-C<sub>5</sub>H<sub>4</sub>Pr<sup>3</sup>)<sub>2</sub>Cl<sub>4</sub>(μ-C<sub>2</sub>Et<sub>2</sub>)]: synthesis and bonding analysis of a μ-alkyne-μ-imido bridged ditungsten complex, 1207

η<sup>5</sup>-Pentamethylcyclopentadienylruthenium(II) complexes containing n<sup>5</sup>-Co-ordinated dipentides with aromatic side chains 1540

η<sup>6</sup>-co-ordinated dipeptides with aromatic side chains, 1549 Step-wise nucleophilic substitution of bis(cyclopentadienyl)tin(II); synthesis and structural characterisation of [{Sn(η³-C<sub>2</sub>H<sub>3</sub>)[μ-N=C(NMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>] and  $[Sn[S(CH_2)_3SC(R)][\mu-N=C(NMe<sub>2</sub>)_2]_2]$ (R = H or SiMe<sub>3</sub>), 1587

CYCLOPENTADIENYL (contd)

Chiral tetraphenylcyclopentadienyl complexes of ruthenium and palladium; crystal structure of [Ru(η<sup>5</sup>-C<sub>3</sub>Ph<sub>4</sub>R<sup>1\*</sup>)(CO)<sub>2</sub>Br]

(R<sup>1\*</sup> = menthyl), 2101

Struthenic and only tensor of cyclopentadienyl fluoro and chloro

(R'\* = menthyl), 2101

Synthesis and structures of cyclopentadienyl fluoro and chloro complexes of a triad (Ti, Zr, Hf) containing acyclic and cyclic siloxane building blocks, 2453

Synthesis of cationic uranium compounds by protonolysis of amide precursors: cyclopentadienyl and cyclooctatetraene complexes, 3027

Synthesis and characterisation of cationic bis(cyclopentadienyl)tungsten(IV) complexes containing alkyl, chloride and hydride ligands, 3125

synthesis, spectroscopic properties and crystal structures of [ML<sub>2</sub>Cl<sub>2</sub>] [M = Th or U; L =  $\eta$ -C<sub>3</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] and [UL<sub>2</sub>X<sub>2</sub>] (X = Br, I or BH<sub>4</sub>), 3335 Controlled design of oligomeric ethers with pendant cyclopentadienyliron moieties, 3375 Synthesis electrophenistry and reactivity of formato, and certain

Synthesis, electrochemistry and reactivity of formato—and acetato-niobocene complexes, 3409

Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules [M(η²-C<sub>2</sub>H<sub>7</sub>)(η²-C<sub>5</sub>H<sub>5</sub>)] (M = Ti, V, Nb or Ta), 3727 CYCLOPHANE

Aqueous electrochemistry of mono- and bi-nuclear copper(II) complexes with polyaza[n]paracyclophane ligands, 541 Preparation, characterisation, molecular and crystal structure of

the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>( $\eta^6$ -arene)] (arene =  $C_6H_6$  or  $C_{16}H_{16}$ ), 909 Steady-state fluorescence emission studies on polyazacyclophane macrocyclic receptors and on their adducts with hexacyanocobaltate(III), 993

Tetraruthenium cluster isomers containing both  $C_6H_8$  and [2.2] paracyclophane ligands: a new face-bridging co-ordination mode for a  $C_6$  aromatic ring, 1063

Synthetic, structural and electrochemical studies on some doubly bridged trichalcogen [3.3]ferrocenophanes, 1245
Synthesis, structural characterization, electrochemical properties

and polymerization behaviour of the first silicon-bridged [1.1] ferrocenophane [{Fe(η-C<sub>3</sub>H<sub>4</sub>)<sub>2</sub>SiMe<sub>2</sub>}<sub>2</sub>], 1893 Comparison of the reactivity of [2.2] paracyclophane and *p*-xylene, 4039

Synthesis, structural characterisation and nuclear magnetic resonance study of  $[Ru_6C(CO)_{13}(\mu_3-\eta^4:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ : an intermediate in the formation of  $[Ru_6C(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2-C_{16}H_{16})]$ ,

CYCLOPHOSPHANE

Synthesis and structural studies of new ruthenium cluster carbonyl derivatives derived from (PhP)5 and [Ru3(CO)12] and [Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757 CYCLOPHOSPHAZANE

Di- and tri-metallic complexes containing two bridging cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>(μ-cis-[PhNP(OC<sub>6</sub>H<sub>4</sub>Me-p)]<sub>2</sub>/<sub>2</sub>], 1933 Synthesis and structure of bis(phosphaallyl) complexes with two-co-ordinate phosphorus, 1951 CYCLOPHOSPHAZENE

Synthesis and structure of small-molecule phosphazene rings bearing fused-ring aryloxy side groups: models for optically useful high polymers, 3521

CYCLOPROPENYL

YCLOPROPENYL
Dynamic nuclear magnetic resonance studies of the η³-triphenyl-cyclopropenyl complexes [M(η³-C₃Ph₃)L]PF<sub>6</sub> [M = Ni, Pd or Pt; L = MeC(CH₂PPh₂)₃]. Crystal structure of the platinum derivative, 1109

CYCLOTRIPHOSPHAZENE

Crystal structure and molecular mechanics, dynamics and quantum-mechanical *ab initio* studies of 2,2,4,4,6,6-hexakis-(*p*-phenoxyphenoxy)-2λ<sup>5</sup>, 4λ<sup>5</sup>, 6λ<sup>2</sup>-cyclotriphosphaza-1,3,5-triene, 1749

CYTOSINE

Cytosine nucleobase as a tridentate ligand: metal binding to N(3), N(4) and O(2) in trans-[(NH<sub>2</sub>Me)<sub>2</sub>Pt(dmcyt)<sub>2</sub>Ag<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub> (dmcyt = 1,5-dimethylcytosinate), 3275

CYTOTOXICITY

Cisplatin analogues with sulfur donor ligands. (Ethylenediamine)platinum(II) complexes with ligands possessing a sulfinyl or sulfanyl group linked to an anionic oxygen donor atom. Reactivity and cytotoxicity, 579

DECOMPOSITION

Formation and decomposition study of electrochemically-generated nickel(III)-nota complexes in aqueous solution (nota<sup>3-</sup> = 1,4,7-triazacyclononane-*N*,*N*',*N*"-triacetate), 2041

Cleavage of an aryl carbon-sulfur bond in hydride-thiolate

complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)(OMe)(PMePh<sub>2</sub>)}<sub>2</sub>(µ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>2</sub>)}<sub>2</sub>(µ-S)<sub>2</sub>], 2583 Thermal reactions of Mo(CO)<sub>6</sub> on metal-oxide surfaces, 3753

DENSITY FUNCTIONAL CALCULATIONS

Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules  $[M(\eta^7-C_7H_7)(\eta^5-C_3H_5)]$  (M = Ti, V, Nh or Ta), 3727

Synthesis, characterization and electronic structure of the novel 'stellated' octahedral cluster [ $Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6$ ]<sup>+</sup>. Crystal and molecular structure of [ $Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6$ ] $_0$ , [ $Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6$ ] $_0$ S)<sub>8</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.3</sub>[BPh<sub>4</sub>], 3881 Comparison of the reactivity of [2.2]paracyclophane and p-xylene, 4039

The nature of the platinum-phosphine bond. An ab initio Hartree-Fock and density functional study, 4121

DEPROTONATION

Deprotonation of  $\eta^2(4e)$ -bonded alkynes as a pathway to  $\sigma, \eta^2(3e)$ prop-2-ynyl,  $\eta^5$ -pentadienyl and  $\eta^4$ -trans-1,3-diene substituted
molybdenum complexes, 3975

DEUTERIATION

Application of deuteriation to determine the location of the emitting state in mixed-ligand Ru<sup>II</sup> polypyridyl complexes, 2705 Partial deuteriation studies, ethyl-group geometries and C-H bond properties in [MEt(cp)(CO)<sub>2</sub>] (M = Fe or Ru) and [MEt(cp)(CO)<sub>3</sub>] (M = Mo or W) (cp = η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>), 3963

DEUTERIUM

Solvent-dependent <sup>2</sup>H nuclear magnetic resonance spectra and solvatochromism in ligand-field absorption bands of *cis*-[CrF<sub>2</sub>N<sub>4</sub>]-type complexes with triethylenetetramine, pyridine or 2,2'-bipyridine, 2837

DIARSINE OXIDE

Bismuth(III) chloride complexation with diphosphine and diarsine oxide ligands: formation and crystal structures of [BiCl<sub>3</sub>(Ph,P(O)CH<sub>2</sub>P(O)Ph<sub>2</sub>)]<sub>2</sub> and [BiCl<sub>3</sub>(As(O)MePh<sub>2</sub>){Ph<sub>2</sub>As(O)CH<sub>2</sub>CH<sub>2</sub>As(O)Ph<sub>2</sub>}]<sub>m</sub> 759 **DIASTEREOISOMERISM** 

Optically active asymmetric bidentate ligands. Crystal and molecular structure of [SP-4-4-(R),(R)]-(-)<sub>589</sub>-{1-[1-(dimethyl-amino)ethyl]naphthyl-(-2,N)[1-(diphenylphosphino)-2-(methylphenylphosphino)ethane-P,P]palladium(II) hexafluorophosphate, 649

DIAZAPHOSPHAALLYL

Synthesis and structure of bis(chemics III)

Synthesis and structure of bis(phosphaallyl) complexes with two-co-ordinate phosphorus, 1951

DIAZENIDE

Mono- and bis-diazenido complexes of rhenium(III) containing bidentate ditertiary phosphine ligands. The crystal and molecular structures of [Re(NNC<sub>6</sub>H<sub>4</sub>Me-4)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>]-2dmf, [Re(NNC<sub>6</sub>H<sub>4</sub>Me-4)<sub>2</sub>(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>] and [ReC(NNC<sub>6</sub>H<sub>4</sub>Me-4)(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>], 1663 Formation of η<sup>2</sup>-aroyl, η<sup>1</sup>-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted

tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related oxidants, 1709

Formation of η²-aroyl, η¹-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related

oxidants, 1709
DIETHANOLAMINE

Potentiometric and spectrophotometric study of the solution equilibria in the nickel(II)—diethanolamine—water system in aqueous sodium perchlorate solutions at 25 °C, 3843

Rapid characterisation of rhodium dihydrides by nuclear magnetic resonance spectroscopy using indirect two-dimensional methods and *para*-hydrogen, 3427 **DIKETONATE**Lipophilic lanthanide complexes: a new class of carriers for

extraction and transport of potassium benzyloxycarbonylamino acidates, 181
New β-diketones with oligoether side-chains and their complexes

with barium and copper. Crystal and molecular structure of bis(1-phenyl-7,10-dioxaundecane-1,3-dionato)copper(II) at 150 K, 269 DIMETHYLPYRIDINE

Synthesis of [Mo(η<sup>6</sup>-NC<sub>3</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)(η<sup>6</sup>-C<sub>8</sub>H<sub>3</sub>Me)]: photoelectron spectra and electronic structure of some transition-metal η<sup>6</sup>-2,6dimethylpyridine complexes, 1873 DIMETHYL SULFOXIDE

Thermodynamic and spectroscopic investigations on the interaction of uranyl(vi) with neutral N- and O-donors in dimethyl sulfoxide, 733

Metal-dinitrogen  $\sigma$ - and  $\pi$ -bonding roles in [Fe(dmpe)<sub>2</sub>H(N<sub>2</sub>)]<sup>+</sup>, [Fe(depe)<sub>2</sub>(N<sub>2</sub>)] and trans-[V(dmpe)<sub>2</sub>(N<sub>2</sub>)<sub>2</sub>]<sup>-</sup> (dmpe = Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>, depe = Et<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>), I Dinitrogen, butadiene and related complexes of molybdenum.

Crystal structures of [Mo(N<sub>2</sub>)(PMe<sub>3</sub>)<sub>5</sub>] and [Mo( $\eta^3$ -CH<sub>3</sub>CH-CHCH<sub>2</sub>)( $\eta^4$ -C<sub>4</sub>H<sub>6</sub>)(PEt<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801

#### DIOXOLENE

Synthesis, crystal structure and electrospray mass spectrometric study of the rhodium(III) dioxolene complex

[Rh{OCC(CO<sub>2</sub>Et)SC(CO<sub>2</sub>Et)CO}(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(PPh<sub>3</sub>)], 3007

Impact of dioxygen and carboxylic acids on the transformation of rhodium(I) to rhodium(II) complexes, 105

Synthesis and reactivity towards dioxygen of some manganese(II) complexes of tertiary amines. Crystal structures of [{MnI<sub>2</sub>(NEt<sub>3</sub>)}<sub>2</sub>], [{MnI<sub>2</sub>(NPr<sub>3</sub>)}<sub>2</sub>] and [NHMe<sub>3</sub>][MnI<sub>3</sub>(NMe<sub>3</sub>)], 701
Direct oxidation of benzene by electron transfer in a multifunctionalized chelate resin system, 979
Synthesis structure and oxygene evolving activity of disputates.

Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825

DIPHOSPHAZANE

Synthesis active series and attractival envision and a

Synthetic, spectroscopic and structural studies on uranium and thorium complexes of diphosphazane dioxides, 2991

DIPHOSPHINE

Metal-dinitrogen σ- and π-bonding roles in  $[Fe(dmpe)_2H(N_2)]^+$ ,  $[Fe(depe)_2(N_2)]$  and trans- $[V(dmpe)_2(N_2)_2]^-$  (dmpe = Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>, depe = Et<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>), 1 Synthesis and structural characterization of the tetraruthenium

cluster complexes  $[Ru_4(\mu-H)_4(CO)_{10}(L-L)]$  (L-L = diphosphine), 419

Optically active asymmetric bidentate ligands. Crystal and molecular structure of [SP-4-4-(R),(R)]-(-)<sub>\$99</sub>-{1-[1-(dimethylamino)ethyl]naphthyl-C²,N}[1-(diphenylphosphino)-2-(methylphenylphosphino)ethane-P,P\*]palladium(II)

hexafluorophosphate, 649
Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>3</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>(WS<sub>4</sub>)]ClO<sub>4</sub>, 753

New mixed-ligand isocyanide diphosphine ruthenium(II) derivatives. Synthesis of a potential metal-containing tetradentate ligand, 1069

ligand, 1069

2,6-Diisopropylphenylimido and diphenylacetylene complexes of tungsten containing the bidentate ligands 4,4'-dimethyl-2,2'-bipyridine and 1,2-bis(diphenylphosphino)ethane, 1147

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Synthesis and properties of the diamino-acetylene complexes trans-[MX(η<sup>2</sup>-MeHNC=CNHMe)-(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]A (X = F, Cl or ClO<sub>4</sub>; A = BF<sub>4</sub>, PF<sub>6</sub>, HCl<sub>2</sub> or ClO<sub>4</sub>) and of their di(aminocarbyne)-type precursors, 1183

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in trans-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH,PPh<sub>2</sub>)<sub>2</sub>] (R = Bu' or Me), 1193

Bidentate ligand transfer reactions between gold(1) complexes, 1255

1235
Mono- and bis-diazenido complexes of rhenium(III) containing bidentate ditertiary phosphine ligands. The crystal and molecular structures of [Re(NNC<sub>6</sub>H<sub>4</sub>Me-4)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>Ph<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>]-2dmf, [Re(NNC<sub>6</sub>H<sub>4</sub>CI-4)<sub>2</sub>(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>] and [ReCl(NNC<sub>6</sub>H<sub>4</sub>Me-4)(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>], 1663

Ligand-centred chemistry of molybdenum organoimides.
Formation of C-C bonds via generation of nitrogen ylides, stereospecific conversion of an allylimide into alkylvinylimides,

stereospecific conversion of an allylimide into alkylvinylimides, liberation of cyanoformate or amino acid esters, 1973 Synthesis, crystal structure and nuclear magnetic resonance spectral study of the (+)-(R,R,R\*,S\*)- and (-)-(S,S,R\*,S\*)- enantiomers of the chiral diphosphine [C<sub>6</sub>H<sub>4</sub>(PPhCH<sub>2</sub>CHO)<sub>2</sub>CMe<sub>2</sub>]-1,2, 2095 Synthesis and electrochemistry of heterobridged gold(I) and gold(II) complexes of pyridine-2-thiolate. Crystal structures of [Au<sub>2</sub>-{μ-CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>]-(μ-C<sub>3</sub>H<sub>4</sub>NS)Br<sub>2</sub>], 2245 Reaction of CH<sub>2</sub>(Ph<sub>2</sub>PSe)<sub>2</sub> with [Ru<sub>3</sub>(CO)<sub>12</sub>]. Crystal structure of [Ru<sub>3</sub>Se<sub>4</sub>(CO)<sub>10</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>3</sub>)], a missing link in the [M<sub>4</sub>E<sub>4</sub>L<sub>12</sub>] cubane series (M = Group 8 metal, E = chalcogenido ligand), 2321

Protonation of trans-[Mo(n2-MeCCH)2(Ph2PCH2CH2PPh2)2]: mechanism of formation of trans-[MoX(CHCHMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (X = Cl or Br) or trans-[MoF(CCH<sub>2</sub>Me)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], 2479

[MoF(CCH<sub>3</sub>Me)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], 2479
Vinylidene complexes of the molybdenum auxiliary
Mo(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>(C<sub>2</sub>H<sub>2</sub>). Structural and spectroscopic
investigations on vinylidene ligand orientation, 2873
Four-membered chelate rings in complexes with 2,2bis(diphenylphosphino)propane. Crystal and molecular structures
of trans-[RuCl<sub>2</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>], [RuCl{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>}(η-C<sub>3</sub>H<sub>3</sub>)]
and [(η-C<sub>3</sub>H<sub>3</sub>)Ru(μ-CO)<sub>2</sub>{μ-Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>}RhCl<sub>2</sub>](Rh-Ru), 2901
Synthesis and structural characterization of platinum(II) bis(chelate)

Synthesis and structural contracted system meso/rac-ph(O)HPCH<sub>2</sub>CH<sub>2</sub>PH(O)Ph, 2975

Synthesis, crystal structures and spectroscopic properties of cis-and trans-[RhC<sub>2</sub>L<sub>2</sub>]\* [L = 1,3-bis(dimethylphosphino)propane or 1,2-bis(dimethylphosphino)ethane (dmpe)]: reinvestigation of the dmpe complexes, 3609

Effect of bulky alkyl substituents on the dynamics and stability of platinum complexes with β-agostic bonding, 3819 DIPHOSPHINE OXIDE

Bismuth(iii) chloride complexation with diphosphine and diarsine oxide ligands: formation and crystal structures of [BiCl<sub>3</sub>{Ph<sub>2</sub>P(O)CH<sub>2</sub>P(O)Ph<sub>2</sub>}]<sub>2</sub> and [BiCl<sub>3</sub>{As(O)MePh<sub>Z</sub>}-{Ph<sub>2</sub>As(O)CH<sub>2</sub>CH<sub>2</sub>As(O)Ph<sub>2</sub>}]<sub>nr</sub> 759

DIPHOSPHITE

Hydridorhodium diphosphite catalysts in the asymmetric hydroformylation of styrene, 409 DISPROPORTIONATION

Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825

DITHIADIPHOSPHETANE

Phosphorus-31 solid-state nuclear magnetic resonance spectroscopy, individual gauge for localized orbitals calculations and crystal structures of dithiadiphosphetanes [RSP(S)S]<sub>2</sub> (R = alkyl or aryl), 1297 DITHIANE

New organolanthanide complexes containing a  $\sigma$ -bonded 1,3-dithiane. Crystal structures of [M(C<sub>3</sub>H<sub>4</sub>Bu<sup>1</sup>)<sub>2</sub>(C<sub>4</sub>H<sub>7</sub>S<sub>2</sub>-1,3)]-LiCl-2thf (M = Lu or Y; thf = tetrahydrofuran), 2679

Step-wise nucleophilic substitution of bis(cyclopentadienyl)tin( $\Pi$ ); synthesis and structural characterisation of [ $\{Sn(\eta^3-C_5H_5)[\mu-G_5H_5]\}$ N=C(NMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>] and [{Sn[S(CH<sub>2</sub>)<sub>3</sub>SC(R)][ $\mu$ -N=C(NMe<sub>2</sub>)<sub>2</sub>]}<sub>2</sub>] (R = H or SiMe<sub>3</sub>), 1587 DITHIOCARBAMATE

Bidentate ligand transfer reactions between gold(1) complexes, 1255 Geometrical preference of ruthenium oxidation states: metal redox and isomerisation of [Ru(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>3,+</sup>, 1543 Photoelectrochemical oxidation of tris(dimethyldithiocarbamato-S,S')cobalt(m), 1917

Synthesis and structural characterisation of dithiocarbamatestabilised dimeric molybdenum(v) imido complexes via oxo substitution reactions with organic isocyanates, 2337

DITHIOCARBONATE

Bidentate ligand transfer reactions between gold(I) complexes, 1255

DITHIOCARBOXYLATE

Syntheses, reactivities and molecular structures of tungsten complexes containing the diphenylphosphinodithioformato ligand, 1305

Mononuclear manganese(III) complexes of a heterodonor (N<sub>2</sub>OS) ligand containing thiolate-type sulfur: synthesis, structure, redox and spectroscopic properties, 2619

DITHIOFORMATE

Syntheses, reactivities and molecular structures of tungsten complexes containing the diphenylphosphinodithioformato

DITHIOLENE

Preparation, properties and crystal structures of new nickel(II) complexes of 1,2-asymmetrically substituted dithiolenes for third-order non-linear optical applications, 587 DITHIOPHOSPHINATE

Protodemetallation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal and molecular structures of  $[TIPh_2\{S_2P(C_6H_{11})_2\}]$ ,  $[TIPh\{S_2P(C_6H_{11})_2\}_3]$  and  $[Ti\{S_2P(C_6H_{11})_2\}_3]$ -CHCl<sub>3</sub>, 1403 DNA

NA Dynamics of tin nuclei in alkyltin(tv)—deoxyribonucleic acid condensates by variable-temperature tin-119 Mössbauer spectroscopy, 467
Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)]— with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497

3-Amino-6,6'-bis(methoxycarbonyl)-2,2'-bipyridine, a model for the central chelation unit of streptonigrin, 951 Ranitidine bismuth(III) citrate, 1395

Carbon-13 nuclear magnetic resonance studies of the redox reactions of aurothiomalates with selenocyanate in aqueous solution, 1483

Histamine H<sub>2</sub> antagonists: powerful ligands for copper(II). Reinterpretation of the famotidine-copper(II) system, 2909 L-Methionine increases the rate of reaction of 5'-guanosine monophosphate with the anticancer drug cisplatin: mixed-ligand adducts and reversible methionine binding, 3721

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Copper(II) bipyridyl and iminopyridyl analogues of streptonigrin, 3905

Aluminium(III)-pyrocatechol violet equilibria: a potentiometric

study, 1799 DYNAMICS

Dynamics of tin nuclei in alkyltin(IV)-deoxyribonucleic acid

**DYNAMICS** (contd)

VNAMICS (contd)
condensates by variable-temperature tin-119 Mössbauer spectroscopy, 467

Dynamics and molecular aggregation in crystalline
[{M(C<sub>3</sub>H<sub>3</sub>)}<sub>3</sub>(μ<sub>3</sub>-η<sup>2</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>6</sub>H<sub>3</sub>R)] [M = C0, R = CH(Ph)Me, CH<sub>2</sub>CH<sub>2</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089

Dynamic nuclear magnetic resonance studies of the η<sup>2</sup>-triphenyl-cyclopropenyl complexes [M(η<sup>3</sup>-C<sub>3</sub>Ph<sub>3</sub>)L]PF<sub>6</sub> [M = Ni, Pd or Pt; L = MeC(CH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>]. Crystal structure of the platinum derivative, 1109 derivative, 1109 Complexes of trimethylplatinum(IV) with butane-2,3-dione

monoxime, 1233

Molecular dynamics of tricarbonyl(pentamethylbenzene)chromium: a <sup>13</sup>C solid-state nuclear magnetic resonance study, 2125 Dynamic nuclear magnetic resonance study of the effects of *cis*-

chelate ligands on 1,2-metallotropic shifts in trimethyl-platinum(iv) complexes of pyridazine, 3165 Effect of bulky alkyl substituents on the dynamics and stability of

platinum complexes with β-agostic bonding, 3819 EHMO CALCULATIONS

EHMO CALCULATIONS

Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>L(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>5</sub>H<sub>3</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SE)]<sup>4</sup> Fe(CO)<sub>4</sub>], 3699

ELECTROCHEMISTRY

Comparative study of the catalytic oxidation of catechols by copper(ii) complexes of tripodal ligands, 31

Azonaphtholate ligands for the nickel(iii) cation: design, synthesis and electrochemical properties, 265

Sono-electrochemistry: the oxidation of bis(cyclopentadienyl)-molyhdenum dichloride, 389

molybdenum dichloride, 389 Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]-

Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]-copper(II) perchlorate dihydrate. Synthesis, structure, spectra and redox behaviour, 455
Synthesis, photophysical and electrochemical properties of luminescent dinuclear copper(I) diimines, 499
Synthesis, crystal structure, electrochemistry and electronic paramagnetic resonance spectroscopy of [M{(PPh<sub>2</sub>CH<sub>2</sub>)<sub>3</sub>CMe}-(o-S<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)][PF<sub>6</sub>], (M = Fe, Co or Rh; n = 0 or I), 531
Aqueous electrochemistry of mono- and bi-nuclear copper(II) complexes with polyaza[n]paracyclophane ligands, 541
Preparation, properties and crystal structures of new nicke(II) complexes of 1,2-asymmetrically substituted dithiolenes for third-order non-linear optical applications, 587
Conventional and cyclometallated complexes of ruthenium(II) with ambidentate terdentate ligands displaying N<sub>3</sub> or N<sub>2</sub>C binding modes, 825

modes, 825

Partially encapsulated copper(1) complexes of mono(o-aryl)-substituted derivatives of 2,2'-bipyridine and 1,10phenanthroline, 835

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Cobalt and nickel complexes of 2,2':6',2":6',2":quaterpyridine as catalysts for electrochemical reduction of carbon dioxide, 1103 Synthetic, structural and electrochemical studies on some doubly

bridged trichalcogen [3.3]ferrocenophanes, 1245
Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing

tridentate ligands, 1259

Manganese complexes of 1,3-bis(3-nitrosalicylideneamino)propan-2ol. Structure and magnetic and electrochemical properties, 1453

of. Structure and magnetic and electrochemical properties, 1455 Geometrical preference of ruthenium oxidation states: metal redox and isomerisation of [Ru(\$\( \)\_2\CNEt\_2\)\_2(PPh\_3)\_2\]^4, 1543

Transition-metal saccharide chemistry and biology: synthesis, characterisation, redox behaviour, biointeraction and data correlations of dinuclear chromium(III) complexes, 1569

correlations of dinuclear chromium(III) complexes, 1569
Synthesis and characterization of phenylimidorhenium(ν)
compounds containing polypyridyl ligands. Crystal structures of
mer-[Re(NPh)Cl<sub>3</sub>(bipy)], trans-[Re(NPh)(OEt)(bipy)<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub>
and trans-[Re(NPh)Cl<sub>2</sub>(terpy)]PF<sub>6</sub> (bipy = 2,2'-bipyridine,
terpy = 2,2':6',2''-terpyridine), 1733
Synthesis, electrochemical and magnetic properties of new acyclic
'side-off' binuclear copper(II) complexes, 1851
Synthesis, structural characterization, electrochemical properties
and polymerization behaviour of the first silicon-bridged
[1.1]ferrocenophane [Fe(η-C<sub>3</sub>H<sub>4</sub>)<sub>2</sub>SiMe<sub>2</sub>]<sub>2</sub>], 1893
Photoelectrochemical oxidation of tris(dimethyldithiocarbamatoS.S'cobalt(III). 1917

S,S')cobalt(III), 1917

S,S') cobalt(III), 1917Structure and properties of copper-(II) and -(I) complexes with 2,6-bis[2-(thiophen-2-ylmethylimino)ethyl]pyridine, 1939Formation and decomposition study of electrochemically-generated nickel(III)-nota complexes in aqueous solution (nota) = 1,4,7-triazacyclononane-<math display="inline">N,N',N''-riacetate), 2041 Synthesis and electrochemistry of heterobridged gold(I) and gold(II) complexes of pyridine-2-thiolate. Crystal structures of [Au\_2-{\mu-(CH\_2)\_2PPh\_2}-{(\mu-C\_3H\_4NS)Br\_2]}, 2245 Mono- and poly-nuclear cryptate complexes of cage-like azamacro-

cyclic compounds: a thermodynamic and electrochemical approach, 2377

approach, 2377

Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)] with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497

Siderophore analogues. Synthesis and chelating properties of a new macrocyclic trishydroxamate ligand, 2565

macrocyclic trishydroxamate ligand, 2565
Mononuclear manganese(III) complexes of a heterodonor (N<sub>2</sub>OS) ligand containing thiolate-type sulfur: synthesis, structure, redox and spectroscopic properties, 2619
Thermodynamic and electrochemical studies of lanthanide and alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689
Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769
Molybdenum(i)mononitrosylcomplexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of

Molydenum(1) mononitrosylcomplexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of complexes with N<sub>6</sub> and N<sub>1</sub> first-co-ordination spheres and the crystal structures of [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>3</sub>H<sub>4</sub>Ph-4)<sub>2</sub>]I and [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>3</sub>H<sub>7</sub>)<sub>2</sub>]BPh<sub>4</sub> (dmpz = 3,5-dimethylpyrazol-1-yl), 3243

Synthesis, electrochemistry and reactivity of formato—and acetato—niobocene complexes, 3409

Synthesis, structure and anion co-ordination chemistry of a novel

macrocyclic cobaltocenium receptor, 3447

Dinuclear ruthenium(II) and/or osmium(II) complexes of a non-symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence

properties and intercomponent energy transfer, 3601
Spectroelectrochemistry and excited-state absorption spectroscopy of rhenium(i) α,α'-diimine complexes, 3677
Macrocyclic Cu<sup>II</sup>, and Cu<sup>II</sup>, 2M<sup>II</sup> complexes. Structure of a heterotrinuclear Cu<sup>II</sup>, 2Zn<sup>II</sup> complex exhibiting a helical twist, 3831
Potentiometric study of the molybdenum(vi)-benzilic acid system.

Structural characterisation and electrochemical properties of [NH<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>{O<sub>2</sub>CC(O)Ph<sub>2</sub>}<sub>2</sub>]-2H<sub>2</sub>O, 3891

Synthesis, structural characterisation and electrochemistry of the tetranuclear compound [{Pd<sub>2</sub>(µ-RNNNR)<sub>2</sub>}<sub>2</sub>(µ-Cl)<sub>4</sub>] (R = C<sub>6</sub>H<sub>4</sub>Me-p): a precursor to triazenido-bridged palladium(II) complexes, 4127

ELECTRON DIFFRACTION

Molecular structure of monomeric uranium tetrachloride determined by gas electron diffraction at 900 K, gas-phase infrared spectroscopy and quantum-chemical density-functional calculations, 185

Determination by electron diffraction of the molecular structures of chloro- and bromo-tris(trimethylsilyl)methane in the gas

phase, 349

phase, 349
Determination by electron diffraction of the molecular structure of bromotris(methoxydimethylsilyl)methane in the gas phase, 975
Molecular structure of 1-(dichloroboryl)pentaborane(9), in the gas phase as determined by electron diffraction and supported by theoretical calculations, 2193

**ELECTRONIC** 

Design of luminescent building blocks for supramolecular triple-helical lanthanide complexes, 83 Discrete variational  $X\alpha$  studies of the electronic structure of

amayadin, 191

Ligand fields in planar platinum(II) complexes, 197
Preparation, crystal structure and single-crystal polarized spectra of bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diiminopyrrolizinido)-

Facial co-ordination in bis[Dis(benzimidazol-2-ylmethyl)amine]copper(II) perchlorate dihydrate. Synthesis, structure, spectra
and redox behaviour, 455

and redox behaviour, 455

Synthesis, photophysical and electrochemical properties of luminescent dinuclear copper(t) diimines, 499

Preparation, properties and crystal structures of new nickel(II) complexes of 1,2-asymmetrically substituted dithiolenes for third-order non-linear optical applications, 587

Extended X-ray absorption fine structure, crystal structures at 295 and 173 K, and electron paramagnetic resonance and electronic spectra of bis[tris(2-pyridy)] methane[copper(II) dinitrate, 595

Luminescent nitridometal complexes. Photophysical and photochemical properties of the 3[(d<sub>3y</sub>)/(d<sub>n</sub>-)<sup>1</sup>] excited state of nitridoosmium(vI) complexes with polypyridine ligands, 657

Steady-state fluorescence emission studies on polyazacyclophane macrocyclic receptors and on their adducts with hexacyanocobaltate(III), 993

hexacyanocobaltate(III), 993 Complexes of human lactoferrin with vanadium in oxidation states +3, +4 and +5, 1121

Analogues of the iron-binding site in catechol 1,2-dioxygenase:

iron(III) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259 Synthesis of [Mo(η<sup>6</sup>-NC<sub>5</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)(η<sup>6</sup>-C<sub>6</sub>H<sub>3</sub>Me)]: photoelectron spectra and electronic structure of some transition-metal η<sup>6</sup>-2,6-dimethylpyridine complexes, 1873

Tris{bis[imino(methoxy)methyl]aminato}cobalt(III): an electronic analogue of tris(β-diketonates), 1921

ELECTRONIC (contd)

Photolysis of the [Fe(CN)<sub>5</sub>(NO)]<sup>2-</sup> ion in water and poly(vinyl alcohol) films: evidence for cyano radical, cyanide ion and nitric oxide loss and redox pathways, 2013 Mononuclear manganese(III) complexes of a heterodonor (N<sub>2</sub>OS)

ligand containing thiolate-type sulfur: synthesis, structure, redox and spectroscopic properties, 2619

Lanthanide picrate complexes and picric acid adduct of a calix[4] arene diamide. Syntheses and structures of  $[Tm(LH_2)A]$ ,  $[Ce(LH_2)(MeOH)_2A]$ ·HA,  $[PrLA_3]$  and L·2HA  $\{L = 5,11,17,23$ -tetra-tert-butyl-25,27-bis(diethylcarbamoylmethoxy)-26,28-dihydroxycalix[4]arene, HA = picric acid}, 3455 Dinuclear ruthenium(II) and/or osmium(II) complexes of a non-

symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence properties and intercomponent energy transfer, 3601 Spectroelectrochemistry and excited-state absorption spectroscopy

of rhenium(1) α,α'-diimine complexes, 3677 ELECTRONIC STRUCTURE

The electronic structure of the carbonyl dihalides, COF<sub>2</sub>, COCl<sub>2</sub>, COBr<sub>2</sub>, COClF, COBrF and COBrCl: a combined computational

and experimental study, 2359

ELECTRON TRANSFER

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31

Kinetic evidence for the redox cycling of manganese(II,III) in the presence of "ON(NO)SO<sub>3</sub>" in aqueous media, 293
Sono-electrochemistry: the oxidation of bis(cyclopentadienyl)-

molybdenum dichloride, 389 Facial co-ordination in bis[bis(benzimidazol-2-ylmethyl)amine]copper(II) perchlorate dihydrate. Synthesis, structure, spectra and redox behaviour, 455
Chromium(III)-catalysed oxidation of antimony(III) by alkaline

hexacyanoferrate(III) and analysis of chromium(III) in

microamounts by a kinetic method, 483 Solution equilibria and redox reactivities of a dioxo-bridged

manganese complex, 621
Lewis-acid catalysed oxidation of alkanes by chromate and permanganate, 695

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897
Direct oxidation of benzene by electron transfer in a multi-

functionalized chelate resin system, 979
The reaction of cobalt(III) β-ketoenolates with trifluoroacetic acid,

Kinetic studies on the reduction of nickel(IV) and nickel(III) oxime-imine complexes by ascorbic acid, 1083 Cobalt and nickel complexes of 2,2'.6',2".6",2"-quaterpyridine as catalysts for electrochemical reduction of carbon dioxide, 1103 Complexes of human lactoferrin with vanadium in oxidation states

+3, +4 and +5, 1121
Kinetics of oxidation of azide ion by bis(dihydrogentellurato)cuprate(III) and -argentate(III) in alkaline media, 1227

Synthetic, structural and electrochemical studies on some doubly bridged trichalcogen [3.3]ferrocenophanes, 1245
Analogues of the iron-binding site in catechol 1,2-dioxygenase:

rion(iii) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259

Chemistry of [RuL<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup> (HL = 8-hydroxyquinoline): synthesis, structure, metal redox behaviour and isomer selectivity, 1417

Carbon-13 nuclear magnetic resonance studies of the redox reactions of aurothiomalates with selenocyanate in aqueous solution, 1483

Geometrical preference of ruthenium oxidation states: metal redox and isomerisation of [Ru(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup>, 1543 Transition-metal saccharide chemistry and biology: synthesis, characterisation, redox behaviour, biointeraction and data correlations of dinuclear chromium(III) complexes, 1569

Formation of η²-aroyl, η¹-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and

-tungstate anions with arenediazonium cations and related oxidants, 1709 Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and alcohols, 1833

Photoelectrochemical oxidation of tris(dimethyldithiocarbamato-

S,S')cobalt(III), 1917
Formation and decomposition study of electrochemically-generated

nickel(III)-nota complexes in aqueous solution (nota) = triazacyclononane-N,N',N''-triacetate), 2041

Electron-transfer reactions and the self-exchange rate of the

perruthenate(vii)-ruthenate(vi) couple, 2221

Mechanism of the oxidation of DL-penicillamine and glutathione by chromium(vi) in aqueous solution, 2267

Kinetics of reduction of hexakis(acetamide)- and hexakis(dimethylacetamide)-iron(III) by tris(3,4,5,6,7,8-

hexamethyl-1,10-phenanthroline)iron(II) in acetonitrile, 2473 Siderophore analogues. Synthesis and chelating properties of a new macrocyclic trishydroxamate ligand, 2565

Mononuclear manganese(III) complexes of a heterodonor (N<sub>2</sub>OS) ligand containing thiolate-type sulfur: synthesis, structure, redox and spectroscopic properties, 2619

Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769

Kinetics and mechanism of the oxidation of thiosulfate ion by

hexachloroiridate(iv), 3109 The crystal structures of  $[NMe_4]_2[(PhPO_3)\{MoO(O_2)_2\}_2-\{MoO(O_2)_2(H_2O)\}]$  and  $[NBu^n_4]_2[W_iO_6(O_2)_6(OH)_2(H_2O)_2]$ 

and their use as catalytic oxidants, 3131 Mechanistic studies on the cis- $[VO_2(H_2O)_4]^+$  and  $[Mo(CN)_4]^{3-}$  oxidations of the  $Re^{IV}_2$  complex  $[(C_2O_4)_2Re(\mu-O)_2Re(C_2O_4)_2]^{4-}$ ,

Reactions of peroxy acids with deuteroferrihaem, 3323 Type I blue copper protein amicyanin from *Thiobacillus versutus*: line-broadening effects of chromium(III) complexes and related

studies, 3395 Kinetics of oxidation of antimony(III) by vanadium(v) in aqueous hydrochloric acid media, 3623

Spectroelectrochemistry and excited-state absorption spectroscopy of rhenium(I) α,α'-diimine complexes, 3677 Inhibitory effect of chloroquine on the peroxidase activity of

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Outer-sphere redox reactions of [Co<sup>III</sup>{N<sub>5</sub>}(H<sub>n</sub>PO<sub>4</sub>)]<sup>n+</sup> [{N<sub>5</sub>} = (NH<sub>3</sub>)<sub>5</sub>, (NH<sub>2</sub>Me)<sub>5</sub> or 10-amino-10-methyl-1,4,8,12-tetraazacyclopentadecane] complexes. A temperature- and pressure-dependence kinetic study on the effects of the different {N<sub>5</sub>} groups, 4107

ENANTIOSELECTIVITY

Puthenium(1) complexes with the attendence is diskerables.

Ruthenium(II) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6'-dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49

Inorganic reaction mechanisms: the bioinorganic-organometallic interface, 503

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach, 1177
Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing

tridentate ligands, 1259
Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+</sup> core by a tridentate thiolate and chemical analogues of the molybdenum co-ordination environment in the

iron-molybdenum cofactor of nitrogenase, 1965 Heteroleptic tripodal complexes of copper(II): towards a synthetic model for the active site in galactose oxidase, 2323

μ-Pyrazolato-μ-carboxylato- and di(μ-pyrazolato)-dimanganese(II) complexes: synthesis, characterization and catalase-like function, 3635

**EPOXIDATION** 

Structure and mechanism in aerobic alkene epoxidations promoted by ruthenium complexes of bis(dihydrooxazole) ligands, 367
Alkene epoxidation catalysed by camphor-derived β-ketophosphonate complexes of molybdenum(v1), 1221
Oxo complexes of ruthenium with N.N'-donors as oxidation catalysts
for alkenes, alkanes and alcohols, and their osmium analogues,

3537

Azonaphtholate ligands for the nickel(III) cation: design, synthesis

Azonaphtholate ligands for the nickel(III) cation: design, synthesis and electrochemical properties, 265
Oxovanadium(IV) complexation by adenosine 5'-di- and -tri- phosphate and nucleotide building blocks, 425
Synthesis, crystal structure, electrochemistry and electronic paramagnetic resonance spectroscopy of [M{(PPh<sub>2</sub>CH<sub>2</sub>)<sub>3</sub>CMe}-(o-S<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)][PF<sub>6</sub>]<sub>n</sub> (M = Fe, Co or Rh; n = 0 or 1), 531
Extended X-ray absorption fine structure, crystal structures at 295 and 173 K, and electron paramagnetic resonance and electronic spectra of bis[tris(2-pyridy)]methane[copper(II) dinitrate, 595
One-step template synthesis and solution structures of bis(macrocyclic) octaamine dicopper(II) complexes, 3269
Crystal structures and electron paramagnetic resonance spectra of

Crystal structures and electron paramagnetic resonance spectra of  $[Cu\{P(C_3H_4N)_3\}_2]Br_2 \approx H_2O$  and  $Cu^{2+}$ -doped  $[Zn\{P(C_3H_4N)_3\}_2]$ -Br<sub>2</sub>·8H<sub>2</sub>O, examples of a dynamic Jahn–Teller effect in two dimensions, 3809

Electron paramagnetic resonance spectroscopic characterization of {2,2-bis(hdyroxymethyl)-2-[bis(2-hydroxyethyl)amino]-ethanolato}oxochromate(v), 4129

Co-ordination of nitriles to [Fe(CN)<sub>5</sub>(OH<sub>2</sub>)]<sup>3-</sup> and use of the acetonitrile complex for the determination of equilibrium

Co-ordination of amines to [Fe(CN)<sub>5</sub>(OH<sub>2</sub>)]<sup>3-</sup>, 3651

The reaction of cobalt(III) β-ketoenolates with trifluoroacetic acid, Electron spin resonance study of the binding structures of cationic

water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325

Synthesis and characterization of new di- and tetra-meric vanadium intermediates of olefin polymerization catalysts. Crystal structures of [V<sub>2</sub>(µ-Cl)<sub>2</sub>Cl<sub>4</sub>(MeCO<sub>2</sub>Et)<sub>4</sub>] and [{VOCl<sub>2</sub>[CH<sub>2</sub>(CO<sub>2</sub>Et)<sub>2</sub>]}<sub>4</sub>]-2CH<sub>2</sub>Cl<sub>2</sub>, 1727

Controlled design of oligomeric ethers with pendant cyclopentadienyliron moieties, 3375

Homoleptic silver(1) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear magnetic resonance studies, 3439

Chelating ether-phosphine complexes of the cobalt group metals.

Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]bis(trifluoromethanesulfonato)cobalt(II) and -trichlororhodium(III), 3551 ETHYNEDIYL

Lithioalkynyl iron(II) or ruthenium(II) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging ethynediyl system, 1901

Extended X-ray absorption fine structure, crystal structures at 295 and 173 K, and electron paramagnetic resonance and electronic spectra of bis[tris(2-pyridyl)methane]copper(II) dinitrate, 595 Determination of the local environment of the metals in [Cr<sup>III</sup><sub>2</sub>Co<sup>II</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>]-py (py = pyridine) by chromium and cobalt K-edge extended X-ray absorption fine structure. Geometric and charge-polarisation influences on Cr-O-Cr superexchange, 2515

An extended X-ray absorption fine structure (FXAFS) study of

An extended X-ray absorption fine structure (EXAFS) study of mixed molybdenum-tungsten M<sub>3</sub> clusters in Zn<sub>2</sub>Mo<sub>3-x</sub>W<sub>x</sub>O<sub>8</sub>

= 1, 1.5 or 2), 2555

Synthesis and characterisation of iridium carbonyl fluorides, 2945
Structural characterisation of solution species implicated in the
rhodium-catalysed carbonylation of methanol by Rh K-edge

X-ray absorption spectroscopy, 3089

Synthesis, spectroscopic and structural characterisation of periodate complexes of iron(III), 3367

complexes of fron(iii), 3507

Pentafluorophenylphosphine complexes of rhodium(i): extended X-ray absorption fine structure studies of  $\{\{Rh\{PPh_{\lambda}(C_{6}F_{5})_{3}, ...\}_{2}-(\mu-Cl)\}_{n}\}$  (x = 0-2) and  $\{\{Rh\{\{(C_{6}F_{5})_{2}PCH_{2}CH_{2}P(C_{6}F_{5})_{2}\}\}\}$  (C<sub>4</sub>H<sub>3</sub>O and  $\{(C_{6}F_{5})_{2}PCH_{2}CH_{2}P(C_{6}F_{5})_{2}\}\}$ ).

C<sub>4</sub>H<sub>3</sub>O and  $\{(C_{6}F_{5})_{2}PCH_{2}CH_{2}P(C_{6}F_{5})_{2}\}$  (24)

**EXCHANGE** Kinetics and mechanism of ligand exchange in tetrakis-(acetylacetonato)zirconium(IV) in organic solvents, 1077

Exchange of organoimido groups at a mononuclear titanium centre and a crystallographic evaluation of the relative structural influences of the NBut, NC6H4Me-4 and NC6H4NO2-4 ligands,

Excited-state properties of [(OC)<sub>5</sub>W(L)W(CO)<sub>5</sub>] [L = 4,4'-bipyridyl (4,4'-bipy) or pyrazine] and [(OC)<sub>5</sub>W(4,4'-bipy)], 2711 EXTENDED HUCKEL

Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>12</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287 Molecular structure and crystal structure generation for [Fe<sub>3</sub>(CO)<sub>12</sub>], 3297 EXTRACTION

Lipophilic lanthanide complexes: a new class of carriers for extraction and transport of potassium benzyloxycarbonylamino acidates, 181 FAMOTIDINE

Histamine H<sub>2</sub> antagonists: powerful ligands for copper(II). Reinterpretation of the famotidine-copper(II) system, 2909 FERRIOXAMINE

Stereochemical factors affecting second-sphere co-ordination of ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503

FERROCENE
Iron-57 Mössbauer spectroscopic and X-ray diffraction studies on the mixed-valence state of binuclear ferrocene derivatives with

long alkyl substituents, 513
The electronic polarizability distribution of several substituted ferrocenes and di(n°-benzene)chromium, 1469

Synthesis of silver(i) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Ag(dppf)(PPh<sub>3</sub>)]ClO<sub>4</sub>·
2CH<sub>2</sub>Cl<sub>2</sub>. [Ag(dppf)<sub>2</sub>]ClO<sub>4</sub>·2CHCl<sub>3</sub> and [Ag(dppf)(phen)]ClO<sub>4</sub>
(phen = 1,10-phenanthroline), 1473
Alkyne insertions into the σ-Pd-C(sp<sup>2</sup>, ferrocene) bond of cyclopalladated complexes containing Schiff bases derived from ferro-

cene. Crystal structures of [Pd{[(EtC=CEt)<sub>2</sub>(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph)]Fe(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>){Cl] (R = H or Me), 1839 1,1'-Bis(diphenylthiophosphoryl)ferrocene as a trans-chelating ligand in gold(1) and silver(1) complexes, 3563

**FERROCENOPHANE** 

Synthetic, structural and electrochemical studies on some doubly

bridged trichalcogen [3.3] ferrocenophanes, 1245
Synthesis, structural characterization, electrochemical properties
and polymerization behaviour of the first silicon-bridged [1.1] ferrocenophane [{Fe( $\eta$ -C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>SiMe<sub>2</sub>}<sub>2</sub>], 1893

FERROCENYL
Non-linear and potential non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres. Stilbene derivatives containing ferrocenyl, methoxy or dimethylamino donor groups, 673

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Metallosupramolecular cluster assemblies based on donor-acceptor type structural frameworks. Syntheses, crystal structures and spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors, 1379 Activation of σ(C-H) bonds in ferrocenyl- and bis(ferrocenyl-imines promoted by palladium, 2445 Redox-responsive bi- and tri-nuclear iron/molybdenum complexes

Redox-responsive bi- and tri-nuclear iron/molyodenium complexe incorporating the ferrocenyl unit as a redox spectator, 2769 Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocene-functionalized helicand 4',4""-di(ferrocenyl)-2,2':6',2":6",2"':6",2"':6",2"':-6",2"''-sexipyridine, 3253 Palladium(ii)-induced preferential activation of the σ[C<sub>sp</sub><sup>2</sup>(phenyl)-CI] bond versus σ[C<sub>sp</sub><sup>2</sup>(ferrocene)-H]. Crystal structure of [Fe(η³-C<sub>5</sub>H<sub>3</sub>){η²-C<sub>5</sub>H<sub>4</sub>CH<sub>2</sub>N=CH(C<sub>6</sub>H<sub>3</sub>Cl<sub>2</sub>-2,6)}], 4053

FLUORESCENCE

Steady-state fluorescence emission studies on polyazacyclophane macrocyclic receptors and on their adducts with hexacyanocobaltate(III), 993

Low-temperature structures and Raman spectra of crystalline modifications of selenium difluoride dioxide, 689

Ruthenium and osmium acyl fluoride complexes. Crystal structure

of [OC-6-13][RuF<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]•CD<sub>2</sub>Cl<sub>2</sub>, 1073 Mechanistic studies on the substitution reactions between aquatetracyanooxotungstate(IV) and HCN-CN and F aquaterracyanoxotomistate(V) and Fig. 1. and F<sub>1</sub>, 1201 Synthesis and characterisation of iridium carbonyl fluorides, 2945 Structure of Ba<sub>3</sub>In<sub>2</sub>O<sub>5</sub>F<sub>2</sub> by combined powder X-ray and neutron

diffraction analysis; oxide/fluoride ordering in a Ruddlesden-Popper phase, 3015

FLUOROACYL

Ruthenium and osmium acyl fluoride complexes. Crystal structure of [OC-6-13][RuF<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]-CD<sub>2</sub>Cl<sub>2</sub>, 1073
FLUXIONALITY

Eight-vertex polyhedral monocarbaborane chemistry. Three *closo* anions, [CB<sub>7</sub>H<sub>8</sub>]<sup>-</sup>, [CB<sub>7</sub>H<sub>7</sub>I]<sup>-</sup> and [CB<sub>7</sub>H<sub>6</sub>I<sub>2</sub>]<sup>-</sup>. Preparation and structural studies, 431

Synthesis, spectroscopic characterization and dynamic behaviour of niobium complexes with poly(pyrazol-1-yl)methane ligands,

Dynamic nuclear magnetic resonance studies of the  $\eta^3$ -triphenyl-cyclopropenyl complexes  $[M(\eta^3-C_3Ph_3)L]PF_6[M=Ni,Pd or Pt; L=MeC(CH_2PPh_2)_3]$ . Crystal structure of the platinum derivative, 1109

Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]-bis(trifluoromethanesulfonato)cobalt(II) and -trichlororhodium(III), 3551

GALLIUM

The structure of solutions of gallium(i) chloride in benzene, 245 Spectroscopic investigation of concentrated solutions of gallium(ii)

chloride in mesitylene and benzene, 255 Complexes of Ga<sup>3+</sup> and In<sup>3+</sup> with the N,N"-bis(butylamide) derivative of diethylenetriaminepentaacetic acid: stability constants and nuclear magnetic resonance studies in aqueous solution, 327

Role of the NH<sub>3</sub><sup>+</sup> moiety in iron(III)-, aluminium(III)- and gallium(III)-aminohydroxamate interactions, 477

Complexation of aluminium(III), gallium(III) and indium(III) ions

with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study, 799 Complexation of aluminium(III), gallium(III) and indium(III) ions

with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799), 1393

Lipophilic hexadentate gallium, indium and iron complexes of new phenolate-derivatized cyclohexanetriamines as potential in vivo metal-transfer reagents, 1677

Hydrothermal synthesis and crystal structure of the microporous gallophosphate [NH<sub>4</sub>]<sub>4</sub>[Ga<sub>8</sub>P<sub>8</sub>O<sub>32</sub>(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>]-4H<sub>2</sub>O-0.64PrOH with an octahedral-tetrahedral framework, 2147

**GALLIUM-71** 

The structure of solutions of gallium(1) chloride in beazene, 245
Spectroscopic investigation of concentrated solutions of gallium(#1)
chloride in mesitylene and benzene, 255

### **GERMANIUM**

The gold–germanium bond in co-ordination compounds of the type  $(Ph_3P)_n$ AuGeCl<sub>3</sub> with n = 1, 2 or 3, 2919

Synthesis and structures of bis [bis(trimethylsily)]amido]tin(tv) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)}<sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>3</sub>Si)<sub>2</sub>N}<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179

GLUTATHIONE

Potentiometric and spectroscopic study of ternary complexes of copper(II), 1,10-phenanthroline and oxidised glutathione, 1267

Synthesis of [Au(NH<sub>3</sub>)<sub>2</sub>]<sup>+</sup> salts and the crystal structure of [Au(NH<sub>3</sub>)<sub>2</sub>]Br, 319
Alkynyl gold(1) complexes. The first family of ethynyl gold(1)

Alkynyl gold(i) complexes. The first family of ethynyl gold(i) complexes, 497
Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B]<sup>-</sup> (M = Rh or Ir) and gold(i) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>3</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B], trans-[Rh<sub>3</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ<sub>3</sub>-AuP(C<sub>6</sub>H<sub>1</sub>,)<sub>3</sub>}] and cis-[Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ-AuP(C<sub>6</sub>H<sub>1</sub>,)<sub>3</sub>}], 549
Primary amines as nucleation centres for gold clustering, and the structural chemistry of polygold ammonium cations, 559
Synthesis of complexes [Au(PPh<sub>3</sub>)L]<sup>+</sup> (L = primary, secondary or tertiary amine). Crystal structure of [Au(PPh<sub>3</sub>)(NMe<sub>3</sub>)][ClO<sub>4</sub>]-CH<sub>2</sub>CI, 1251

Bidentate ligand transfer reactions between gold(t) complexes, 1255 Syntheses, characterisation and crystal structures of metal complexes of a novel 1,2-dithiolate ligand, 6,7-dihydro-6-methylene-5*H*-1,4-dithiepine-2,3-dithiol, 1285
Structural, far-infrared and <sup>31</sup>P nuclear magnetic resonance studies

of two-co-ordinate complexes of tris(2,4,6-trimethoxyphenyl)-phosphine with gold(i) halides, 1341 Carbon-13 nuclear magnetic resonance studies of the redox reactions

of aurothiomalates with selenocyanate in aqueous solution, 1483 Lithioalkynyl iron(II) or ruthenium(II) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging ethynediyl system, 1901 Preparation and characterization of the first isothiazolyl and

isothiazolinylidene complexes of gold(1), 2067

Synthesis of new heterodinuclear aminocarbyne complexes: crystal structures of [AuW{μ-CN(Et)Me}(C<sub>6</sub>F<sub>6</sub>)(CO)<sub>2</sub>(η-C<sub>5</sub>H<sub>5</sub>)] and [{CuW{μ-CN(Et)Me}(CO)<sub>2</sub>(η-C<sub>5</sub>H<sub>3</sub>)}<sub>3</sub>, 2087

Synthesis and electrochemistry of heterobridged gold(t) and gold(t) complexes of pyridine-2-thiolate. Crystal structures of [Au<sub>2</sub>-(μ.(CH)) PDB (μ.(CH)) PDB (μ.(CH)

(μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>[μ-(CH<sub>2</sub>)<sub>3</sub>Ph<sub>2</sub>]<sub>4</sub> (μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>]<sub>5</sub> (μ-(C<sub>1</sub>)<sub>2</sub>Ph<sub>2</sub>)<sub>5</sub> (μ-(C<sub>1</sub>)<sub>4</sub>NS)Br<sub>2</sub>], 2245

Synthesis and crystal structure of {[Au<sub>2</sub>(dien)<sub>2</sub>]<sup>2+</sup>}<sub>n</sub> (dien = diethylenetriamine), an infinite linear polymer based on weak gold–gold contacts, 2575

gold–gold contacts, 2575

Unexpected gold-containing boride clusters formed from the reactions of [RhRu,H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>BH]— with gold(t) phosphine derivatives: crystal structures of [RhRu,H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)},(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> and [RhRu,H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)},(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639

Chemical behaviour of the mixed-metal carbonyl clusters [Fe<sub>2</sub>Rh-(CO)<sub>10</sub>]— and [Fe<sub>2</sub>Rh<sub>2</sub>(CO)<sub>12</sub>]<sup>2</sup>- Crystal structures of [Fe<sub>2</sub>Rh-(CO)<sub>10</sub>]— and [Fe<sub>3</sub>Rh<sub>2</sub>(CO)<sub>12</sub>]<sup>2</sup>- Crystal structures of [Fe<sub>2</sub>Rh-(CO)<sub>16</sub>(PPh<sub>3</sub>)]— and [Fe<sub>3</sub>Rh<sub>2</sub>(µ-CO)<sub>3</sub>(CO)<sub>9</sub>(µ<sub>3</sub>-Au(PPh<sub>3</sub>)]]-, 2763

Synthesis and characterization of gold(in) adducts and cyclometallated derivatives with 2-substituted pyridines. Crystal structure of [Au{NC<sub>3</sub>H<sub>4</sub>(CMe<sub>2</sub>C<sub>2</sub>H<sub>4</sub>)-2]Cl<sub>2</sub>], 2865

The gold–germanium bond in co-ordination compounds of the type (Ph<sub>3</sub>P)<sub>n</sub>AuGeCl<sub>3</sub> with n = 1, 2 or 3, 2919

Copper(l), silver(i) and gold(i) complexes with the hybrid ligand

Copper(I), silver(i) and gold(i) complexes with the hybrid ligand I-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the crystal structure of [Au(ppye-P)<sub>2</sub>]PF<sub>6</sub>, 3343

1,1'-Bis(diphenylthiophosphoryl)ferrocene as a trans-chelating

i,i - Diskupnenythiophosphoryl)lerrocene as a trans-chelating ligand in gold(i) and silver(i) complexes, 3563

Reactions of carbonylchlorogold(i) with thiolates and thiols. Crystal and molecular structures of [NaL(H<sub>2</sub>O)][(AuCl<sub>2</sub>SBu'], [NaL]<sub>4</sub>[AuCl<sub>2</sub>]<sub>2</sub>[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] and [NaL]<sub>2</sub>-[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] (L = 1,4,7,10,13-pentaoxacyclopentadecane), 3917

GUANIDINE

Big(i)<sub>2</sub>-compromosition big(i)

Bis(μ-2-cyanoguanidine)-bis[(2-cyanoguanidine)copper(1)], a planar dimeric cation containing co-ordinatively unsaturated copper(1),

Step-wise nucleophilic substitution of bis(cyclopentadienyl)tin( $\pi$ ); synthesis and structural characterisation of  $[Sn(\eta^3-C_5H_5)]\mu$ -N=C(NMe<sub>2</sub>)<sub>2</sub>] $_{2}$ ] and [{Sn[S(CH<sub>2</sub>)<sub>3</sub>SC(R)][ $\mu$ -N=C(NMe<sub>2</sub>)<sub>2</sub>]}<sub>2</sub>] (R = H or SiMe<sub>3</sub>), 1587 GUANINE

Unusual hydrogen bonding patterns of N<sup>7</sup> metallated, N<sup>1</sup> deprotonated guanine nucleobases: acidity constants of cis[Pt(NH<sub>3</sub>)<sub>2</sub>(Hegua)<sub>2</sub>]<sup>2+</sup> and crystal structures of cis[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]<sup>4</sup>H<sub>2</sub>O and cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-Hegua-7H<sub>2</sub>O
[Hegua - Q-ethylugaica) - 2767 = 9-ethylguanine), 3767

# HAEMOPROTEIN

Determination of active-site conformations in paramagnetic myoglobin from analyses of cross-relaxation and hyperfine shifts, 3281

Synthesis and structures of cyclopentadienyl fluoro and chloro complexes of a triad (Ti, Zr, Hf) containing acyclic and cyclic siloxane building blocks, 2453

HALIDE

Copper-63 nuclear quadrupole resonance frequencies and molecular geometries of three-co-ordinate complexes of copper(t) halides with N-alkylimidazolidinethione and thiazolidinethione ligands,

Crystal structures of salts of transition-metal halide clusters, 287 Determination by electron diffraction of the molecular structures of chloro- and bromo-tris(trimethylsilyl)methane in the gas phase, 349

Reaction of tin metal powder with triorganophosphorus dihalides: isolation and spectroscopic characterisation of  $[PR_3X][SnX_3]$  and cis- and trans-Sn $(PR_3)_2X_4$  (X = Br or I; R<sub>3</sub> = Ph<sub>3</sub>, Ph<sub>2</sub>Me or PhMe<sub>2</sub>), 1593

Synthesis and nuclear magnetic resonance studies of halogeno and hydrido tris(pyrazoi-1-yl)borato ruthenium(ii) complexes, 1629 Diphenylantimony(v) oxide halides and thiocyanate; the crystal structures of dimeric diphenylantimony(v) bromide oxide, and

tetrameric diphenylantimony(v) oxide fluoride and thiocyanate, The electronic structure of the carbonyl dihalides, COF2, COCl2,

COBr<sub>2</sub>, COCIF, COBrF and COBrCl: a combined computational and experimental study, 2359
Single-crystal and high-resolution X-ray diffraction studies and

Single-crystal and nigh-resolution X-ray diffraction studies and Raman spectrum of a phosphorus(v) chloride complex containing a single bromide ion, P<sub>3</sub>Cl<sub>14</sub>Br, 2719

High-temperature Mössbauer studies on <sup>119</sup>Sn-enriched caesium tin(ii) chlorides and bromides, 2723

Structural investigations of the organoantimony(v) halides Ph<sub>4</sub>SbX and Ph<sub>3</sub>SbX<sub>2</sub> (X = Cl, Br or I) in the solid state and in solution, 2895

Structural and vibrational spectroscopic studies of complexes of

trimethylphosphine with copper(t) and silver(t) halides, 3063

Synthesis and crystal structure of an encapsulated fragment of MoO<sub>2</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>8</sub>O<sub>8</sub>Cl<sub>6</sub>-(µ<sub>2</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(µ-OE)<sub>4</sub>(MOEI)<sub>4</sub>] and its relevance to the sol–gel synthesis of molybdenum oxides, 3263

Synthesis, spectroscopic properties and crystal structures of [ML<sub>2</sub>Cl<sub>2</sub>] [M = Th or U; L =  $\eta$ -C<sub>3</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] and [UL<sub>2</sub>X<sub>2</sub>] (X = Br, I or BH<sub>4</sub>), 3335

(X = Bt, 1 or BH<sub>2</sub>), 3353 Hydrogen bonding in imidazolium salts and its implications for ambient-temperature halogenoaluminate(III) ionic liquids, 3467 A facile, high-yield synthesis of [Pt<sub>2</sub>(PR<sub>3</sub>)<sub>2</sub>(μ-Cl<sub>2</sub>Cl<sub>2</sub>], 3473 Ligand-field stabilization energies of the first-row transition-metal dihalides and their bearing on the Irving-Williams rule, 3483

Synthesis and structural characterisation of  $R_3AsX_2$  compounds ( $R = Me, Ph, p-FC_6H_4$  or  $p-MeOC_6H_4$ ,  $X_2 = Br_2$ ,  $I_2$  or IBr); dependency of structure on R, X and the solvent of preparation, 3873

Co-ordination chemistry of iodine(i) with tetraazamacrocycles or monodentate ligands. Comparisons with bromine(i) and with some d-block metals, 3837 Cyclooctadienyl complexes of molybdenum: synthesis and η<sup>5</sup> – η<sup>3</sup> hapticity interconversion, 2915 **HELICAND** 

Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocene-functionalized helicand 4',4"-di(ferrocenyl)-2,2':6',2':6',2":6",2"':e",2"'-sexipyridine, 3253

HETEROCYCLIC LIGAND

Complexation of thorium(rv) with 2-thenoic and 2-furoic acids in aqueous solution at low pH, 2697

HETEROPOLYANION

Self-assembly of polyoxometalate conjugates: novel models for catalytic surfaces from crystal data, 145

Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and alcohols, 1833

Molybdotungstovanadates [V2MonW(4-n)O19]4-, 2891

Histamine H<sub>2</sub> antagonists: powerful ligands for copper(II).

Reinterpretation of the famotidine-copper(II) system, 2909

Potentiometric and spectroscopic study of equilibria in the aqueous ternary system copper L-histidine-HA (HA = aminomethaneor 2-aminobenzene-sulfonic acid), 129

HYBRIDISATION

Solution and solid-state nuclear magnetic resonance studies on interstitial atoms within transition-metal carbonyl clusters, 1985 HYDRAZIDE

Phosphorus hydrazides as building blocks for potential photoaffinity labels. Synthesis and co-ordination chemistry of perfluoroaryl azide conjugates of phenylphosphonothioic dihydrazide, 565
Rhenium complex of a triply deprotonated chelated thiosemicarbazide
and its conversion to a nitride complex via a hydrazide intermediate.

Crystal structure of [ReCl<sub>2</sub>(NH)(NHNH<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>], 1357

HYDRAZINE

Is hydrazoic acid an intermediate in the destruction of hydrazine by excess nitrous acid?, 3103

HYDŘAZOIC ACID

Is hydrazoic acid an intermediate in the destruction of hydrazine by excess nitrous acid?, 3103

Complexes of the bidentate ligands Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu<sup>t</sup>)=NNR<sub>2</sub> (R = Me or H) with rhodium and iridium, 633

HYDRIDE

(R = Me or Pr', R' = Me or Et) and their reactions with nitrogen donors. Crystal structures of [MoH(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)<sub>3</sub>(PR'Ph<sub>2</sub>)] (R = Me or Pr', R' = Me or Et) and their reactions with nitrogen donors. Crystal structures of [MoH(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>3</sub>(C<sub>5</sub>H<sub>3</sub>N)(PMe<sub>2</sub>Ph)], [MoH(NC<sub>5</sub>H<sub>4</sub>S-2)<sub>3</sub>(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>], 5 Preparation and crystal structures of cationic dienehydrido and dienyl ruthenium complexes containing N,N',N"-trimethyl-1,4,7-triazacyclononane, 227

triazacyciononane, 221
ron(0) arene and iron(II) hydride complexes from the hydrogenation or thermolysis of high-spin iron(II) alkyls, 301
Syntheses and reactions of ansa-[2,2-bis(η-cyclopentadienyl)-propane]-tungsten and -molybdenum compounds, 395 Hydridorhodium diphosphite catalysts in the asymmetric

hydroformylation of styrene, 409 Synthesis and structural characterization of the tetraruthenium cluster complexes [Ru<sub>4</sub>(µ-H)<sub>4</sub>(CO)<sub>10</sub>(L-L)] (L-L = diphosphine),

Chemistry of the carbido- and nitrido-decaruthenium cluster anions  $[Ru_{10}H(C)(CO)_{24}]^-, [Ru_{10}C(CO)_{24}]^2 \text{ and } [Ru_{10}N(CO)_{24}]^-, 741$  Preparation, characterisation, molecular and crystal structure of the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>(η<sup>6</sup>-arene)]

(arene =  $C_0H_6$  or  $C_{16}H_{16}$ ), 909 Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation

of co-ordinated isocyanides and coupling of ligands in trans-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu' or Me), 1193 Metallosupramolecular cluster assemblies based on donor-acceptor type structural frameworks. Syntheses, crystal structures and spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors,

Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne-alkyne coupling in a triosmium alkylidyne cluster, 1497

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 1527 Synthesis and nuclear magnetic resonance studies of halogeno and

Synthesis and nuclear magnetic resonance studies of halogeno and hydrido tris(pyrazol-1-yl)borato ruthenium(II) complexes, 1629 General strategy for inducing C-H bond fission (cycloiridation) in some aryl, heterocyclic, alkenyl or alkyl groups in azines derived from aldehydes or methyl ketones, 1689 Synthesis, reactivity and catalytic activity of [RuH(η¹-OCMe₂)-(CO)₂(PPr¹₅)₂]BF₄, 2171 Cleavage of an aryl carbon-sulfur bond in hydride—thiolate complexes of mulydenum and tunesten Crustal structures of

Cleavage of an aryl carbon–sulfur bond in hydride-thiolate complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>·2,4,6)(OMe)(PMePh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>·2,4,6)(OE)(PEtPh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>], 2583
Unexpected gold-containing boride clusters formed from the reactions of [RhRu<sub>3</sub>H(η<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>BH]—with gold(i) phosphine derivatives: crystal structures of [RhRu<sub>3</sub>H(η<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dPph<sub>3</sub>)}<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>3</sub> and [RhRu<sub>3</sub>H(η<sup>2</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)}<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639
Synthesis and structural characterisation of some new triosmium

Synthesis and structural characterisation of some new triosmium alkylidyne clusters containing sulfur-donor ligands. The

alkylidyne clusters containing sulfur-donor ligands. The formation of C–S and C–C bonds, 2735

Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-CPBu<sup>n</sup>Ph<sub>2</sub>)] and (R)-[Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>-{μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>2</sub>PPh<sub>2</sub>]], 2831

A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>4</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>3</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935

Synthesis, characterization and crystal structures of some half-sandwich ruthenium(μ) complexes of 1.4.7-trimethyl<sub>2</sub>1.4.7-

sandwich ruthenium(II) complexes of 1,4,7-trimethyl-1,4,7-triazacyclononane containing π-acidic ancillary ligands, 2955 Synthesis and structural characterization of platinum(II) bis(chelate) complexes derived from the ligand system meso/rac Ph(O)HPCH<sub>2</sub>CH<sub>2</sub>PH(O)Ph, 2975

Group 6 metallocene(IV)—main group metal complexes: synthesis and structures of a Mo-B-Li compound and of [W(η-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>H-{SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>}], 2999

Synthesis and characterisation of cationic bis(cyclopentadienyl) tungsten(IV) complexes containing alkyl, chloride and hydride ligands, 3125

 $\begin{array}{l} \text{Syntheses and structures of } [Re(SC_6H_3Me_2-2,6)_3(PPh_3)], \\ [Re(SC_6H_3Me_2-2,6)_3(Bu^iNC)_2], [Re(SC_6H_2Pr^i_3-2,4,6)_3L(PPh_3)] \\ (L = N_2 \text{ or CO)} \text{ and } [ReH_4(PPh_3)_4][ReO(SC_6H_2Pr^i_3-2,4,6)_4], 3153 \end{array}$ Synthesis, electrochemistry and reactivity of formato—and acetato-niobocene complexes, 3409

Rapid characterisation of rhodium dihydrides by nuclear magnetic resonance spectroscopy using indirect two-dimensional methods and para-hydrogen, 3427

Perfluoroalkyl- and perfluoroaryl-amidato derivatives of ruthenium, osmium and iridium, 3497

Reaction chemistry of alkynes with the tris(acetonitrile)ruthenium cluster [Ru<sub>3</sub>(CO)<sub>9</sub>(MeCN)<sub>3</sub>], 3785

Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>2</sub>], 3789

Effect of bulky alkyl substituents on the dynamics and stability of platinum complexes with β-agostic bonding, 3819

Synthesis, characterization and electronic structure of the novel 'stellated' octahedral cluster  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]^+$ . Crystal and molecular structure of  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ .

and molecular structure of [Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>2</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.3</sub>[BPh<sub>4</sub>], 3881

Some remarkable reactions of the alkylidyne cluster [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N)] (NC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>N = 4,4'-bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(μ-H)<sub>3</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>3</sub>H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>NH)][BF<sub>4</sub>]<sub>2</sub>·H<sub>2</sub>O, 3995

HYDRIDO

Syntheses and structural characterization of a series of hydrido osmium-palladium carbonyl clusters: [Os.pH(CO)<sub>16</sub>H<sub>1+4</sub>(μ-Cl)<sub>2-1</sub>] (n = 0-2), [Os.pH(CO)<sub>6</sub>(μ-H)<sub>2</sub>(μ-Cl)<sub>2</sub>-(μ-Cl)<sub>2</sub>-H<sub>2</sub>O and [Os.pH(CO)<sub>11</sub>(μ-H)<sub>3</sub>(μ-Cl)<sub>3</sub>(C<sub>3</sub>H<sub>3</sub>N)]-0.5C<sub>6</sub>H<sub>14</sub>, 3987 **HYDROFORMYLATION**Hydridorhodium diphosphite catalysts in the asymmetric

hydroformylation of styrene, 409

HYDROGENASE

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach, 117
HYDROGENATION

Ruthenium(II) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6'-dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49

Iron(0) arene and iron(II) hydride complexes from the hydrogenation or thermolysis of high-spin iron(II) alkyls, 301 HYDROGEN BONDING

Quantitative and structural investigations of hydrogen-bonding interactions in anion binding of mono- and 1,1'-bis-substituted aryl cobaltocenium receptors, 403

Conversion of hydrogen-bonded manganese(II) and zinc(II) squarate (C<sub>4</sub>O<sub>4</sub><sup>2-</sup>) molecules, chains and sheets to three-dimensional cage networks, 727

Beffects of protonation in decavanadates: crystal structure of tetrakis(n-hexylammonium) dihydrogendecavanadate(v), 2225 Supramolecular chemistry of [{M(CO)<sub>3</sub>(μ<sub>3</sub>-OH)}<sub>4</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233

 $\label{eq:monocutation} \begin{aligned} & \text{Mononuclear } \textit{cis$-$dioxovanadium(v)$ anionic complexes [VO_2L]$} \\ & \{H_2L = [1 + 1] \text{ Schiff base derived from salicylaldehyde (or substituted derivatives) and 2-amino-2-methylpropan-i-ol}: \end{aligned}$ synthesis, structure, spectroscopy, electrochemistry and reactivity studies, 2459

Structure of a C,N,N-cyclometallated palladium(II) complex of 2-amino-4-phenylamino-6-(2-pyridyl)-1,3,5-triazine, an α-diimine ligand with donor-acceptor-donor hydrogen-bonding capability,

An unusual dimerization of 6-amino-2-thiouracilate in a cobalt(III)

complex, 2627 Intramolecular hydrogen-bond formation in nickel(ii) complexes with macrocyclic ligands containing non-co-ordinating nitrogen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenphosphates, 2633 A reversible intramolecular hydrogen-bonding interaction involving

second-sphere co-ordination of a water ligand, 2921 The occurrence of both amide and thiolate forms of the benzoxazole-2-thionate anion (C,H<sub>4</sub>ONS -) in the same molecule: synthesis and crystal structure of  $C_7H_4ONSNa[\mu-OP(NMe_2)_3]_3$ -NaC<sub>7</sub>H<sub>4</sub>ONS, 3139

Nac\_H<sub>4</sub>UNS, 5139

Hydrogen bonding in imidazolium salts and its implications for ambient-temperature halogenoaluminate(III) ionic liquids, 3467

Unusual hydrogen bonding patterns of N<sup>7</sup> metallated, N<sup>1</sup> deprotonated guanine nucleobases: acidity constants of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(Hegua)<sub>2</sub>]<sup>2+</sup> and crystal structures of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]<sup>4</sup>H<sub>2</sub>O and cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-Hegua-7H<sub>2</sub>O (Hegua = 9-ethylguanine), 3767

HYDROGEN FLUORIDE

Reactions of cis-[Os(CO).Me-l and cis-[Re(CO).(PPh.)Me-l with

Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTeF<sub>5</sub>; compatibility of phosphine, alkyl

HYDROGEN FLUORIDE (contd)

and OTeF5- ligands in low-valent transition-metal complexes, 2941

HYDROGEN PEROXIDE

Mechanistic study of the co-ordination of hydrogen peroxide to methylrhenium trioxide, 133

Binuclear and polymeric manganese(II) salicylate complexes: Binuctear and polymeric manganese(II) sanicylate complexes: synthesis, crystal structure and catalytic activity of [Mn<sub>2</sub>(Hsal)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>] and [{Mn<sub>2</sub>(sal)<sub>2</sub>(Hsal)(H<sub>2</sub>O)(H<sub>3</sub>O)(py)<sub>4</sub>· 2py]<sub>n</sub>] (H<sub>5</sub>sal = salicylic acid, py = pyridine), 771

Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and

bridging benzoate, 2825

μ-Pyrazolato-μ-carboxylato- and di(μ-pyrazolato)-dimanganese(II) complexes: synthesis, characterization and catalase-like function,

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Dimanganese(ii) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and atalase-like activity, 4015

HYDROLYSIS

Spectroscopic investigation of concentrated solutions of gallium(III) chloride in mesitylene and benzene, 255

Base hydrolysis in homometallic dinuclear chromium(III) complexes bridged by hydroxide and carboxylate, 1823
Reactions of dichlorobis(2,3-dimethylbutane-2,3-diolato)-tungsten(vI) with water and alcohols, 2701

Hydrolysis of the zinc(II) ion in sodium nitrate, chloride and

perchlorate medium: the effect of the anionic medium, 3597 HYDROQUINONE

Palladium(II) 2-diphenylphosphinohydroquinone (H<sub>2</sub>pphq) complexes: preparation and structures of a novel cluster, [{PdBr<sub>1</sub>{CpdBr<sub>2</sub>{C<sub>6</sub>H<sub>3</sub>(OH)-1,PPh<sub>2</sub>-3,PPh<sub>2</sub>O-4}]-H<sub>2</sub>O, 3731

HYDROXAMATE

Siderophore analogues. Synthesis and chelating properties of a new macrocyclic trishydroxamate ligand, 2565

Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(11) and -(111) complexes, 707

Hydroxide-bridged diiron(III) complexes of tetraaminodiphenol macrocyclic ligands: structure and properties, 1239

Synthesis and structural characterization of three new compounds

containing [Nb<sub>6</sub>Cl<sub>12</sub>]<sup>2+</sup> units as hydrated hydroxides, 1441 New hetero- and homo-metallic dihydroxo-bridged dinuclear complexes of cobalt(III) and chromium(III): synthesis,

spectroscopy and crystal structures, 1813

Base hydrolysis in homometallic dinuclear chromium(III) complexes

base hydrofysis in nomometatic diffuctors cromum(iii) complexes bridged by hydroxide and carboxylate, 1823

Characterisation of the predominant low-pH lead(II)—hydroxo cation, [Pb<sub>4</sub>(OH)<sub>4</sub>]<sup>4+</sup>; crystal structure of [Pb<sub>4</sub>(OH)<sub>4</sub>][NO<sub>3</sub>]<sub>4</sub> and the implications of basic salt formation on the transport of lead in the appropriate processors of the complex processors of the complex

in the aqueous environment, 2081 Supramolecular chemistry of [ $\{M(CO)_3(\mu_3-OH)\}_4$ ] (M = Mn or

Re): a modular approach to crystal engineering of superdiamondoid networks, 2233

Characterisation of the tin(II) hydroxide cation [Sn<sub>3</sub>(OH)<sub>4</sub>]<sup>2+</sup>, and the crystal structure of tritin(II) tetrahydroxide dinitrate,

Kinetics of the formation, reactivity and crystal structure of the sulfite-bridged cation di-μ-hydroxo-μ-(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(III)], 2843
Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 3101
Synthesis of complexes of Pay, Payll, Oell Payl, Jel and Jelli Crysta.

quinolin-8-olate, 3101

Synthesis of complexes of Re<sup>V</sup>, Ru<sup>II</sup>, Os<sup>II</sup>, Rh<sup>I</sup>, Ir<sup>I</sup> and Ir<sup>III</sup>. Crystal and molecular structures of [ReO(OH)(SC<sub>2</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)], [ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)(PPh<sub>3</sub>)], and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>-(PMePh<sub>2</sub>)<sub>3</sub>], 3143

Synthesis and crystal structure of an encapsulated fragment of MoO<sub>2</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>8</sub>O<sub>8</sub>Cl<sub>6</sub>-(μ<sub>3</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(μ-OH)<sub>4</sub>(μ-OEt)<sub>4</sub>(HOEt)<sub>4</sub>] and its relevance to the sol–gel synthesis of molybdenum oxides, 3263

Macrocyclic 'dimer-of-dimers' type tetranuclear copper(II) complexes with two bridging hydroxy groups in a face-to-face manner. 3419

manner, 3419

manner, 3419

Synthesis, molecular structure (M = Pd, X = OH) and reactivity of trinuclear asymmetric complexes [(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pt(μ-PPh<sub>2</sub>)<sub>2</sub>M(μ-X)<sub>2</sub>Pt(PPh<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt; X = Cl or OH), 3777

Polynuclear zinc(II) complexes of phenol-imine and -amine macrocycles, 3897

IGLO CALCULATIONS

Contral structure pure proposition.

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>6</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P-S compounds, 2797

IMIDAZOLATE

Powder route to crystal structures: X-ray powder diffraction determination of polymeric silver imidazolate, 1671 **IMIDAZOLE** 

Structure and magnetism of electronically distorted iron(III) Schiff-base complexes, 37

Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325

**IMIDAZOLIUM** 

Hydrogen bonding in imidazolium salts and its implications for ambient-temperature halogenoaluminate(III) ionic liquids, 3467 Disproportionation of polynuclear chloroethylaluminate anions in acidic 1-butyl-3-methylimidazolium chloride—AlEtCl<sub>2</sub> molten salts in the presence of a hydrocarbon phase, 3867

IMIDE

Bis(η-cyclopentadienyl)imidomolybdenum compounds, 155

tert-Butylimido compounds of manganese-(VII), -(VI), -(V) and -(II);
nitrido, amido, alkyl, zinc and aluminium compounds, 205

Anionic and cationic bi- and tri-nuclear tert-butylimido complexes
of manganese-(V) and -(VI), 937

Synthesis and structural characterisation of new isocyanate and
imido niobocene complexes. Crystal structures of [{Nb(η-C-H\_SiMe<sub>3</sub>),Cl}-] and [Nb(η-C-s-H\_SiMe<sub>3</sub>),c=NPh)Cl], 1007

A new type of sulfenamido ligand. Crystal structure of
W(NBu'),(η²-PhSNBu')<sub>2</sub>, 1059

2,6-Diisopropylphenylimido and diphenylacetylene complexes of
tungsten containing the bidentate ligands 4,4'-dimethyl-2,2'bipyridine and 1,2-bis(diphenylphosphino)ethane, 1147

Reactions of the μ-alkyne dimer [W<sub>2</sub>(η-C<sub>3</sub>H<sub>4</sub>Pr)<sub>2</sub>Cl<sub>4</sub>(μ-C<sub>2</sub>Et<sub>2</sub>)]:
synthesis and bonding analysis of a μ-alkyne-μ-imido bridged
ditungsten complex, 1207

Rhenium complex of a triply deprotonated chelated

Rhenium complex of a triply deprotonated chelated thiosemicarbazide and its conversion to a nitride complex

thiosemicarbazide and its conversion to a nitride complex via a hydrazide intermediate. Crystal structure of [ReCl<sub>2</sub>(NH)(NHNH<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>], 1357

Synthesis and characterization of phenylimidorhenium(v) compounds containing polypyridyl ligands. Crystal structures of mer-[Re(NPh)Cl<sub>3</sub>(bipy)], trans-[Re(NPh)(OEt)(bipy)<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub> and trans-[Re(NPh)Cl<sub>3</sub>(terpy)]PF<sub>6</sub> (bipy = 2,2'-bipyridine, terpy = 2,2'-6'-2-terpyridine), 1733

Evaluation of the 2,6-diisopropylphenylimido ligand as a steric force in d¹ and d² monomeric octahedral complexes of tungsten, 1907

Ligand-centred chemistry of molybdenum organoimides Formation of C-C bonds via generation of nitrogen ylides, stereospecific conversion of an allylimide into alkylvinylimides, liberation of cyanoformate or amino acid esters, 1973

Facile synthesis of Sn<sub>4</sub>N<sub>4</sub> cubanes; syntheses and structures of [Sn(NC<sub>6</sub>H<sub>10</sub>)]<sub>4</sub> and [Sn(2-NCH<sub>2</sub>C<sub>4</sub>H<sub>4</sub>N)]<sub>4</sub>, 1991 Arylimido complexes of chromium-(v1), -(v) and -(tv), 2111 Synthesis and structural characterisation of dithiocarbamate-

stabilised dimeric molybdenum(v) imido complexes via oxo

substitution reactions with organic isocyanates, 2337

Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and

complexes of pyriame and a comparative study with oxo and nitrido analogues; crystal structure of [ReV(NMe)(py)<sub>3</sub>(OEt)Cl]ClO<sub>4</sub> (py = pyridine), 2779

Synthesis and characterization of organoimido- and organoamido-rhenium(v) complexes. Crystal structures of [ReCl<sub>2</sub>(NC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)(HNC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)], [Re(8-HNC<sub>6</sub>H<sub>6</sub>N)<sub>2</sub>O(PPh<sub>3</sub>)][BPh<sub>4</sub>] and [Re(NPh)(NC<sub>3</sub>H<sub>3</sub>S-2-SiMe<sub>3</sub>-3)<sub>2</sub>(PPh<sub>3</sub>)][BPh<sub>4</sub>], 3041

Four-versus five-co-ordinate bis(imido) alkene complexes of parallel departments of the contraction effect of the white and 2.65

molybdenum: the contrasting effects of tert-butyl- and 2,6-

diisopropylphenyl-imido substituents, 3313 Oxo- and imido-molybdenum(vi) and -tungsten(vi) functionalities supported by diacetoneglucose, 3329 Syntheses and characterization of amino and amido-imido

Syntheses and characterization of amino and amido-imido technetium(v) and rhenium(v) complexes with (o-aminophenyl)-diphenylphosphine-N,P. Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}-[Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475

Exchange of organoimido groups at a mononuclear titanium centre and a crystallographic evaluation of the relative structural influences of the NBu¹, NC<sub>6</sub>H<sub>4</sub>Me-4 and NC<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>-4 ligands, 3743

IMINE

MINE
Activation of σ(C–H) bonds in ferrocenyl- and bis(ferrocenyl)imines promoted by palladium, 2445
Ligand transfer from a tris(imino)stannate anion; syntheses and
structures of [{Cu[μ-N=C(Bu')Ph]}<sub>k</sub>]-thf (thf = tetrahydrofuran)
and [{Cu[μ-N=C(Bu')Ph]}<sub>k</sub>(PPh<sub>3</sub>)<sub>2</sub>]-6thf, 2707
Synthesis and crystal structure of [RuCl<sub>2</sub>(PPh<sub>3</sub>){N(SiMe<sub>3</sub>)C(Ph)NH(PPh<sub>3</sub>)}<sub>1</sub> 3087
Synthesis, solid-state and solution structures of bis{N,N'-bis[(2thienyl)methylene]-1,2-diaminoethane}<sub>1</sub>-silver(t) and -copper(t)
trifluoromethanesulfonate complexes, 4021
Palladium(t)-induced preferential activation of the

IMINE (contd)

 $\sigma[C_{sp}^*(\text{phenyl})-\text{Cl}]$  bond versus  $\sigma[C_{sp}^*(\text{ferrocene})-\text{H}]$ . Crystal structure of  $[\text{Fe}(\eta^3-\text{C}_5\text{H}_3)\{\eta^5-\text{C}_5\text{H}_4\text{CH}_2\text{N}=\text{CH}(\text{C}_6\text{H}_3\text{Cl}_2-2,6)\}]$ , 4053

**IMINOACYL** 

Photoelectron spectroscopic investigation of isomeric methyl (isocyanide), η²-iminoacyl and η³-azaallyl complexes of molybdenum and tungsten, 1925

Arylimido complexes of chromium-(vI), -(v) and -(IV), 2111 IMINODICARBOXYLATE

Discrete variational Xa studies of the electronic structure of amavadin, 191

Complexes of Ga<sup>3+</sup> and In<sup>3+</sup> with the N,N"-bis(butylamide) derivative of diethylenetriaminepentaacetic acid: stability constants and nuclear magnetic resonance studies in aqueous

Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and

with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study, 799
Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799), 1393
Lipophilic hexadentate gallium, indium and iron complexes of new phenolate-derivatized cyclohexanetriamines as potential in vivo metal-transfer reagents, 1677
Structure of Ba<sub>3</sub>In<sub>2</sub>O<sub>3</sub>F<sub>2</sub> by combined powder X-ray and neutron diffraction analysis; oxide/fluoride ordering in a Ruddlesden-Popper phase, 3015
INOSINE

Complex-formation reactions of dichloro(L-methioninato)-palladium(II) with inosine and inosine 5'-monophosphate. Labilization induced by the S-donor chelate, 3581

INOSITOI.

Conformational preferences and protonation sequence of myoinositol hexaphosphate in aqueous solution; potentiometric and multinuclear magnetic resonance studies, 575

Alkyne insertions into the σ-Pd-C(sp², ferrocene) bond of cyclo-palladated complexes containing Schiff bases derived from ferro-

palladated complexes containing Schiff bases derived from terrocene. Crystal structures of [Pd{[[EtC=CEt]<sub>2</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph)]Fe(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>)}CI] (R = H or Me), 1839
Insertion of internal acetylenes into orthopalladated α-methylbenzylamine. Crystal structure of [Pd{C(Ph)=C(Ph)C(Ph)=C(Ph)C(HMe)NH<sub>2</sub>}Br], 2529
Synthesis of methyl-palladium(u) and -platinum(u) complexes containing labile chelates and olefinic tertiary phosphine ligands: intramolecular insertion of an olefin into a palladium—carbon band and activation of a carbon—band angel synthesis of a carbon—band and scivation of a carbon—band and accident of a carbon band and accident bond, and activation of a carbon-hydrogen bond by a platinum(II) complex, 4081

INTERMEDIATE

Is hydrazoic acid an intermediate in the destruction of hydrazine by excess nitrous acid?, 3103 Synthesis, structural characterisation and nuclear magnetic

resonance study of  $[Ru_6C(CO)_{15}(\mu_3-\eta^1:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ : an intermediate in the formation of  $[Ru_6C(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2-\eta^2)]$ C<sub>16</sub>H<sub>16</sub>)], 4113

Synthesis, spectroscopic and structural characterisation of periodate complexes of iron(iii), 3367

IODIDE

The isolation from diethyl ether of ionic [(Me<sub>2</sub>N)<sub>3</sub>PI]I and [(CH<sub>2</sub>=CHCH<sub>2</sub>)<sub>2</sub>PhPI]I, and the crystallographically characterised molecular 'spoke' structure PhMe<sub>2</sub>PI<sub>2</sub>, 2421

Co-ordination chemistry of iodine(i) with tetraazamacrocycles or monodentate ligands. Comparisons with bromine(i) and with some d-block metals, 3837

**IONIC LIQUID** 

Hydrogen bonding in imidazolium salts and its implications for ambient-temperature halogenoaluminate(III) ionic liquids, 3467 ION PAIR

The structure of solutions of gallium(1) chloride in benzene, 245 IR

Molecular structure of monomeric uranium tetrachloride determined by gas electron diffraction at 900 K, gas-phase infrared spectroscopy and quantum-chemical density-functional calculations, 185

Matrix-isolation and mass spectrometric studies on the vaporisation of chromium(III) bromide: characterisation of molecular CrBr<sub>4</sub>, CrBr<sub>3</sub> and CrBr<sub>2</sub>, 1423
Photolysis of the [Fe(CN)<sub>5</sub>(NO)]<sup>2-</sup> ion in water and poly(vinyl

alcoholy films: evidence for cyano radical, cyanide ion and nitric oxide loss and redox pathways, 2013

Excited-state properties of [(OC)<sub>5</sub>W(L)W(CO)<sub>5</sub>] [L = 4,4'-bipyridyl (4,4'-bipy) or pyrazine] and [(OC)<sub>5</sub>W(4,4'-bipy)], 2711

Carbon-hydrogen bond properties and alkyl group geometries in

dichloro(η<sup>5</sup>-cyclopentadienyl)methyltitanium(IV) and dichloro(η<sup>5</sup>-cyclopentadienyl)ethyltitanium(IV) [TiR(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)Cl<sub>2</sub>] (R = Me or Et), 3941 Methyl group geometries, C-H bond properties and internal rotation in dicarbonyl(η<sup>5</sup>-cyclopentadienyl)methyl-iron(II) and -ruthenium(II), [MMe(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>)(CO)<sub>2</sub>] (M = Fe or Ru), 3955 Partial deuteriation studies, ethyl-group geometries and C-H bond properties in [MEt(cp)(CO)<sub>2</sub>] (M = Fe or Ru) and [MEt(cp)(CO)<sub>3</sub>] (M = Mo or W) (cp = η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>), 3963 RIDIUM

Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>R<sub>4</sub>(CO)<sub>16</sub>B<sub>1</sub> (M = Rh or Ir) and gold(i) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>2</sub>R<sub>4</sub>(CO)<sub>16</sub>B<sub>1</sub>, trans-[Rh<sub>2</sub>R<sub>4</sub>(CO)<sub>16</sub>B{µ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>5</sub>}] and cis-[Ir<sub>2</sub>R<sub>4</sub>(CO)<sub>16</sub>B{µ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>5</sub>}], 549

Complexes of the bidentate ligands Z-PPh<sub>2</sub>CH<sub>5</sub>C(Bu')=NNR<sub>2</sub>

(R = Me or H) with rhodium and iridium, 633
General strategy for inducing C-H bond fission (cycloiridation) in some aryl, heterocyclic, alkenyl or alkyl groups in azines derived

from aldehydes or methyl ketones, 1689 Complexes of 2-diphenylphosphinobenzenethiol and 2diphenylphosphino-6-trimethylsilylbenzenethiol with rhodium and iridium. Crystal and molecular structures of [IrCl<sub>2</sub>(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)(PMePh<sub>2</sub>)<sub>2</sub>] and [Ir(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)<sub>3</sub>].

0.75CH<sub>2</sub>Cl<sub>2</sub>, 1957

Preparation, structure and reactivity of dinuclear aminothiolatebridged iridium complexes, 2137

Synthesis and characterisation of iridium carbonyl fluorides, 2945 Kinetics and mechanism of the oxidation of thiosulfate ion by

Kinetics and mechanism of the oxidation of thiosulfate ion by hexachloroiridate(IV), 3109

Synthesis of complexes of ReV, RuII, OsII, RhI, Irl and IrIII. Crystal and molecular structures of [ReO(OH)(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)], [ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)(PPh<sub>3</sub>)], and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>-(PMePh<sub>2</sub>)], 3143

Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>12</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287

Perfluoroalkyl- and perfluoroaryl-amidato derivatives of ruthenium osmium and iridium 3497

ruthenium, osmium and iridium, 3497

Chelating ether-phosphine complexes of the cobalt group metals.

Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]bis(trifluoromethanesulfonato)cobalt(II) and -trichloro-rhodium(III), 3551

Structure and magnetism of electronically distorted iron(III) Schiff-base complexes, 37

Iron(a) arene and iron(ii) hydride complexes from the hydrogenation or thermolysis of high-spin iron(ii) alkyls, 301 Role of the NH<sub>3</sub>+ moiety in iron(iii), aluminium(iii)— and gallium(iii)—aminohydroxamate interactions, 477 Chromium(iii)—catalysed oxidation of antimony(iii) by alkaline

hexacyanoferrate(III) and analysis of chromium(III) in

microamounts by a kinetic method, 483

Iron-57 Mössbauer spectroscopic and X-ray diffraction studies on the mixed-valence state of binuclear ferrocene derivatives with

long alkyl substituents, 513

CsFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>2</sub>: a mixed-valence iron phosphate containing trimeric units of iron-oxygen polyhedra, 571

Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(II) and -(III) complexes, 70

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear octahedral clusters [Fe<sub>6</sub>(µ<sub>3</sub>-S<sub>8</sub>(PEt<sub>3</sub>)<sub>8</sub>][PF<sub>6</sub>]<sub>n</sub> (n = 1 or 2), 963 Direct oxidation of benzene by electron transfer in a multi-functionalized chelate resin system, 979

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach, 1177 Hydroxide-bridged diiron(III) complexes of tetraaminodiphenol

macrocyclic ligands: structure and properties, 1239

Synthetic, structural and electrochemical studies on some doubly bridged trichalcogen [3.3]ferrocenophanes, 1245

Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259

Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325

Metallosupramolecular cluster assemblies based on donor-acceptor type structural frameworks. Syntheses, crystal structures and ectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors, 1379 The electronic polarizability distribution of several substituted

ferrocenes and di(η<sup>6</sup>-benzene)chromium, 1469 Synthesis of silver(1) complexes with 1,1'-bis(diphenylphosphino)-ferrocene (dppf). Crystal structures of [Ag(dppf)(PPh<sub>3</sub>)]ClO<sub>4</sub>\*

IRON (contd)
2CH<sub>2</sub>Cl<sub>2</sub>, [Ag(dppf)<sub>2</sub>]ClO<sub>4</sub>·2CHCl<sub>3</sub> and [Ag(dppf)(phen)]ClO<sub>4</sub>
(phen = 1,10-phenanthroline), 1473

(phen = 1,10-phenanthroline), 1473

(phen = 1,10-phenanthroline), 1473
Lipophilic hexadentate gallium, indium and iron complexes of new phenolate-derivatized cyclohexanetriamines as potential in vivo metal-transfer reagents, 1677
Bis(alkynyl) and alkynyl-vinylidene iron(II) complexes with monodentate phosphite ligands, 1783
Ligand substitution in [Fe<sub>2</sub>(CO)<sub>6</sub>(MO)(µ-PPh<sub>2</sub>)] and the isomerism of [Fe<sub>2</sub>(CO)<sub>6</sub>(MO)<sub>2</sub>)(NO)(µ-PPh<sub>2</sub>)], 1791
Alkyne insertions into the σ-Pd-C(sp<sup>2</sup>, ferrocene) bond of cyclopalladated complexes containing Schiff bases derived from ferrocene Crystal structures of [Fe(E)(Sp<sup>2</sup>, CP)), (Sp. CR)

panadated complexes containing schin bases derived from terro-cene. Crystal structures of [Pd{[(EtC=CEt),(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph)]Fe(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)}Cl] (R = H or Me), 1839 Synthesis, structural characterization, electrochemical properties and polymerization behaviour of the first silicon-bridged [1.1]ferrocenophane [{Fe(η-C<sub>2</sub>H<sub>4</sub>)<sub>2</sub>SiMe<sub>2</sub>}<sub>1</sub>], 1893 Lithioalkynyl iron(ii) or ruthenium(ii) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging athyactily system 1901

complexes containing a bridging ethynediyl system, 1901 Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+</sup> core by a tridentate thiolate and chemical analogues of the molybdenum co-ordination environment in the iron-molybdenum cofactor of nitrogenase,

Photolysis of the [Fe(CN)<sub>5</sub>(NO)]<sup>2-</sup> ion in water and poly(vinyl alcohol) films: evidence for cyano radical, cyanide ion and nitric oxide loss and redox pathways, 2013
Kinetics and mechanism of addition of tertiary phosphines and phosphites to the dicarbonyl(η<sup>5</sup>-cyclopentadienyl)(η-ethene)iron cation, 2021 cation, 2021

cation, 2021
Synthesis, crystal structures and physical properties of μ-oxo-μcarboxylato-diiron(III) complexes with tripodal
polybenzimidazole ligands containing distinct iron sites, 2045
Electron-transfer reactions and the self-exchange rate of the
perruthenate(VII)-ruthenate(VI) couple, 2221

Syntheses, structures and magnetic studies of homometallic manganese and heterometallic iron-sodium one-dimensional manganese and neterometatic fron-sodium one-dimensional polymers, 2311
Activation of σ(C–H) bonds in ferrocenyl- and bis(ferrocenyl)- imines promoted by palladium, 2445
Kinetics of reduction of hexakis(acetamide)- and hexakis(dimethylacetamide)-iron(III) by tris(3,4,5,6,7,8-hexamethyl-1,10-phenanthroline)iron(III) in acetonitrile, 2473

Stereochemical factors affecting second-sphere co-ordination of ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with

alkali-metal and ammonium cations, 2503

Synthesis and characterisation of the mixed-sandwich complex closo-[3-(η-C<sub>3</sub>Me<sub>3</sub>)Fe-4-Me<sub>2</sub>S-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>] and its charge-transfer salts; crystal structure of [Fe(η-C<sub>3</sub>Me<sub>3</sub>)(C<sub>3</sub>B<sub>3</sub>H<sub>10</sub>SMe<sub>2</sub>)]\*[ddq]\*-CH<sub>2</sub>Cl<sub>2</sub>(ddq = 2,3-dichloro-5,6-dicyano-p-benzoquinone), 2509

Reaction of [Fe<sub>2</sub>(CN)<sub>10</sub>]<sup>4-</sup> with L-ascorbic acid, 2561 Siderophore analogues. Synthesis and chelating properties of a new

Siderophore analogues. Synthesis and chelating properties of a normacrocyclic trishydroxamate ligand, 2565
Unexpected gold-containing boride clusters formed from the reactions of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>BH]<sup>-</sup> with gold(1) phosphine derivatives: crystal structures of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au<sub>2</sub>(dppf)}{AuCl<sub>2</sub>D-Cl<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639
Chemical behaviour of the mixed-metal carbonyl clusters [Fe,Rh(CO)<sub>10</sub>]<sup>-</sup> and [Fe,Rh(CO)<sub>11</sub>]<sup>-</sup>. Crystal structures of

 $\begin{array}{ll} [Fe_2Rh(CO)_{10}]^- \ \ \text{and} \ [Fe_2Rh_2(CO)_{12}]^{2-}. \ \ Crystal \ \ structures \ \ of \\ [Fe_2Rh(CO)_9(PPh_3)]^- \ \ \text{and} \ [Fe_2Rh_2(\mu\text{-CO})_3(CO)_9\{\mu_3\text{-}Au(PPh_3)\}]^-, \\ 2763 \end{array}$ 

Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769

Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex *commo*-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>]<sup>-</sup>, 2851

Synthesis, properties and crystal structures of iron-(II) and -(III) complexes of 2,2':6',2":6',2":-quaterpyridine, 2961

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 3101

Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane

Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocene-functionalized helicand 4',4"'-di(ferroceny)-2,2':6'.2"':6".2"':6".2"'-sexipyridine, 3253

Determination of active-site conformations in paramagnetic

myoglobin from analyses of cross-relaxation and hyperfine shifts, 3281 Molecular structure and crystal structure generation for

[Fe<sub>3</sub>(CO)<sub>12</sub>], 3297 Reactions of peroxy acids with deuteroferrihaem, 3323

Synthesis, spectroscopic and structural characterisation of periodate complexes of iron(iii), 3367

Controlled design of oligomeric ethers with pendant cyclopentadienyliron moieties, 3375

Type 1 blue copper protein amicyanin from *Thiobacillus versutus*: line-broadening effects of chromium(iii) complexes and related attalia. 2325

line-broadening effects of chromium(III) complexes and related studies, 3395
Mixed-valence dinuclear iron complexes with a nonadentate polypyridine ligand: high-spin iron(II)—low-spin iron(III), 3533
Perylene salts with tetrahalogenoferrate(III) anions. Synthesis, crystal structure of [(C<sub>20</sub>H<sub>12</sub>)<sub>3</sub>][FeCl<sub>4</sub>] and characterisation, 3543
1,1'-Bis(diphenylthiophosphoryl)ferrocene as a trans-chelating ligand in gold(i) and silver(I) complexes, 3563
Co-ordination of nitriles to [Fe(CN)<sub>3</sub>(OH<sub>2</sub>)]<sup>3-</sup> and use of the acetonitrile complex for the determination of equilibrium constants, 3643

constants, 3643

constants, 3643
Co-ordination of amines to [Fe(CN)<sub>3</sub>(OH<sub>2</sub>)]<sup>3-</sup>, 3651
Iron(II) complexes of polydentate aminopyridyl ligands and an exchangeable sixth ligand; reactions with peroxides. Crystal structure of [FeL'(H<sub>2</sub>O)][PF<sub>6</sub>]<sub>2</sub>·H<sub>2</sub>O [L<sup>1</sup> = N,N'-bis(6-methyl-2-pyridylmethyl)-N,N'-bis(2-pyridylmethyl)ethane-1,2-diamine], 3667
Chemical and the extinction

3667

Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>L(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>3</sub>H<sub>3</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SE)(Fe(CO)<sub>4</sub>)] , 3699

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Co-ordination chemistry of iodine(!) with tetraazamacrocycles or monodentate ligands. Comparisons with bromine(!) and with some d-block metals, 3837

Methyl group geometries, C-H bond properties and internal rotation in dicarbonyl(η<sup>5</sup>-cyclopentadienyl)methyl-iron(!i) and -ruthenium(!i), [MMe(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>(CO)<sub>2</sub>] (M = Fe or Ru), 3955

Palladium(!I)-induced preferential activation of the of C<sub>3p</sub><sup>2</sup>(phenyl)-Cl] bond versus of [C<sub>3p</sub><sup>2</sup>(ferrocene)-H]. Crystal structure of [Fe(η<sup>5</sup>-C<sub>3</sub>H<sub>3</sub>(η<sup>5</sup>-C<sub>3</sub>H<sub>4</sub>CH<sub>2</sub>N-CH(C<sub>4</sub>H<sub>3</sub>Cl<sub>2</sub>-2,6)], 4053

4053
Outer-sphere redox reactions of  $[Co^{111}\{N_5\}(H_nPO_4)]^{n+}$   $[\{N_5\} = (NH_3)_s, (NH_2Me)_s$  or 10-amino-10-methyl-1,4,8,12-tetraazacyclopentadecane] complexes. A temperature- and pressure-dependence kinetic study on the effects of the different  $\{N_5\}$  groups, 4107
IRVING-WILLIAMS RULE
Ligand-field stabilization precises of the first-row transition metal.

Ligand-field stabilization energies of the first-row transition-metal dihalides and their bearing on the Irving-Williams rule, 3483

**ISOCYANATE** 

Synthesis and structural characterisation of new isocyanate and Synthesis and structural characterisation of new socyanate an imido niobocene complexes. Crystal structures of [f Nb(η-C<sub>5</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>(=NPh)Cl], 1007 Arylimido complexes of chromium-(vi), -(v) and -(iv), 2111 Synthesis and structural characterisation of dithiocarbamatestabilised dimeric molybdenum(v) imido complexes via oxosubstitution reactions with organic isocyanates, 2337

**ISOCYANIDE** 

For Preparation of [Ru(η6-C6Me6)Cl(C≡CPh)(RNC)] (R = C6H9 or C6H2Me3-2,4,6) and its reaction with tetracyanoethylene. Crystal structures of [Ru(η6-C6Me6)Cl{C[=C(CN)2]CPh=C(CN)2]} (C6H9NC)] and cis-[RuC[2,(68H6)NC)], 307

New mixed-ligand isocyanide diphosphine ruthenium(II) derivatives. Synthesis of a potential metal-containing tetradentate ligand, 1069

Aminocarbyne coupling reactions at M(Ph2PCH2CH2PPh2), (M = Mo or W) sites. Synthesis and properties of the diamino-acetylene complexes trans-[MX(η2-MeHNC≡CNHMe)-(Ph2PCH2CH2PPh2)] A (X = F, Cl or ClO4; A = BF4, PF6, HCl2 or ClO4) and of their di(aminocarbyne)-type precursors, 1183

Aminocarbyne coupling reactions at M(Ph2PCH2CH2PPh2), (M = Mo or W) sites. Detailed mechanistic studies on the protonation

Ammocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in *trans*-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu<sup>t</sup> or Me), 1193
Photoelectron spectroscopic investigation of isomeric methyl (isocyanide), η<sup>2</sup>-iminoacyl and η<sup>3</sup>-azaallyl complexes of molybdenum and tungsten, 1925
ISOMERISM

SOMERISM
 Variable geometry of nickel(II) complexes with N¹-isopropyl-2-methyl-propane-1,2-diamine (L). Crystal structures of [NiL<sub>2</sub>]Br<sub>2</sub>-3H<sub>2</sub>O, [NiL<sub>2</sub>Br]Br and [NiL<sub>2</sub>(NCS)<sub>2</sub>] and solid-state thermochromism in [NiL<sub>2</sub>]Br<sub>2</sub>-3H<sub>2</sub>O, 337
 Crystallization behaviour of meso-Δ(δλ)-[Co{trans-(R,S)(meen)<sub>2</sub>{C<sub>2</sub>O<sub>4</sub>)]P(P<sub>2</sub>C<sub>3</sub>]-2H<sub>2</sub>O, Δ(λλ)-{{[Co{trans-(R,S)(meen)<sub>2</sub>{C<sub>2</sub>O<sub>4</sub>)]I (meen = N-methylethylene-diamine), 611
 Chemistry of [RuL<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]-4(HL = 8-hydroxyquinoline): synthesis, structure, metal redox behaviour and isomer selectivity, 1417
 Reaction of [Os<sub>2</sub>(II-H)<sub>2</sub>(CO)<sub>2</sub>(II<sub>2</sub>-CNC-H-CH=CH<sub>2</sub>)] with

Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne–alkyne coupling in a triosmium alkylidyne cluster, 1497

ISOMERISM (contd)

Geometrical preference of ruthenium oxidation states: metal redox

Reaction of tin metal powder with triorganophosphorus dihalides: isolation and spectroscopic characterisation of  $[PR_3X_2]^{0.+}$ , 1543

Reaction of tin metal powder with triorganophosphorus dihalides: isolation and spectroscopic characterisation of  $[PR_3X_3][SnX_3]$  and cis- and trans-Sn $(PR_3)_2X_4$  (X = Br or I; R<sub>3</sub> = Ph<sub>3</sub>, Ph<sub>2</sub>Me or Ph<sub>3</sub>M<sub>2</sub>) 1502 PhMe<sub>2</sub>), 1593

PhMe<sub>2</sub>), 1593
Steric properties of sulfoxide ligands. Synthesis and crystal structure of mer-[RuCl<sub>3</sub>(Ph<sub>3</sub>SO)<sub>3</sub>], 1653
Ligand substitution in [Fe<sub>2</sub>(CO)<sub>6</sub>(NO)(μ-PPh<sub>2</sub>)] and the isomerism of [Fe<sub>2</sub>(CO)<sub>4</sub>(PMe<sub>3</sub>)<sub>2</sub>(NO)(μ-PPh<sub>2</sub>)], 1791
Synthesis, crystal structure and nuclear magnetic resonance spectral study of the (+)-(R,R,R\*,S\*)- and (-)-(S,S,R\*,S\*)- enantiomers of the chiral diphosphine [C<sub>6</sub>H<sub>4</sub>(PPhCH<sub>2</sub>CHO)<sub>2</sub>CMe<sub>2</sub>]-1,2, 2095
The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one

 $[Pd\{C_6H[C(O)CH_2]-6-(OMe)_3-2,3,4\}(Me_2NCH_2CH_2NMe_2)],$ 

3093
Pyridyl to amido and amido to pyridyl isomerisation in an isonicotinamide complex of ruthenium(III), 3415
isonicotinamide stargogelective Wittig reactions. Sy

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one, [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)] (1995, 3093), 4131 ISONICOTINAMIDE

Pyridyl to amido and amido to pyridyl isomerisation in an isonicotinamide complex of ruthenium(III), 3415 ISOPOLYANION

Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and alcohols, 1833

Effects of protonation in decavanadates: crystal structure of tetrakis(n-hexylammonium) dihydrogendecavanadate(v), 2225 ISOTHIAZOLINYLIDENE

Preparation and characterization of the first isothiazolyl and isothiazolinylidene complexes of gold(1), 2067

ISOTHIAZOLÝL

Preparation and characterization of the first isothiazolyl and isothiazolinylidene complexes of gold(1), 2067

KETOENOLATE

The reaction of cobalt(III) β-ketoenolates with trifluoroacetic acid, 1035

KETONE

Ruthenium(II) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6'-dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49

Synthesis, crystal structures and reactivity of ruthenium-(II) and -(III) complexes containing  $\beta$ -ketophosphine or phosphino enolate ligands, 851

Synthesis, crystal structures and reactivity of rhodium(III) complexes containing β-ketophosphine and phosphino enolate ligands, 863

Synthesis, crystal structures and reactivity of rhodium(III) complexes containing β-ketophosphine and phosphino enolate ligands (1995, 863), 1767

New 1,4,7,10-tetrazzacyclotridecane-11,13-dione ligands appended with additional donor(s) 8-methylquinoline(s): crystal structures and characterization of their copper(ii) complexes, 2289 Complexes of Rh(C<sub>5</sub>Me<sub>5</sub>) with picolinic acid, pyrones and pyridinones, 3709 KINETICS

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31

Mechanistic study of the co-ordination of hydrogen peroxide to methylrhenium trioxide, 133

Kinetic evidence for the redox cycling of manganese(II,III) in the presence of "ON(NO)SO<sub>3</sub>" in aqueous media, 293
Kinetics of ternary complex formation between cobalt(II) species and 2,2'-bipyridine: parametrization of bound-ligand effects, 449
Substitution reactions of trans-[Ru(NH<sub>3</sub>)<sub>4</sub>(P(OEt)<sub>3</sub>)(H<sub>2</sub>O)]<sup>2+</sup>
revisited. Mechanistic elucidation from a volume-profile analysis,

463

Solution equilibria and redox reactivities of a dioxo-bridged

manganese complex, 621
Complex-formation reactions of aquacobalamin revisited: effect of chloride on the rate and activation parameters, 685

Effect of amine substituents and neutral leaving groups on the activation volume for aquation of octahedral pentaamine complexes of Cr<sup>III</sup> and Rh<sup>III</sup>, 891

Kinetics and mechanism of the addition of azide ion to a carbonyl ligand of [Ru<sub>3</sub>(CO)<sub>1-2</sub>]: cluster activation, 905 Kinetics and mechanisms of halogen-bridge cleavage in dimethylaminomethylphenyl-C<sup>1</sup>. N pallada- and platina-cycles by pyridines. Pressure effects, and crystal structures of the N,N-cis reaction product, its N,N-trans orthometallated analogue and a dimer of similar reactivity, 999

Kinetics and mechanism of ligand exchange in tetrakis-(acetylacetonato)zirconium(IV) in organic solvents, 1077 Kinetic studies on the reduction of nickel(IV) and nickel(III) oxime-

mine complexes by ascorbic acid, 1083

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in trans-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu' or Me), 1193

Mechanistic studies on the substitution reactions between

aquatetracyanooxotungstate(IV) and HCN-CN and F

Kinetics of oxidation of azide ion by bis(dihydrogentellurato)-cuprate(III) and -argentate(III) in alkaline media, 1227

Geometrical preference of ruthenium oxidation states: metal redox and isomerisation of [Ru(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup>, 1543
Base hydrolysis in homometallic dinuclear chromium(III) complexes

bridged by hydroxide and carboxylate, 1823 Kinetics and mechanism of addition of tertiary phosphines and phosphites to the dicarbonyl(η<sup>5</sup>-cyclopentadienyl)(η-ethene)iron

cation, 2021

Steric control over the complex-formation and chelation kinetics of cis-bis(amine)palladium(II) complexes with methionine and S-methylcysteine in weakly acidic aqueous solution, 2027

Electron-transfer reactions and the self-exchange rate of the

perruthenate(VII)—ruthenate(VI) couple, 2221

Mechanism of the oxidation of DL-penicillamine and glutathione by chromium(VI) in aqueous solution, 2267

Kinetics of reduction of hexakis(acetamide)- and hexakis(directhylectamide) in the period of the perio

hexakis(dimethylacetamide)-iron(III) by tris(3,4,5,6,7,8-hexamethyl-1,10-phenanthroline)iron(II) in acetonitrile, 2473

Protonation of *trans*-[Mo(η²-MeCCH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]: mechanism of formation of *trans*-

mechanism of formation of trans[MoX(CHCHMe)(Ph,PCH,CH,PPh<sub>2</sub>)-] (X = Cl or Br) or trans[MoF(CCH<sub>2</sub>Me)(Ph,PCH,CH,PPh<sub>2</sub>)-], 2479
Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)] – with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497
Reaction of [Fe<sub>2</sub>(CN)<sub>10</sub>]<sup>4</sup> – with L-ascorbic acid, 2561
Siderophore analogues. Synthesis and chelating properties of a new macrocyclic trishydroxamate ligand, 2565
Kinetics of the formation, reactivity and crystal structure of the sulfite-bridged cation di-µ-hydroxo-µ-(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(III)], 2843
Pulse-radiolysis study of the reaction of nitric oxide with superoxide, 2885

superoxide, 2885 Is hydrazoic acid an intermediate in the destruction of hydrazine

by excess nitrous acid?, 3103

by excess nitrous actur, 3103 Kinetics and mechanism of the oxidation of thiosulfate ion by hexachloroiridate(IV), 3109 Mechanistic studies on the eis-[VO<sub>2</sub>(H<sub>2</sub>O<sub>4</sub>)<sub>4</sub><sup>+</sup> and [Mo(CN)<sub>8</sub>]<sup>3-</sup> oxidations of the Rel<sup>V</sup><sub>2</sub> complex [(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>Re(µ-O)<sub>2</sub>Re(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>]<sup>4-</sup>, 3317

Reactions of peroxy acids with deuteroferrihaem, 3323
Type 1 blue copper protein amicyanin from *Thiobacillus versutus*:
line-broadening effects of chromium(III) complexes and related studies, 3395

Pyridyl to amido and amido to pyridyl isomerisation in an isonicotinamide complex of ruthenium(III), 3415

Complex-formation reactions of dichloro(L-methioninato)-palladium(II) with inosine and inosine 5'-monophosphate. Labilization induced by the S-donor chelate, 3581

Reaction of pentaammineaquarhodium((ii) with carbonate in strongly basic solution: a multiple choice of potential interactions, 3591

Kinetics of oxidation of antimony(III) by vanadium(v) in aqueous hydrochloric acid media, 3623
Kinetics and mechanism of complex formation of some bivalent

and trivalent metal ions with pentaammine(nitrilotriacetato)-cobalt(III) in aqueous medium, 3627

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Nucleophilic displacement of halides from monocationic

platinum(II) complexes containing neutral tridentate chelating ligands with sulfur and nitrogen donors: kinetics and equilibria,

Comparison of the reactivity of [2.2]paracyclophane and p-xylene, 4039

witer-sphere redox reactions of  $[Co^{III}\{N_5\}\{H_nPO_4\}]^{n+}$   $[\{N_5\}=(NH_3)_5,(NH_2Me)_5$  or 10-amino-10-methyl-1,4,8,12-tetraazacyclopentadecane] complexes. A temperature- and pressure-dependence kinetic study on the effects of the different {N<sub>3</sub>} groups, 4107

Complexes of human lactoferrin with vanadium in oxidation states +3, +4 and +5, 1121

LANTHANIDE Design of luminescent building blocks for supramolecular triple-helical lanthanide complexes, 83 LANTHANIDE (contd)

Lipophilic lanthanide complexes: a new class of carriers for extraction and transport of potassium benzyloxycarbonylamino acidates, 181 Formation and decomposition of high-mass metal-oxygen cluster

ions in the fast atom bombardment of lanthanide salts, 875 Metal-ion speciation in blood plasma as a tool for elucidating the *in vivo* behaviour of radiopharmaceuticals containing <sup>153</sup>Sm and <sup>166</sup>Ho, 1411

Synthesis and characterisation of lanthanide(II) aryloxides including the first structurally characterised europium(II) compound [Eu( $OC_6H_2Bu^1_2$ -2,6-Me-4) $_2(thf)_3$ ]-thf (thf = tetrahydrofuran),

1427 Synthesis and <sup>171</sup>Yb-{<sup>1</sup>H} nuclear magnetic resonance spectra of the ytterbium(II) aryloxides  $[Yb(OR^{\gamma})_2(L)_n][(L)_n = (OEt_2)_2, (thf)_2, (thf)_3, (pyridine)_2 or Me_PCH_2CH_2PMe_2] and <math>[Yb(\mu-OR^{\gamma})(X)]_2](X = OR^{\gamma} or NR_2)(R^{\gamma} = C_8H_2Bu^{\gamma}_2-2,6-Me-4, R^{\gamma} = SiMe_3, thf = tetrahydrofuran), 1435$ 

Thermodynamics of the complexation of cerium-, europium- and erbium-(III) with 1,4,10-trioxa-7,13-diazacyclopentadecane-*N*,*N*'-diacetic acid and 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-

N,N'-diacetic acid, 1583

N,N -diacetic acid, 1363
Reactions of ytterbium(II) amides with various Brønsted acids, CS<sub>2</sub> or LiNR<sub>3</sub>; crystal structures of [{Yb(NR<sub>2</sub>)(μ-OCBu<sup>1</sup><sub>3</sub>)}<sub>2</sub>] and [Yb(OCBu<sup>1</sup><sub>3</sub>)<sub>2</sub>(thf)<sub>2</sub>] (R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 2251
Nuclear magnetic resonance studies of neutral lanthanide(III) complexes with tetraaza-macrocyclic ligands containing three

phosphinate and one carboxamide co-ordinating arms, 2259
New organolanthanide complexes containing a σ-bonded 1,3dithiane. Crystal structures of [M(C<sub>3</sub>H<sub>4</sub>Bu)<sub>2</sub>(C<sub>4</sub>H<sub>7</sub>S<sub>2</sub>-1,3)]-LiCl2thf (M = Lu or Y; thf = tetrahydrofuran), 2679
Thermodynamic and electrochemical studies of lanthanide and

alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689

Preparation and crystal structure of the deficient perovskite LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819 Lanthanide picrate complexes and picric acid adduct of a calix[4] arene diamide. Syntheses and structures of [Tm(LH<sub>-2</sub>)A], [Ce(LH<sub>-2</sub>)(MeOH)<sub>2</sub>A]-HA, [PrLA<sub>3</sub>] and L-2HA {L = 5,11,17,23-tetra-terri-vuly-25,27-bis(diethylcarbamoylmethoxy)-26,28-dihydroxycalix[4]arene, HA = picric acid], 3455
Synthesis and characterisation of ytterbium(II) alkyls, 3933

LANTHANUM

Preparation and crystal structure of the deficient perovskite LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819 LEAD

Macrocyclic ligand design. Effect of donor-set and ring-size variation on silver(1)/lead(11) discrimination within an extended

variation on sive(t)/j.eau(ii) discrimination within an extended series of dibenzo substituted rings, 1127

Characterisation of the predominant low-pH lead(ii)—hydroxo cation, [Pb4(OH)4]<sup>4+</sup>; crystal structure of [Pb4(OH)4][NO<sub>3</sub>]4 and the implications of basic salt formation on the transport of lead in the aqueous environment, 2081

Synthesis, structural characterisation and Raman spectroscopy of the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts, 2577

Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacycloocta-decane-7-malonate, -7,16-bis(malonate) and -7,16-bis(α-methylacetate), 3353

LEWIS ACID

Lewis-acid catalysed oxidation of alkanes by chromate and permanganate, 695 LIGAND FIELD

Ligand fields in planar platinum(II) complexes, 197

Solvent-dependent <sup>2</sup>H nuclear magnetic resonance spectra and solvatochromism in ligand-field absorption bands of cis[CrF,N<sub>4</sub>]-type complexes with triethylenetetramine, pyridine or 2,2'-bipyridine, 2837

Ligand-field stabilization energies of the first-row transition-metal dihalides and their bearing on the Irving-Williams rule, 3483

LIGAND TRANSFER

Bidentate ligand transfer reactions between gold(i) complexes, 1255 C<sub>4</sub>-Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of [Ru<sub>5</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)] and [Ru<sub>6</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)], 2749

LINE BROADENING

Type 1 kbus constants

Type 1 blue copper protein amicyanin from Thiobacillus versutus: line-broadening effects of chromium(III) complexes and related studies, 3395 LIOUID CRYSTAL

Organometallic liquid crystals based on octahedral rhodium(III), 317 2,2'-Bipyridine complexes of the lithium chalcogenolates Li(EPh) and Li(NC<sub>5</sub>H<sub>4</sub>E-2) (E = S or Se), 45

Group 6 metallocene(iv)-main group metal complexes: synthesis and structures of a Mo-B-Li compound and of  $[W(\eta-C_5H_5)_2H_{-1}]$ {SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>}], 2999

Synthesis and structures of dilithium(1,2-diphosphido)benzenes,

LITHIUM-7

Synthesis and structures of dilithium(1,2-diphosphido)benzenes, 3925

LUMINESCENCE

Design of luminescent building blocks for supramolecular triplehelical lanthanide complexes, 83 Synthesis, photophysical and electrochemical properties of luminescent dinuclear copper(I) diimines, 499

Luminescent nitridometal complexes. Photophysical and photochemical properties of the <sup>3</sup>[(d<sub>x</sub>))<sup>3</sup>(d<sub>x</sub>))<sup>3</sup>] excited state of nitridoosmium(v1) complexes with polypyridine ligands, 657 Metal-oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent transdioxoosmium(vi) complexes with cyanide and mesityl ligands,

Dinuclear ruthenium(II) and/or osmium(II) complexes of a nonsymmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence properties and intercomponent energy transfer, 3601

MACROCYCLE

Preparation and crystal structures of cationic dienehydrido and dienyl ruthenium complexes containing N,N',N"-trimethyl-1,4,7-triazacyclononane, 227

Dinuclear zinc(II) complexes of a Robson macrocycle, 275

Synthesis and characterization of a di-N-hydroxyethylated tetraaza macrocycle and its nickel(II) and copper(II) complexes: crystal structure of the nickel(II) complex, 363

structure of the nicket(ii) complexe, 303
Synthesis, structure and properties of cobalt(iii) complexes of
pentadentate ligands with pyridyl pendant arms, 439
Aqueous electrochemistry of mono- and bi-nuclear copper(ii)
complexes with polyaza[n]paracyclophane ligands, 541
Attempted functionalisation of a mononuclear barium complex of

a 24-membered bibracchial tetraimine Schiff-base macrocycle derived from tris(2-aminoethyl)amine using salicylaldehyde, 765 Crown ether complexation of scandium(III). Formation and spectroscopic characterisation of ScCl<sub>2</sub> - oxacrown species and crystal structures of two scandium dibenzocrowns, 811 Steady-state fluorescence emission studies on polyazacyclophane

macrocyclic receptors and on their adducts with hexacyanocobaltate(III), 993

Kinetic versus thermodynamic control in the selective functionalization of nickel(II) cyclidene macrocyclic complexes,

Tetraruthenium cluster isomers containing both C6H8 and [2.2]paracyclophane ligands: a new face-bridging co-ordination mode for a C<sub>6</sub> aromatic ring, 1063

Macrocyclic ligand design. Effect of donor-set and ring-size variation on silver(i)/lead(ii) discrimination within an extended

series of dibenzo substituted rings, 1127

series of dibenzo substituted rings, 112/ Synthesis and complexing properties of polyazamacrocycles with pendant N-methylenephosphinic acid, 1133 1,5,9-Triphosphacyclododecane complexes of molybdenum and tungsten; crystal structure of tricarbony[[1,5,9-tris(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(0), 1139 Hydroxide-bridged diiron(III) complexes of tetraaminodiphenol

macrocyclic ligands: structure and properties, 1239 Synthetic, structural and electrochemical studies on some doubly

Synthetic, structural and electrochemical studies on some doubly bridged trichalcogen [3.3]ferrocenophanes, 1245

Versatile cation complexation by a calix[4]arene tetraamide (L). Synthesis and crystal structure of [ML][ClO<sub>4</sub>]<sub>2</sub>·nMeCN (M = Fe<sup>|||</sup>, Ni<sup>|||</sup>, Cu<sup>|||</sup>, Zn<sup>||</sup> or Pb<sup>|||</sup>), 1273

Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325

Prediction and observation of the structure of the zinc(II) complex of 1.5 at 13 totraconcellorate decays.

of 1,5,9,13-tetraazacyclohexadecane. A crystallographic and molecular mechanics study of the conformations assumed by the macrocycle when complexed with metal ions, 1363

Properties and crystal structure of a four-co-ordinate nickel(t) complex with the macrotricycle 1,3,6,8,12,15-hexaazatricyclo-[13.3.1.1 8.12]icosane, 1577

Thermodynamics of the complexation of cerium-, europium- and erbium-(III) with 1,4,10-trioxa-7,13-diazacyclopentadecane-N,N'-diacetic acid and 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-N,N'-diacetic acid, 1583

Hydrolytically-sensitive hexaimino and hydrolytically-inert actasmino-grantand hosts for disconner, 1739

Hydrolytically-sensitive hexaimino and hydrolytically-inert octaamino-cryptand hosts for dicopper, 1739

Synthesis, electrochemical and magnetic properties of new acyclic 'side-off' binuclear copper(II) complexes, 1851

Linear enthalpy relationships in co-ordination reactions of macrocyclic ligands with copper(II), 1879

Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+</sup> core by a tridentate thiolate and chemical analogues of the molybdenum co-ordination environment in the iron molybdenum cofactor of histogenese, 1965

iron-molybdenum cofactor of nitrogenase, 1965
Formation and decomposition study of electrochemically-generated nickel(III)-nota complexes in aqueous solution (nota<sup>3</sup> triazacyclononane-N,N',N"-triacetate), 2041

Nuclear magnetic resonance studies of neutral lanthanide(III)

MACROCYCLE (contd)

complexes with tetraaza-macrocyclic ligands containing three phosphinate and one carboxamide co-ordinating arms, 2259

phosphinate and one carboxamide co-ordinating arms, 2259
New 1,4,7,10-tetraazacyclotridecane-11,13-dione ligands appended
with additional donor(s) 8-methylquinoline(s): crystal structures
and characterization of their copper(II) complexes, 2289
Mono- and poly-nuclear cryptate complexes of cage-like azamacrocyclic compounds: a thermodynamic and electrochemical
approach, 2377
Porphyrin-like macrocyclic complexes: molecular and electronic
structure of (5,14-dihydro-6,8,15,17-tetramethyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato)copper(II), 2385
Polyamine synthesis and co-ordination: structural characterisation
of cohaliful) complexes from an octadentate ligand prepagation

of cobalt(III) complexes from an octadentate ligand preparation,

Stereochemical factors affecting second-sphere co-ordination of ferrioxamine B with cis-sym-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503

Metal-directed syntheses of dithiadiazacyclotetradecane macrocycles with pendant alcohol and nitro or carboxylate groups involving macrocycle ring expansion, 2541

Siderophore analogues. Synthesis and chelating properties of a new macrocyclic trishydroxamate ligand, 2565
Dinuclear Cu<sup>II</sup>M<sup>II</sup> (M = Co, Ni, Cu or Zn) and Cu<sup>II</sup>Cu<sup>I</sup> complexes of a phenol-based dinucleating macrocycle with dissimilar  $N_2O_2$  and  $N_2O_2S$  sites, 2599

Intramolecular hydrogen-bond formation in nickel(II) complexes with macrocyclic ligands containing non-co-ordinating nitrogen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenphosphates, 2633

and nydrogenphospinates, 2053
Thermodynamic and electrochemical studies of lanthanide and alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689
Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825

Kinetics of the formation, reactivity and crystal structure of the sulfite-bridged cation di-μ-hydroxo-μ-(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(III)], 2843

Synthesis, characterization and crystal structures of some half-sandwich ruthenium(II) complexes of 1,4,7-trimethyl-1,4,7-triazacyclononane containing π-acidic ancillary ligands, 2955 Thermodynamics of formation of 1,4,7,10,13,16-hexaoxacyclo-octadecane (18-crown-6) complexes with calcium, strontium and

barium ions in water and dimethylformamide, 3081 Synthesis and structure of carboxyl-bonded oxovanadium(ν) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 3101

Synthesis and co-ordination chemistry of a novel bis(benzo crown ether) substituted calix[4]arene that can simultaneously complex cations and anions, 3117

cations and anons, 31th [ScCl<sub>3</sub>(thf)<sub>3</sub>]-SbCl<sub>5</sub>-L (thf = tetrahydrofuran, L = 4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane): unexpected formation and crystal structure of [H<sub>2</sub>L]<sub>2</sub>Cl<sub>3</sub>(ScCl<sub>3</sub>(H<sub>2</sub>O)<sub>3</sub>·3H<sub>2</sub>O, 3173
Synthesis and structural characterization of crown thioether

complexes of silver(I) and copper(II), 3215 One-step template synthesis and solution structures of

bis(macrocyclic) octaamine dicopper(II) complexes, 3269

Reactions of peroxy acids with deuteroferrihaem, 3323 Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacycloocta-decane-7-malonate, -7,16-bis(malonate) and -7,16-bis(α-methylacetate), 3353

Macrocyclic 'dimer-of-dimers' type tetranuclear copper(II) complexes with two bridging hydroxy groups in a face-to-face manner, 3419

Lanthanide picrate complexes and picric acid adduct of a calix[4]arene diamide. Syntheses and structures of [Tm(LH<sub>-2</sub>)A], [Ce(LH<sub>-2</sub>)(MeOH)<sub>2</sub>A]-HA, [PrLA<sub>3</sub>] and L-2HA {L = 5,11,17,23-tetra-tert-butyl-25,27-bis(diethylcarbamoylmethoxy)-26,28-dihydroxycalix[4]arene, HA = picric acid}, 3455
First-row transition-metal complexes of corroles: synthesis and

characterization of oxotitanium(IV) and oxovanadium(IV)

characterization of oxotitanium(IV) and oxovanadium(IV) complexes of β-alkylcorroles, 3617

Synthesis and co-ordination chemistry of the pyridyl pendant-arm azamacrocycles 1-(2-pyridylmethyl)-1,5,9-triazacyclododecane L¹ and 1-(2-pyridyl-2¹-ethyl)-1,5,9-triazacyclododecane L², with nickel(III), copper(II) and zinc(III). Crystal structures of [Ni(L¹)(O<sub>2</sub>NO)]NO<sub>3</sub> and [ZnL²][Zn(NO<sub>3</sub>)<sub>3.67</sub>Cl<sub>0.33</sub>], 3659

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Macrocyclic Cu¹¹₄ and Cu¹¹₃M¹¹ complexes. Structure of a heterotrinuclear Cu¹¹₂Zn¹¹ complex exhibiting a helical twist, 3831

Co-ordination chemistry of iodine(I) with tetraazamacrocycles or monodentate ligands. Comparisons with bromine(I) and with some d-block metals, 3837

Polynuclear zinc(II) complexes of phenol-imine and -amine

Polynuclear zinc(II) complexes of phenol-imine and -amine macrocycles, 3897

Synthesis and characterisation of palladium(II) complexes of mixed thioether/oxa ionophores. Crystal structures of [PdCl<sub>2</sub>([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pd([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pd([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pd([18]aneS<sub>2</sub>O<sub>3</sub>)] [Pd([18]aneS<sub>2</sub>O<sub>3</sub>)], [PF<sub>6</sub>]<sub>2</sub> ([18]aneS<sub>2</sub>O<sub>3</sub> = 1,4,7-trioxa-10,13,16-trithiacyclooctadecane), 4045

Triphosphorus macrocycle complexes of divalent Group 6 transition metals; crystal structure of bromotricarbonyl[1,5,9-tris-

(isopropyl)-1,5,9- triphosphacyclododecane]molybdenum(II) tetraphenylborate, 4091 Synthesis, structural characterisation and nuclear magnetic resonance study of  $[Ru_bC(CO)_{15}(\mu_3-\eta^1:\eta^2:\eta^2-C_{16}H_{16}:\mu-O)]$ ; an intermediate in the formation of  $[Ru_bC(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2:\eta^2-C_{16}H_{16}:\mu-O)]$ ; and the formation of  $[Ru_bC(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2-C_{16}:\mu^2]$ . C<sub>16</sub>H<sub>16</sub>)], 4113 MAGNESIUM

AGNESIOM
Rapid synthesis of magnesium aluminophosphate-5 by microwave dielectric heating, 2315
Macrocyclic Cu<sup>II</sup><sub>4</sub> and Cu<sup>II</sup><sub>2</sub>M<sup>II</sup> complexes. Structure of a heterotrinuclear Cu<sup>II</sup><sub>2</sub>Zn<sup>II</sup> complex exhibiting a helical twist,

3831

MAGNETISM

Structure and magnetism of electronically distorted iron(III) Schiff-base complexes, 37

Synthesis, structural characterisation and studies of octanuclear copper complexes of pyridonate and carboxylate ligands, 163

A mixed-bridged Cu<sub>3</sub> cluster with an isosceles-triangular array of copper(II) ions: synthesis, crystal structure and magnetic

Synthesis of the potentially pentadentate ligand 6,6"-bis(2-hydroxyphenyl)-2,2':6',2"-terpyridine (H<sub>2</sub>L) and the crystal structure and magnetic properties of [{Cu(HL)}<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub>-5MeCN,

Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear octahedral clusters [Fe<sub>6</sub>(µ<sub>5</sub>-S)<sub>8</sub>(PEt<sub>5</sub>)<sub>6</sub>][PF<sub>6</sub>]<sub>8</sub> (n = 1 or 2), 963 Hydroxide-bridged diiron(III) complexes of tetraaminodiphenol macrocyclic ligands: structure and properties, 1239 Manganese complexes of 1,3-bis(3-nitrosalicylideneamino)propan-2-ol. Structure and magnetic and electrochemical properties, 1453 Hydrolytically-sensitive hexaimino and hydrolytically-inert octaamino-cryptand hosts for dicopper, 1739 Synthesis, electrochemical and magnetic properties of new acyclic 'side-off' binuclear copper(II) complexes, 1851 Crystal structure and magnetic properties of [Cu(ox)(py)<sub>2</sub>] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143 Synthetic, structural and magnetic studies of asymmetric trinuclear

2143
Synthetic, structural and magnetic studies of asymmetric trinuclear copper(ii) compounds [CuX<sub>2</sub>(Hae)<sub>2</sub>][Cu<sub>2</sub>(ae)<sub>2</sub>X<sub>2</sub>] (X = Cl or Br; Hae = 2-aminoethanol), 2209
Synthesis, magnetic and mass spectrometric studies on dinuclear complexes based on Schiff-base triazolic ligands, 2305
Syntheses, structures and magnetic studies of homometallic manganese and heterometallic iron-sodium one-dimensional

polymers, 2311

Copper(II) chloride-1-methylbenzotriazole chemistry: variation of product as a function of metal-to-ligand reaction ratio; synthesis, structure and properties of a dinuclear complex and a novel chain polymer with two alternating chromophores, 2317

Determination of the local environment of the metals in

[Cr<sup>III</sup><sub>2</sub>Co<sup>II</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>]-py (py = pyridine) by chromium and cobalt K-edge extended X-ray absorption fine structure. Geometric and charge-polarisation influences on Cr-O-Cr superexchange, 2515

Structure and magnetism of novel tetranuclear µ4-oxo-bridged

1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>] -, 2851

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and

quinolin-8-olate, 3101

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>4</sub>O<sub>4</sub>)(H<sub>2</sub>O)<sub>3</sub>]-2H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>4</sub>O<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>] (bipym = 2.2'-bipyrimidine), 3207

Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane

anions, 3221

Molybdenum(I)mononitrosylcomplexes: syntheses, electrochemistry, Molybdenum(i)mononitrosylcomplexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of complexes with N<sub>6</sub> and N<sub>3</sub>I first-co-ordination spheres and the crystal structures of [Mo{HB(dmpz)}{(NO)(NC<sub>3</sub>H<sub>4</sub>Ph-4)<sub>2</sub>]I and [Mo{HB(dmpz)<sub>3</sub>}{(NO)(NC<sub>9</sub>H<sub>7</sub>)<sub>2</sub>]BPh<sub>4</sub> (dmpz = 3,5-dimethylpyrazol-1-yl), 3243
Mixed-valence dinuclear iron complexes with a nonadentate polypyridine ligand: high-spin iron(II)-low-spin iron(III), 3533
Perylene salts with tetrahalogenoferrate(III) anions. Synthesis, crystal structure of [[C<sub>2</sub>nH<sub>12</sub>)<sub>3</sub>][FeCL<sub>4</sub>] and characterisation, 3543
Synthesis, structure and magnetic properties of a singly

Synthesis, structure and magnetic properties of a singly

MAGNETISM (contd)

carboxylate-bridged dinuclear manganese(II) complex, 4001 New polynuclear manganese(II) complexes with orotic acid and some of its derivatives: crystal structures, spectroscopic and magnetic studies, 4005

MANDELATE

Equilibria and thermodynamic quantities for the reactions of molybdenum(vi) and tungsten(vi) with mandelate (α-hydroxybenzeneacetate), 3433

MANGANESE

tert-Butylimido compounds of manganese-(VII), -(VI), -(V) and -(II);

nitrido, amido, alkyl, zinc and aluminium compounds, 205 Kinetic evidence for the redox cycling of manganese(II,III) in the presence of "ON(NO)SO<sub>3</sub>" in aqueous media, 293 Solution equilibria and redox reactivities of a dioxo-bridged manganese complex, 621

Lewis-acid catalysed oxidation of alkanes by chromate and permanganate, 695

permanganate, 093
Synthesis and reactivity towards dioxygen of some manganese(II)
complexes of tertiary amines. Crystal structures of [{MnI<sub>2</sub>(NEt<sub>3</sub>)}<sub>2</sub>],
[{MnI<sub>2</sub>(NPr<sub>3</sub>)}<sub>2</sub>] and [NHMe<sub>3</sub>][MnI<sub>3</sub>(NMe<sub>3</sub>)], 701
Conversion of hydrogen-bonded manganese(II) and zinc(II) squarate
(C<sub>4</sub>O<sub>4</sub><sup>2-</sup>) molecules, chains and sheets to three-dimensional cage

networks, 727

Binuclear and polymeric manganese(II) salicylate complexes: synthesis, crystal structure and catalytic activity of [Mn<sub>2</sub>(Hsal)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>] and [{Mn<sub>2</sub>(sal)<sub>2</sub>(Hsal)(H<sub>2</sub>O)(H<sub>3</sub>O)(py)<sub>4</sub>· 2py]<sub>n</sub>] (H<sub>2</sub>sal) = salicylic acid, py = pyridine), 771 Unusual migration of manganese to an arene *via* protonation of an agostic η<sup>3-CH</sup>-cyclohexenyl complex, 931

Anionic and cationic bi- and tri-nuclear *tert*-butylimido complexes of manganese-(v) and -(vi), 937

Manganese complexes of 1,3-bis(3-nitrosalicylideneamino)propan-

2-ol. Structure and magnetic and electrochemical properties Synthesis and characterisation of manganese(II) chalcogenolato

complexes. Crystal and molecular structure of [{Mn (μ-SeC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>}<sub>∞</sub>], 1645
Supramolecular chemistry of [{M(CO)<sub>2</sub>(μ<sub>3</sub>-OH)<sub>4</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233

Syntheses, structures and magnetic studies of homometallic manganese and heterometallic iron-sodium one-dimensional

polymers, 2311

Mononuclear manganese(III) complexes of a heterodonor (N<sub>2</sub>OS) ligand containing thiolate-type sulfur: synthesis, structure, redox and spectroscopic properties, 2619 Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and

bridging benzoate, 2825

Co-ordination chemistry of mixed pyridine-phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with Ni<sup>11</sup>, Cd<sup>11</sup>, Mn<sup>11</sup> and Mn<sup>11</sup>Mn<sup>11</sup>, 3071

µ-Pyrazolato-µ-carboxylato- and di(µ-pyrazolato)-dimanganese(II) complexes: synthesis, characterization and catalase-like function,

3635 Synthesis, structure and magnetic properties of a singly carboxylate-bridged dinuclear manganese(II) complex, 4001 New polynuclear manganese(II) complexes with orotic acid and some of its derivatives: crystal structures, spectroscopic and

magnetic studies, 4005 Dimanganese(II) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and

catalase-like activity, 4015
MASS SPECTROMETRY

Formation and decomposition of high-mass metal-oxygen cluster ions in the fast atom bombardment of lanthanide salts, 875 Formation and decomposition of uranium-oxygen clusters in fast

atom bombardment of dioxouranium(v1) salts, 885 Matrix-isolation and mass spectrometric studies on the vaporisation of chromium(III) bromide: characterisation of molecular CrBr<sub>4</sub>,

CrBr<sub>3</sub> and CrBr<sub>2</sub>, 1423 Synthesis, magnetic and mass spectrometric studies on dinuclear complexes based on Schiff-base triazolic ligands, 2305

Synthesis, crystal structure and electrospray mass spectrometric study of the rhodium(III) dioxolene complex

[Rh{OCC(CO<sub>2</sub>Et)SC(CO<sub>2</sub>Et)CO}(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(PPh<sub>3</sub>)], 3007 MATRIX ISOLATION

Matrix-isolation and mass spectrometric studies on the vaporisation of chromium(III) bromide: characterisation of molecular CrBr<sub>4</sub>, CrBr<sub>3</sub> and CrBr<sub>2</sub>, 1423 MECHANISM

Substitution reactions of trans-[Ru(NH<sub>3</sub>)<sub>4</sub>[P(OEt)<sub>3</sub>](H<sub>2</sub>O)]<sup>2+</sup> revisited. Mechanistic elucidation from a volume-profile analysis,

Inorganic reaction mechanisms: the bioinorganic-organometallic

Effect of amine substituents and neutral leaving groups on the

activation volume for aquation of octahedral pentaamine

complexes of Cr<sup>III</sup> and Rh<sup>III</sup>, 891

Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation

wo or w) sites. Detailed incenanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in trans[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu<sup>1</sup> or Me), 1193
Formation of η<sup>2</sup>-aroyl, η<sup>1</sup>-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related oxidants, 1709

MEDIUM EFFECT

Hydrolysis of the zinc(II) ion in sodium nitrate, chloride and perchlorate medium: the effect of the anionic medium, 3597
MENTHYL

Chiral tetraphenylcyclopentadienyl complexes of ruthenium and palladium; crystal structure of [Ru(η<sup>5</sup>-C<sub>3</sub>Ph<sub>4</sub>R<sup>1\*</sup>)(CO)<sub>2</sub>Br] (R<sup>1\*</sup> = menthyl), 2101

MERCURY

Mercury(II) chloride adducts of flexible double betaines: influence of different polymethylene bridges between the quaternary nitrogen atoms, 139

Synthesis and solid-state structural characterization of N,N'dicyclohexyldithiooxamide complexes of  $HgX_2$  (X = SCN or

New mixed-ligand isocyanide diphosphine ruthenium(II) derivatives. Synthesis of a potential metal-containing tetradentate ligand, 1069

Synthesis of novel mixed-metal clusters of mercury and osmium; crystal and molecular structures of cis-[Os(CO)<sub>h</sub>{(μ-Hg)Os<sub>3</sub>-(CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)}<sub>2</sub>] and [{Os<sub>3</sub>(CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)}<sub>2</sub>-(μ<sub>4</sub>-Hg)], 1389

MESITYL

Metal—oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent *trans*-dioxoosmium(v1) complexes with cyanide and mesityl ligands, 2967

MESOMORPHISM

Amphiphilic terpyridine complexes of ruthenium and rhodium displaying lyotropic mesomorphism, 1769
METALLABORANE

Synthesis of η-cyclopentadienyl-polyborane derivatives of molybdenum and tungsten, 67

Enhanced slip distortions in 1-phenyl-2-methyldicarbaplatina-boranes. Conformational destabilisation in the isomerisation of

1-phenyldicarbaplatinaboranes, 1755 Synthesis and characterisation of the mixed-sandwich complex Synthesis and characterisation of the mixed-sanowin complex closo-[3-(1-q-C<sub>3</sub>Me<sub>3</sub>)Fe-4-Me<sub>3</sub>S-1,2-C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>] and its charge-transfer salts; crystal structure of [Fe(η-C<sub>3</sub>Me<sub>3</sub>)(C<sub>2</sub>B<sub>3</sub>H<sub>10</sub>SMe<sub>2</sub>)]\*[ddq]\*-CH<sub>2</sub>Cl<sub>2</sub> (ddq = 2,3-dichloro-5,6-dicyano-*p*-benzoquinone), 2509 Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex commo-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-12-CBH 1-17-2851].

1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>]<sup>-</sup>, 2851 METALLACYCLE

Kinetics and mechanisms of halogen-bridge cleavage in dimethylaminomethylphenyl-C<sup>1</sup>, N pallada- and platina-cycles by pyridines. Pressure effects, and crystal structures of the N,N-cis reaction product, its N,N-trans orthometallated analogue and a dimer of similar reactivity, 999
Conformational control in PtS<sub>2</sub>(PR<sub>2</sub>)<sub>2</sub>N metallacycles via ligand-substituent effects (R = Ph or OPh), 2467

METALLOCENE

Synthesis and structural characterisation of new isocyanate and

imido niobocene complexes. Crystal structures of [{Nb(η-C<sub>2</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>Cl}<sub>2</sub>] and [Nb(η-C<sub>3</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>(=NPh)Cl], 1007 Synthesis of [Mo(η<sup>6</sup>-NC<sub>3</sub>H<sub>4</sub>Me<sub>2</sub>-2,6)(η<sup>6</sup>-C<sub>6</sub>H<sub>4</sub>Me]]: photoelectron spectra and electronic structure of some transition-metal η<sup>6</sup>-2,6-dimethylpyridine complexes, 1873 Group 6 metallocene(IV)—main group metal complexes: synthesis

Should be metallicenterly—main group metal complexes: synthesis and structures of a Mo–B–Li compound and of  $[W(\eta-C_1H_3)_2H_{SnCl_2CH(SiMe_3)_2}]$ , 2999

Synthesis, spectroscopic properties and crystal structures of  $[ML_2Cl_2][M=Th \text{ or } U; L=\eta-C_2H_3(SiMe_3)_2-1,3]$  and  $[UL_2X_2](X=Br, I \text{ or } BH_4)$ , 3335

Synthesis, electrochemistry and reactivity of formato- and acetato-niobocene complexes, 3409

Synthesis, structure and anion co-ordination chemistry of a novel macrocyclic cobaltocenium receptor, 3447

Chemical and theoretical comparison between phosphido (X =

PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>L(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>5</sub>H<sub>5</sub>]. Structure of [Nb(cp)<sub>2</sub>CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699

METALOMACROCYCLE
Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549

METAL POWDER

Microwave-assisted solid-state reactions involving metal powders, 2073

A novel reaction between physically separated solid reactants, 3825

**METHACRYLATE** 

Homoleptic molybdenum complexes of α,β-unsaturated amides and esters: preparation and crystal structures, 1563
Syntheses and structures of nickel(0) complexes containing the

methyl methacrylate monomer as ligand, 2033

Determination by electron diffraction of the molecular structure of bromotris(methoxydimethylsilyl)methane in the gas phase, 975

Synthesis and structural characterization of methanide silver(1) complexes. Unprecedented co-ordination of the methanide ligand in [Ag<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>(SPPh<sub>2</sub>CHPPh<sub>2</sub>CHCO<sub>2</sub>Me)]ClO<sub>4</sub>-4CH<sub>2</sub>Cl<sub>2</sub>, 805

METHIONINE

Synthesis and crystal structure of a novel cyclic trinuclear platinum(II) complex. [Pt<sub>3</sub>(L-HMet)<sub>3</sub>]-H<sub>2</sub>O (H<sub>3</sub>Met = methionine), 77

METHYLCYTOSINATE

Spectroscopic and potentiometric studies on the interaction of trans-[(MeH<sub>2</sub>N)<sub>2</sub>Pt(mcyt)<sub>2</sub>PdCl]NO<sub>3</sub> (mcyt = 1-methylcytosinate) with derivatives of amino acids, 489

MICROWAVE HEATING

Microwave-assisted solid-state reactions involving metal powders, 2073

Rapid synthesis of magnesium aluminophosphate-5 by microwave dielectric heating, 2315

MIXED VALENCE

CSFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>(OH<sub>2</sub>): a mixed-valence iron phosphate containing trimeric units of iron-oxygen polyhedra, 571
Mixed-valence dinuclear iron complexes with a nonadentate

polypyridine ligand: high-spin iron(II)-low-spin iron(III), 3533
Reactions of carbonylchlorogold(i) with thiolates and thiols.

Crystal and molecular structures of [NaL(H<sub>2</sub>O)][(AuCl)<sub>3</sub>SBu'],
[NaL][AuCl<sub>2</sub>], [NaL]<sub>4</sub>[AuCl<sub>2</sub>]<sub>2</sub>[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] and
[NaL]<sub>2</sub>[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] (L = 1,4,7,10,13-pentaoxacyclopentadecane),
3017

MODEL COMPLEX

Heteroleptic tripodal complexes of copper(II): towards a synthetic model for the active site in galactose oxidase, 2323

MOLECULAR DYNAMICS

Crystal structure and molecular mechanics, dynamics and quantum-mechanical *ab initio* studies of 2,2,4,4,6,6-hexakis-(*p*-phenoxyphenoxy)-2λ<sup>5</sup>, 4λ<sup>5</sup>, 6λ<sup>5</sup>-cyclotriphosphaza-1,3,5-triene, 1749

MOLECULAR MECHANICS

Versatile cation complexation by a calix[4]arene tetraamide (L).

Synthesis and crystal structure of [ML][ClO4]<sub>2</sub>·nMeCN
(M = Fe<sup>n</sup>, Ni<sup>n</sup>, Cu<sup>n</sup>, Zni<sup>n</sup> or Pb<sup>n</sup>), 1273

Prediction and observation of the structure of the zinc(II) complex

of 1,5,9,13-tetraazacyclohexadecane. A crystallographic and molecular mechanics study of the conformations assumed by the macrocycle when complexed with metal ions, 1363

Steric properties of sulfoxide ligands. Synthesis and crystal structure of *mer*-[RuCl<sub>3</sub>(Ph<sub>2</sub>SO)<sub>3</sub>], 1653
Crystal structure and molecular mechanics, dynamics and quantum-mechanical *ab initio* studies of 2,2,4,4,6,6-hexakis-(*p*-phenoxyphenoxy)-2λ<sup>5</sup>, 4λ<sup>5</sup>, 6λ<sup>5</sup>-cyclotriphosphaza-1,3,5-triene, 1749

One-step template synthesis and solution structures of bis(macrocyclic) octaamine dicopper(II) complexes, 3269
Structure of the copper(II) complex of a highly preorganised tetradentate ligand based on bispidine (3,7-diazabicyclo[3.3.1]-nonane), 3705

MOLECULAR MODELLING
Self-assembly of polyoxometalate conjugates: novel models for catalytic surfaces from crystal data, 145
Crystal construction and molecular recognition for [Cr(CO)<sub>6</sub>], 1215

MOLECULAR ORBITAL

Metal-dinitrogen  $\sigma$ - and  $\pi$ -bonding roles in [Fe(dmpe)<sub>2</sub>H(N<sub>2</sub>)]<sup>+</sup>, [Fe(depe)<sub>2</sub>(N<sub>2</sub>)] and trans-[V(dmpe)<sub>2</sub>(N<sub>2</sub>)<sub>2</sub>] (dmpe = Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>, depe = Et<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>), I Discrete variational Xα studies of the electronic structure of

amavadin, 191

Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>3</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>(WS<sub>4</sub>)]ClO<sub>4</sub>, 753

Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear octahedral clusters [Fe<sub>6</sub>(µ<sub>2</sub>-S)<sub>8</sub>(PEt<sub>3</sub>),][FF<sub>6</sub>]<sub>n</sub> (n = 1 or 2), 963 Electronic structure of 20-electron bis(cyclopentadienyl)metal oxo compounds of Group 6: investigation by photoelectron

spectroscopy, 1023
Is the ground state of [RuO<sub>4</sub>]<sup>2-</sup> exceptional?, 1537
Investigation of the *trans* influence in transition-metal nitride

Auyesugation of the *trans* influence in transition-metal nitride complexes, 1635
Crystal structure and molecular mechanics, dynamics and quantum-mechanical *ab initio* studies of 2,2,4,4,6,6-hexakis-(*p*-phenoxyphenoxy)-2λ<sup>5</sup>, 4λ<sup>5</sup>, 6λ<sup>3</sup>-cyclotriphosphaza-1,3,5-triene, 1749

Photoelectron spectroscopic investigation of isomeric methyl

(isocyanide), η²-iminoacyl and η³-azaallyl complexes of molybdenum and tungsten, 1925 Molecular structure of 1-(dichloroboryl)pentaborane(9), in the gas

Molecular structure of 1-dichlorobory/)pentaborane(9), in the g phase as determined by electron diffraction and supported by theoretical calculations, 2193

A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>4</sub>H(η<sup>5</sup>-C<sub>3</sub>Me<sub>5</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935

Synthesis and crystal structure of a salt containing the transdiphenyldi-μ-seleno-diselenodistannate (2—) anion, 3113

Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>12</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287

Molecular structure and crystal structure generation for [Fe<sub>3</sub>(CO)<sub>12</sub>], 3297 MOLECULAR RECOGNITION

Stereochemical factors affecting second-sphere co-ordination of ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503

MOLTEN SALT

Disproportionation of polynuclear chloroethylaluminate anions in acidic 1-butyl-3-methylimidazolium chloride-AlEtCl<sub>2</sub> molten salts in the presence of a hydrocarbon phase, 3867

MOLYBDENUM

(R = Me or Pri, R' = Me or Et) and their reactions with nitrogen donors. Crystal structures of [MoH(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)<sub>3</sub>(C<sub>6</sub>H<sub>2</sub>Pr)<sub>3</sub>-2,4,6)<sub>3</sub>(C<sub>6</sub>H<sub>5</sub>N)(PMe<sub>2</sub>Ph)], [MoH(NC<sub>5</sub>H<sub>6</sub>S-2)<sub>2</sub>(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)(PEtPh<sub>2</sub>)] and [PPh<sub>4</sub>][MoO(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>], 5 Synthesis of η-cyclopentadienyl-polyborane derivatives of molybdenum and tungsten, 67

Self-assembly of polyoxometalate conjugates: novel models for catalytic surfaces from crystal data, 145
Non-linear optical materials containing molybdenum or tungsten

mononitrosyl redox centres: diaromatic azo derivative (1994, 3427), 153

Bis(n-cyclopentadienyl)imidomolybdenum compounds, 155 Sono-electrochemistry: the oxidation of bis(cyclopentadienyl)-molybdenum dichloride, 389

Syntheses and reactions of *ansa*-[2,2-bis(η-cyclopentadienyl)-propane]-tungsten and -molybdenum compounds, 395 Non-linear and potential non-linear optical materials containing

molybdenum or tungsten mononitrosyl redox centres. Stilbene derivatives containing ferrocenyl, methoxy or dimethylamino donor groups, 673

Electronic structure of 20-electron bis(cyclopentadienyl)metal oxo compounds of Group 6: investigation by photoelectron spectroscopy, 1023

1,5,9-Triphosphacyclododecane complexes of molybdenum and tungsten; crystal structure of tricarbonyl[1,5,9-tris(isopropyl)-

tungsten; crystal structure of tricarbonyl[1,3,9-tris(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(0), 1139
Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>
(M = Mo or W) sites. Synthesis and properties of the diaminoacetylene complexes trans-[MX(n²-MeHNC=CNHMe)-(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]A (X = F, Cl or ClO<sub>4</sub>; A = BF<sub>4</sub>, PF<sub>6</sub>, HCl<sub>2</sub> or ClO<sub>4</sub>) and of their di(aminocarbyne)-type precursors, 1183
Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> (M = Mo or W) sites. Detailed mechanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in trans-

of co-ordinated isocyanides and coupling of ligands in *trans*-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu<sup>t</sup> or Me), 1193 Alkene epoxidation catalysed by camphor-derived β-keto-

phosphonate complexes of molybdenum(v1), 1221
Distortions in six-co-ordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of mer-[Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>2</sub>-2,4,6)<sub>2</sub>-(CO)<sub>3</sub>(PMePh<sub>2</sub>)], cis,cis,cis-[W(SC<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>(CO)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>] and [W(SC<sub>6</sub>H<sub>3</sub>Pri<sub>2</sub>-2,6)<sub>2</sub>(CO)<sub>2</sub>(PMe<sub>2</sub>Ph)<sub>2</sub>], 1315

The preparation and characterisation of new mixed carbonyl nitro complexes of Group 6 metals, 1391
Bromination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489
Homoleptic molybdenum complexes of α,β-unsaturated amides and exterior transportion and created tempting. 1563

resters: preparation and crystal structures, 1563

Formation of η<sup>2</sup>-aroyl, η<sup>1</sup>-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and -tungstate anions with arenediazonium cations and related oxidate 1709 oxidants, 1709

Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and

alcohols, 1833 Synthesis of [Mo( $\eta^6$ -NC<sub>5</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)( $\eta^6$ -C<sub>6</sub>H<sub>5</sub>Me)]: photoelectron

synthesis of [moth-NC<sub>3</sub>F<sub>3</sub>Me<sub>2</sub>-2,0f(N-C<sub>6</sub>F<sub>3</sub>Me<sub>3</sub>)]. photoelectron spectra and electronic structure of some transition-metal η<sup>6</sup>-2,6-dimethylpyridine complexes, 1873

Photoelectron spectroscopic investigation of isomeric methyl (isocyanide), η<sup>2</sup>-iminoacyl and η<sup>3</sup>-azaallyl complexes of molybdenum and tungsten, 1925

Di- and tri-metallic complexes containing two bridging

MOLYBDENUM (contd)

cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>(µ-cis-[PhNP(OC<sub>6</sub>H<sub>4</sub>Me-p)]<sub>2</sub>/<sub>2</sub>], 1933

Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+\*</sup> core by a tridentate thiolate and chemical analogues of the molybdenum co-ordination environment in the iron-molybdenum cofactor of nitrogenase,

Ligand-centred chemistry of molybdenum organoimides.

Formation of C-C bonds via generation of nitrogen ylides, stereospecific conversion of an allylimide into alkylvinylimides, liberation of cyanoformate or amino acid esters, 1973 Highly selective mono- and di-alkylation of the backbone of

complexes of type fac-

[M(CO)<sub>3</sub>{E,Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu<sup>1</sup>)=N-N=C(Bu<sup>1</sup>)CH<sub>2</sub>PPh<sub>2</sub>}] (M = Mo or W), 2057 Neutral thiolates of antimony(III) and bismuth(III), 2129

Electron-transfer reactions and the self-exchange rate of the perruthenate(VII)-ruthenate(VI) couple, 2221
Boratropic rearrangements in tris(pyrazolyl)borate molybdenum

mononitrosyl complexes: effects of co-ligands, 2281 Synthesis and structural characterisation of dithiocarbamatestabilised dimeric molybdenum(v) imido complexes via oxo substitution reactions with organic isocyanates, 2337 Chemistry of molybdenum complexes with (triphenylmethyl)allene,

2351
Protonation of trans-[Mo(η²-MeCCH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]: mechanism of formation of trans[MoX(CHCHMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (X = Cl or Br) or trans[MoF(CCH<sub>2</sub>Me)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], 2479
Reduced polyoxomolybdates with the Keggin and Dawson structures: preparation and crystal structures of two-electron reduced [K(18-crown-6)]<sub>2</sub>[N(PPh<sub>3</sub>)<sub>2</sub>], [HPMo<sub>1</sub>O<sub>40</sub>] 8MeCN-18crown-6 and four-electron reduced [NBu<sup>n</sup><sub>4</sub>]<sub>5</sub>[H<sub>3</sub>S<sub>2</sub>Mo<sub>18</sub>O<sub>62</sub>] + 4MeCN (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane), 2521 2521

An extended X-ray absorption fine structure (EXAFS) study of mixed molybdenum-tungsten M<sub>3</sub> clusters in Zn<sub>2</sub>Mo<sub>3-x</sub>W<sub>x</sub>O<sub>8</sub> (x = 1, 1.5 or 2), 2555

Cleavage of an aryl carbon-sulfur bond in hydride-thiolate complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)(OMe)(PMePh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>], 2583

Synthesis, characterisation and crystal structure of molybdenum and molybdenum—conper hydroxy-rich Schiff-base complexes

and molybdenum-copper hydroxy-rich Schiff-base complexes, 2591

2591
Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769
Vinylidene complexes of the molybdenum auxiliary Mo(Ph,PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)(C<sub>7</sub>H<sub>2</sub>), Structural and spectroscopic investigations on vinylidene ligand orientation, 2873
Molybdotungstovanadates [V<sub>2</sub>Mo<sub>4</sub>W<sub>(4-n)</sub>O<sub>19</sub>]<sup>4-</sup>, 2891
Cyclooctadienyl complexes of molybdenum: synthesis and η<sup>5</sup> → η<sup>3</sup> hapticity interconversion, 2915
Group δ metallocene(W<sub>2</sub>) many group metal complexes: synthesis

η³ hapticity interconversion, 2915
Group 6 metallocene(iv)—main group metal complexes: synthesis and structures of a Mo-B-Li compound and of [W(η-C<sub>3</sub>H<sub>5</sub>)<sub>2</sub>H-{SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>}], 2999
Phosphorus-carbon bond formation in heterobimetallic molybdenum-tungsten alkyne complexes, 3049
Structural and spectroscopic characterization of a dicyanooxomolybdenum(iv) complex with a tetradentate Schiff-base ligand, 3057

The crystal structures of [NMe<sub>4</sub>]<sub>2</sub>[(PhPO<sub>3</sub>){MoO(O<sub>2</sub>)<sub>2</sub>}<sub>2</sub>- {MoO(O<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)}] and [NBu<sup>a</sup><sub>4</sub>]<sub>2</sub>[W<sub>4</sub>O<sub>6</sub>(O<sub>2</sub>)<sub>6</sub>(OH)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and their use as catalytic oxidants, 3131

Synthesis, structure and reactivity of bicycloheptatrienyl-bridged dimolybdenum complexes: crystal structure of [Mo<sub>2</sub>(CO)<sub>4</sub>(μ-I)-(μ-η<sup>7</sup>: η<sup>7</sup>-C<sub>14</sub>H<sub>12</sub>)][PF<sub>6</sub>], 3231

(μ-η': η'-C<sub>14</sub>H<sub>12</sub>)][PF<sub>6</sub>], 3231
Molybdenum(i)mononitrosylcomplexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of complexes with N<sub>6</sub> and N<sub>5</sub>I first-co-ordination spheres and the crystal structures of [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>5</sub>H<sub>4</sub>Ph-4)<sub>2</sub>]] and [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>5</sub>H<sub>7</sub>)<sub>2</sub>]BPh<sub>4</sub> (dmpz = 3,5-dimethylpyrazol-1-yl), 3243
Synthesis and crystal structure of an encapsulated fragment of MoO<sub>5</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>5</sub>O<sub>8</sub>Cl<sub>5</sub>-(μ<sub>2</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(μ-OH)<sub>4</sub>(μ-OEt)<sub>4</sub>(HOEt)<sub>4</sub>] and its relevance to the sol-gel synthesis of molybdenum oxides, 3263
Four-persyn five-co-ordinate bis(mind) a lakene complexes of

sor-ger synthesis of individental oxides, 320-8 Four- versus five-co-ordinate bis(imido) alkene complexes of molybdenum: the contrasting effects of tert-butyl- and 2,6-diisopropylphenyl-imido substituents, 3313 Mechanistic studies on the cis-[VO<sub>2</sub>(H<sub>2</sub>O<sub>4</sub>)<sub>4</sub>] and [Mo(CN)<sub>8</sub>]<sup>3</sup>-oxidations of the Rel<sup>V</sup><sub>2</sub> complex [(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>Re(μ-O)<sub>2</sub>Re(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>]<sup>4</sup>-

Oxo- and imido-molybdenum(v1) and -tungsten(v1) functionalities supported by diacetoneglucose, 3329 Equilibria and thermodynamic quantities for the reactions of molybdenum(v1) and tungsten(v1) with mandelate (x-hydroxy-

benzeneacetate), 3433

Nuclear magnetic resonance studies of 4-hydroxypiperidinomethylphosphonic acid and its polyoxomolybdate conjugates, 3511
Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>3</sub>H<sub>3</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699
Thermal reactions of Mo(CO)<sub>6</sub> on metal-oxide surfaces, 3753
Dinitrogen, butadiene and related complexes of molybdenum.

Crystal structures of [Mo(N<sub>2</sub>)(PMe<sub>2</sub>)<sub>5</sub>] and [Mo(η<sup>3</sup>-CH<sub>3</sub>CH-CHCH<sub>2</sub>)(η<sup>4</sup>-C<sub>4</sub>H<sub>6</sub>)(PEt<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801
Potentiometric study of the molybdenum(v1)-benzilic acid system.

Structural characterisation and electrochemical properties of [NH<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>{O<sub>2</sub>CC(O)Ph<sub>2</sub>)<sub>2</sub>]-2H<sub>2</sub>O, 3891
Deprotonation of η<sup>2</sup>(4e)-bonded alkynes as a pathway to σ,η<sup>2</sup>(3e)-prop-2-ynyl, η<sup>2</sup>-pentadienyl and η<sup>4</sup>-trans-1,3-diene substituted molybdenum complexes, 3975

Triphosphorus macrocycle complexes of divalent Group 6 transition metals; crystal structure of bromotricarbonyl[1,5,9-tris-(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(II) tetraphenylborate, 4091
MONTMORILLONITE

Bromination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489

MÖSSBAUER

Synthesis and characterization of tin(IV) and organotin(IV) 1,4-dimethylpiperazine-2,5-dione (cyclosarcosylsarcosine) adducts,

Dynamics of tin nuclei in alkyltin(IV)—deoxyribonucleic acid condensates by variable-temperature tin-119 Mössbauer spectroscopy, 467

Iron-57 Mössbauer spectroscopic and X-ray diffraction studies on the mixed-valence state of binuclear ferrocene derivatives with long alkyl substituents, 513

CSF<sub>23</sub>(PO<sub>33</sub>(OH<sub>2</sub>)<sub>2</sub>: a mixed-valence iron phosphate containing trimeric units of iron–oxygen polyhedra, 571 Reaction of tin metal powder with triorganophosphorus dihalides: isolation and spectroscopic characterisation of [PR<sub>3</sub>X][SnX<sub>1</sub>] and cis- and trans-Sn(PR<sub>3</sub>)<sub>2</sub>X<sub>4</sub> (X = Br or I; R<sub>3</sub> = Ph<sub>3</sub>, Ph<sub>2</sub>Me or Ph<sub>2</sub>M<sub>2</sub>) 1502 PhMe<sub>2</sub>), 1593

High-temperature Mössbauer studies on <sup>119</sup>Sn-enriched caesium tin(II) chlorides and bromides, 2723

Synthesis, spectroscopic and structural characterisation of periodate complexes of iron(iii), 3367

MYOGLOBIN

Determination of active-site conformations in paramagnetic

myoglobin from analyses of cross-relaxation and hyperfine

shifts, 3281
NAPHTHALENE

Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549 NAPHTHYL

Chemistry of molybdenum complexes with (triphenylmethyl)allene, 2351

NAPHTHYRIDINE

Di- and linear tri-nuclear carbonyl ruthenium clusters containing asymmetrically bridging 2,7-disubstituted naphthyridines, 2663 NEPHELAUXETIC EFFECT

Ligand-field stabilization energies of the first-row transition-metal dihalides and their bearing on the Irving-Williams rule, 3483 NEUTRON DIFFRACTION

Neutron diffraction study on a single crystal of pentacarbonyl-diethylcyanamidechromium at 110 K, 665

Structure refinement from powder neutron diffraction data of  $Sn_{10}W_{16}O_{44}$ , which contains a metal-metal bonded  $W_6O_{12}$  cluster, 1947

Preparation and crystal structure of the deficient perovskite LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819 NEUTRON POWDER DIFFRACTION

Structure of Ba<sub>3</sub>ln<sub>2</sub>O<sub>5</sub>F<sub>2</sub> by combined powder X-ray and neutron diffraction analysis; oxide/fluoride ordering in a Ruddlesden-Popper phase, 3015
NICKEL

ICKEL

Synthesis, resolution and reactions of (±)-(2-aminophenyl)methylphenylphosphine. Crystal and molecular structure of
(R\*,R\*,S\*,R\*)-(±)-(1,3-bis{[2-(methylphenylphosphino)phenyl]amino}propane)nickel(II) perchlorate, 57
Azonaphtholate ligands for the nickel(III) cation: design, synthesis
and electrochemical properties, 265

Variable geometry of nickel(III) complexes with N¹-isopropyl-2methyl-propane-1,2-diamine (L). Crystal structures of
[Nil\_2]Br<sub>2</sub>-3H<sub>2</sub>O, [Nil\_2Br\_]Br and [Nil\_2(NCS)<sub>2</sub>] and solid-state
thermochromism in [Nil\_2]Br<sub>2</sub>-3H<sub>2</sub>O, 337

Synthesis and characterization of a di-N-hydroxyethylated tetraaza
macrocycle and its nickel(III) and copper(III) complexes: crystal

macrocycle and its nickel(II) and copper(II) complexes: crystal structure of the nickel(II) complex, 363

Preparation, properties and crystal structures of new nickel(II) complexes of 1,2-asymmetrically substituted dithiolenes for third-order non-linear optical applications, 587

Kinetic versus thermodynamic control in the selective

NICKEL (contd)

functionalization of nickel(II) cyclidene macrocyclic complexes,

Kinetic studies on the reduction of nickel(IV) and nickel(III) oxime-

imine complexes by ascorbic acid, 1083

Cobalt and nickel complexes of 2,2':6',2":6',2"-quaterpyridine as catalysts for electrochemical reduction of carbon dioxide, 1103

Dynamic nuclear magnetic resonance studies of the η³-triphenyl-cyclopropenyl complexes [M(η³-C₃Ph₃)L]PF<sub>6</sub> [M = Ni, Pd or Pt; L = MeC(CH,PPh₂)₃]. Crystal structure of the platinum derivative. 1109

derivative, 1109

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach, 1177 Syntheses, characterisation and crystal structures of metal complexes of a novel 1,2-dithiolate ligand, 6,7-dihydro-6-methylene-5*H*-1,4-dithiepine-2,3-dithiol, 1285

Properties and crystal structure of a four-co-ordinate nickel(t) complex with the macrotricycle 1,3,6,8,12,15-hexaazatricyclo-[13.3.1.18.12]icosane, 1577

bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Syntheses and structures of nickel(0) complexes containing the methyl methacrylate monomer as ligand, 2033

Formation and decomposition study of electrochemically-generated

Formation and decomposition study of electrochemically-generated nickel(III)-nota complexes in aqueous solution (nota<sup>3-2</sup> = 1,4,7-triazacyclononane-N,N',N''-triacetate), 2041

Synthesis, magnetic and mass spectrometric studies on dinuclear complexes based on Schiff-base triazolic ligands, 2305

Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549

Intramolecular hydrogen-bond formation in nickel(II) complexes with macrocyclic ligands containing non-co-ordinating nitrogen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenshates, 2633

atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenphosphates, 2633

Preparation and crystal structure of the deficient perovskite LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819

Co-ordination chemistry of mixed pyridine-phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with Ni<sup>1</sup>, Cd<sup>1</sup>, Mn<sup>1</sup> and Mn<sup>1</sup>Mn<sup>11</sup>, 3071

Topologically different infinite co-ordination structures of [CdNi(CN)<sub>4</sub>]-2H<sub>2</sub>N(CH<sub>2</sub>)<sub>n</sub>NH<sub>2</sub>-mH<sub>2</sub>O complexes (n = 2-7 and 9 m = 0-2) caused by the caternation behaviour of the diamine

[CdNi(CN)<sub>4</sub>]-2H<sub>2</sub>N(CH<sub>2</sub>)<sub>n</sub>NH<sub>2</sub>·mH<sub>2</sub>O complexes (n = 2-7 and 9, m = 0-2) caused by the catenation behaviour of the diamine and the -NC-Ni(CN)<sub>2</sub>-CN- moieties, 3195 Synthesis and co-ordination chemistry of the pyridyl pendant-arm azamacrocycles 1-(2-pyridylmethyl)-1,5,9-triazacyclododecane L¹ and 1-(2-pyridyl-2¹-ethyl)-1,5,9-triazacyclododecane L², with nickel(n), copper(n) and zinc(n). Crystal structures of [Ni(L¹)(O<sub>2</sub>NO)]NO<sub>3</sub> and [ZnL²][Zn(NO<sub>3</sub>)<sub>3.67</sub>Cl<sub>0.31</sub>], 3659 Potentiometric and spectrophotometric study of the solution equilibria in the nickel(n)-diethanolamine-water system in

equilibria in the nickel(II)—diethanolamine—water system in aqueous sodium perchlorate solutions at 25 °C, 3843

Niobium complexes with terdentate diphosphino- and diamino- amido ligands. Crystal structure of [{NbCl<sub>3</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PMc<sub>2</sub>)]}<sub>2</sub>]-C<sub>6</sub>H<sub>3</sub>Me, 355

Synthesis and structural characterisation of new isocyanate and imido niobocene complexes. Crystal structures of [{Nb(η-C,H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>(=NPh)Cl], 1007

Synthesis, spectroscopic characterization and dynamic behaviour of niobium complexes with poly(pyrazol-1-yl)methane ligands, 1015

Synthesis and structural characterization of three new compounds containing [Nb<sub>6</sub>Cl<sub>12</sub>]<sup>2+</sup> units as hydrated hydroxides, 1441

Synthesis, electrochemistry and reactivity of formato- and acetato-niobocene complexes, 3409

Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>(CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699

Theoretical investigation of the electronic structures of the mixedring sandwich molecules [M(η<sup>7</sup>-C<sub>7</sub>H<sub>7</sub>)(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)] (M = Ti, V, Nb or Ta), 3727

Nb or Ta), 3727

NITRATE

Cadmium(II) complexes containing a discrete tetrakis(carboxylato)bridged dimetal core: isomorphous dinitratotetrakis(µ-triphenylphosphoniopropionate)dicadmium(II) dinitrate and
diperchlorate, and dichlorotetrakis(µ-triphenylphosphoniopropionate)dicadmium(II) diperchlorate, 1519
Characterisation of the predominant low-pH lead(II)-hydroxo
cation, [Pb4(OH)<sub>4</sub>]<sup>4+</sup>; crystal structure of [Pb4(OH)<sub>4</sub>][NO<sub>5</sub>]<sub>4</sub> and
the implications of basic salt formation on the transport of lead
in the aqueous environment 2081

in the aqueous environment, 2081

Synthetic, spectroscopic and structural studies on uranium and thorium complexes of diphosphazane dioxides, 2991

NITRIC OXIDE

Pulse-radiolysis study of the reaction of nitric oxide with superoxide, 2885

tert-Butylimido compounds of manganese-(VII), -(VI), -(V)

and -(II); nitrido, amido, alkyl, zinc and aluminium

and -(II); fitrido, amido, aikyl, zinc and aiuminium compounds, 205

Luminescent nitridometal complexes. Photophysical and photochemical properties of the  ${}^{3}[(d_{x,y})^{1}(d_{x,y})^{1}]$  excited state of nitridoosmium(vi) complexes with polypyridine ligands, 657

Chemistry of the carbido- and nitrido-decaruthenium cluster anions  $[Ru_{10}H(C)(CO)_{24}]^{-}$ ,  $[Ru_{10}C(CO)_{24}]^{-}$  and  $[Ru_{10}N(CO)_{24}]^{-}$ , 741

Rhenium complex of a triply deprotonated chelated thiosemicarbazide and its conversion to a nitride complex pita a hydrazide intermediate. Crystal structure of

via a hydrazide intermediate. Crystal structure of [ReCl<sub>2</sub>(NH)(NHNH<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>], 1357

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2-</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 1527

Investigation of the trans influence in transition-metal nitride complexes 1635

complexes, 1635

Solution and solid-state nuclear magnetic resonance studies on

interstitial atoms within transition-metal carbonyl clusters, 1985 Substitution of nitrido by the oxo group in reactions of [ReNCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] with multidentate N,O<sup>-</sup>-donor chelates. Crystal structure of [ReOCl<sub>2</sub>(PPh<sub>3</sub>)(HL)] [H<sub>2</sub>L = 2,6-bis(hydroxymethyl)pyridine], 2189

Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and nitrido analogues; crystal structure of

[Re<sup>v</sup>(NMe)(py)<sub>3</sub>(OEt)Cl]ClO<sub>4</sub> (py = pyridine), 2779 Syntheses and characterization of amino and amido-imido yntheses and characterization of amino and amido-inido technetium(v) and rhenium(v) complexes with (o-aminophenyl)-diphenylphosphine-N,P. Crystal structures of [TcNCI-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}<sub>2</sub>]Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475

A novel reaction between physically separated solid reactants, 3825

Co-ordination of nitriles to [Fe(CN)<sub>5</sub>(OH<sub>2</sub>)]<sup>3-</sup> and use of the acetonitrile complex for the determination of equilibrium constants, 3643

NITRITE

Crystal and molecular structure of racemic cis-α-[CoL(NO<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] and cis-α-[CoL(NO<sub>2</sub>),][BF<sub>2</sub>O] (L = 3,6-dithiaoctane-1,8-diamine), a compound containing an anion newly isolated in crystalline form, 99

Solution equilibria and redox reactivities of a dioxo-bridged manganese complex, 621

The preparation and characterisation of new mixed carbonyl nitro complexes of Group 6 metals, 1391

NITROGEN

Crystal structure and molecular mechanics, dynamics and quantum-mechanical *ab initio* studies of 2,2,4,4,6,6-hexakis(*p*-phenoxy-phenoxy)-2λ<sup>3</sup>, 4λ<sup>5</sup>, 6λ<sup>3</sup>-cyclotriphosphaza-1,3,5-triene, 1749 Is hydrazoic acid an intermediate in the destruction of hydrazine by excess nitrous acid?, 3103

Synthesis and structure of small-molecule phosphazene rings bearing fused-ring aryloxy side groups: models for optically useful high polymers, 3521

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives

(1994, 3427), 153

Non-linear and potential non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres. Stilbene derivatives containing ferrocenyl, methoxy or dimethylamino

uerivatives containing ferrocenyl, methoxy or dimethylamino donor groups, 673
Ligand substitution in [Fe<sub>2</sub>(CO)<sub>6</sub>(NO)(μ-PPh<sub>2</sub>)] and the isomerism of [Fe<sub>2</sub>(CO)<sub>4</sub>(PMe<sub>3</sub>)<sub>2</sub>(NO)(μ-PPh<sub>2</sub>)], 1791
Nucleophilic additions to the chiral rhenium alkene complexes [Re(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)(NO)(PPh<sub>3</sub>)H<sub>2</sub>C=CHR)]BF<sub>4</sub> (R = H, Me, CH<sub>2</sub>CH<sub>2</sub>Me, Ph or CH<sub>2</sub>Ph): regio-, diastereo- and enantio-selectivities, 1857
Photolysis of the [Fe(CN) (NO)<sup>2</sup>- is in the chiral region of the property of

Photolysis of the [Fe(CN)<sub>5</sub>(NO)]<sup>2-</sup> ion in water and poly(vinyl alcohol) films: evidence for cyano radical, cyanide ion and nitric oxide loss and redox pathways, 2013

oxide loss and redox pathways, 2013

Boratropic rearrangements in tris(pyrazolyl)borate molybdenum mononitrosyl complexes: effects of co-ligands, 2281

Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769

Molybdenum(1)mononitrosyl complexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of complexes with N<sub>6</sub> and N<sub>6</sub> I first-co-ordination spheres and the crystal structures of [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>9</sub>H<sub>4</sub>Ph-4)<sub>2</sub>]I and [Mo{HB(dmpz)<sub>3</sub>}(NO)(NC<sub>9</sub>H<sub>7</sub>)<sub>2</sub>]BPh<sub>4</sub> (dmpz = 3,5-dimethylpyrazol-1-yl), 3243

NITROUS ACID

Is hydrazoic acid an intermediate in the destruction of hydrazine

Is hydrazoic acid an intermediate in the destruction of hydrazine by excess nitrous acid?, 3103

The structure of solutions of gallium(i) chloride in benzene, 245 Spectroscopic investigation of concentrated solutions of gallium(III) chloride in mesitylene and benzene, 255

Complexes of Ga<sup>3+</sup> and In<sup>3+</sup> with the N,N"-bis(butylamide) derivative of diethylenetriaminepentaacetic acid: stability constants and nuclear magnetic resonance studies in aqueous solution, 327

Spectroscopic and potentiometric studies on the interaction of trans-[(MeH<sub>2</sub>N)<sub>2</sub>Pt(mcyt)<sub>2</sub>PdCl]NO<sub>3</sub> (mcyt = 1-methyl-cytosinate) with derivatives of amino acids, 489

Conformational preferences and protonation sequence of myo-inositol hexaphosphate in aqueous solution; potentiometric and multinuclear magnetic resonance studies, 575 Synthesis and characterisation of enynyl, vinyl and acetylide

complexes of osmium(II), 719

Cyclometallated derivatives of platinum(II) derived from 6-(tert-butyl)-2,2'-bipyridine (HL). Crystal and molecular structure of [Pt(L)Ci], 77

[P(L)C1], ///
Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study, 799
Synthesis, spectroscopic characterization and dynamic behaviour of niobium complexes with poly(pyrazol-1-yl)methane ligands, 1015

Kinetics and mechanism of ligand exchange in tetrakis-(acetylacetonato)zirconium(IV) in organic solvents, 1077

Dynamic nuclear magnetic resonance studies of the  $\eta^3$ -triphenyl-cyclopropenyl complexes  $[M(\eta^3-C_3Ph_3)L]PF_6[M=Ni,Pd]$  or  $Pt; L=MeC(CH_2PPh_2)_3$ . Crystal structure of the platinum derivative, 1109

Complexes of trimethylplatinum(IV) with butane-2,3-dione

Phosphorus-31 solid-state nuclear magnetic resonance spectroscopy, individual gauge for localized orbitals calculations and crystal structures of dithiadiphosphetanes [RSP(S)S]<sub>2</sub> (R = alkyl or aryl), 1297

Structural, far-infrared and <sup>31</sup>P nuclear magnetic resonance studies of two-co-ordinate complexes of tris(2,4,6-trimethoxyphenyl)-phosphine with gold(1) halides, 1341 Complexation of aluminium(111), gallium(111) and indium(111) ions

with D-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799),

Ranitidine bismuth(III) citrate, 1395

Protodemetallation reactions of some diphenylthallium(III)

Protodemetallation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal and molecular structures of [TIPh<sub>2</sub>(S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>)], [TIPh{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>}] and [TI{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>}]. CHCl<sub>3</sub>, 1403 Synthesis and <sup>171</sup>Yb-<sup>1</sup>Tl} nuclear magnetic resonance spectra of the ytterbium(II) aryloxides [Yb(OR)<sub>2</sub>(L)<sub>n</sub>] [(L)<sub>n</sub> = (OEt<sub>2</sub>)<sub>2</sub>, (thf)<sub>2</sub>, (thf)<sub>3</sub>, (pyridine), or Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>] and [{Yb(µ-OR)(X)}<sub>2</sub>] (X = OR' or NR<sub>2</sub>) (R' = C<sub>6</sub>H<sub>2</sub>Bu¹<sub>2</sub>·2,6-Me-4, R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 1435 Synthesis and nuclear magnetic resonance studies of halogeno and

Synthesis and nuclear magnetic resonance studies of halogeno and hydrido tris(pyrazol-1-yl)borato ruthenium(II) complexes, 1629 Enhanced slip distortions in 1-phenyl-2-methyldicarbaplatina-boranes. Conformational destabilisation in the isomerisation of 1-phenyldicarbaplatinaboranes, 1755

Second- and third-row transition-metal complexes of dihydroxy-benzoic acids, and the crystal structure of [NMe<sub>4</sub>]<sub>2</sub>-[MoO<sub>2</sub>(2,3-dhb)<sub>2</sub>]·1.5H<sub>2</sub>O (2,3-H<sub>2</sub>dhb = 2,3-dihydroxy-benzoic acid), 175 New hetero- and homo-metallic dihydroxo-bridged dinuclear

complexes of cobalt(III) and chromium(III): synthesis, spectroscopy and crystal structures, 1813
Solution and solid-state nuclear magnetic resonance studies on

interstitial atoms within transition-metal carbonyl clusters, 1985 Syntheses and structures of nickel(0) complexes containing the

methyl methacrylate monomer as ligand, 2033 study of the (+)-(R,R,R\*,S\*)- and (-)-(S,S,R\*,S\*)-enantiomers of the chiral diphosphine [C<sub>6</sub>H<sub>4</sub>(PPhCH<sub>2</sub>CHO)<sub>2</sub>CMe<sub>2</sub>]-1,2, 2095 Molecular dynamics of tricarbonyl(pentamethylbenzene)chromium: a <sup>13</sup>C solid-state nuclear magnetic resonance study, 2125 Synthesis and carbonylation studies on methylpalladium(II)

complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159

carbonylation mechanism, 2137

Nuclear magnetic resonance studies of neutral lanthanide(III)

complexes with tetraaza-macrocyclic ligands containing three
phosphinate and one carboxamide co-ordinating arms, 2259

complexes with tetraaza-macrocyclic ligands containing three phosphinate and one carboxamide co-ordinating arms, 2259 The isolation from diethyl ether of ionic [(Me,N),PI] and [(CH<sub>2</sub>-CHCH<sub>2</sub>)<sub>2</sub>PhPI]I, and the crystallographically characterised molecular 'spoke' structure PhMe<sub>2</sub>PI<sub>2</sub>, 2421 Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}(PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd{Ph,PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489 Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>6</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P-S compounds, 2797

Solvent-dependent <sup>2</sup>H nuclear magnetic resonance spectra and solvatochromism in ligand-field absorption bands of cis-[CrF-N<sub>4</sub>]-type complexes with triethylenetetramine, pyridine or 2,2'-bipyridine, 2837
Rhodium complexes with 1,8-diazabicyclo[5.4.0]undec-7-ene (dbu): crystal structure of trans-[Rh(CO)(dbu)(PPh<sub>3</sub>)]ClO<sub>4</sub>, 2861
Molybdotungstovanadates [V<sub>2</sub>Mo<sub>n</sub>W<sub>(4-n)</sub>O<sub>19</sub>]<sup>4-</sup>, 2891
Structural investigations of the organoantimony(v) halides Ph<sub>4</sub>SbX and Ph<sub>3</sub>SbX<sub>2</sub> (X = Cl, Br or I) in the solid state and in solution, 2895

Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTeF<sub>5</sub>; compatibility of phosphine, alkyl and OTeF<sub>5</sub>- ligands in low-valent transition-metal complexes, 2941

Synthesis and characterisation of iridium carbonyl fluorides, 2945 Dynamic nuclear magnetic resonance study of the effects of cis-

Dynamic nuclear magnetic resonance study of the effects of exchelate ligands on 1,2-metallotropic shifts in trimethylplatinum(IV) complexes of pyridazine, 3165

Synthesis and structures of bis[bis(trimethylsilyl)amido]tin(IV) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)}<sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>3</sub>Si<sub>2</sub>N)<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179

Determination of active-site conformations in paramagnetic myoglobin from analyses of cross-relaxation and hyperfine shifts, 3281

shifts, 3281
Synthesis, spectroscopic properties and crystal structures of [ML<sub>2</sub>Cl<sub>2</sub>] [M = Th or U; L = η-C<sub>3</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>-1,3] and [UL<sub>2</sub>X<sub>2</sub>] (X = Br, I or BH<sub>4</sub>), 3335
Copper(I), silver(I) and gold(I) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the crystal structure of [Au(ppye-P<sub>2</sub>)]PF<sub>6</sub>, 3343
Type 1 blue copper protein amicyanin from *Thiobacillus versutus*: line-broadening effects of chromium(III) complexes and related studies, 3395

studies, 3395

Rapid characterisation of rhodium dihydrides by nuclear magnetic resonance spectroscopy using indirect two-dimensional methods and para-hydrogen, 3427 Homoleptic silver(1) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear

magnetic resonance studies, 3439

Nuclear magnetic resonance studies, 959
Nuclear magnetic resonance studies of 4-hydroxypiperidinomethylphosphonic acid and its polyoxomolybdate conjugates,

Synthesis, crystal structures and spectroscopic properties of *cis*-and *trans*-[RhCl<sub>2</sub>L<sub>2</sub>]<sup>+</sup> [L = 1,3-bis(dimethylphosphino)propane or 1,2-bis(dimethylphosphino)ethane (dmpe)]: reinvestigation of the dmpe complexes, 3609

the dmpe complexes, 3609

Synthesis, structure and solid-state nuclear magnetic resonance studies of P-chiral (dicyclohexylaminosulfanyl)[(-)-p-menthan-3-yloxy]phenylthioxophosphorane, 3683

Studies of [Ag(PPh<sub>3</sub>)<sub>2</sub>]NO<sub>3</sub>, [Ag(P(CH<sub>2</sub>CH<sub>2</sub>CN)<sub>3</sub>)<sub>2</sub>]NO<sub>3</sub> and [Ag(P(CH<sub>4</sub>CH-m)<sub>3</sub>)<sub>2</sub>]NO<sub>3</sub> by X-ray diffraction and solid-state nuclear magnetic resonance, 3691

L-Methionine increases the rate of reaction of 5'-guanosine monophosphate with the anticancer drug cisplatin: mixed-ligand adducts and reversible methionine binding, 3721

Synthesis and structures of dilithium(1,2-diphosphido)benzenes, 3025

Synthesis and characterisation of ytterbium(II) alkyls, 3933 Triphosphorus macrocycle complexes of divalent Group 6 transition metals; crystal structure of bromotricarbonyl[1,5,9-tris-(isopropyl)-1,5,9- triphosphacyclododecane]molybdenum(II) tetraphenylborate, 4091

Synthesis, structural characterisation and nuclear magnetic resonance study of  $[Ru_6C(CO)_{15}(\mu_3-\eta^1:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ : an intermediate in the formation of  $[Ru_6C(CO)_{14}(\mu_3-\eta^2:\eta^2:\eta^2-C_{16}H_{16}-\mu-O)]$ .  $C_{16}H_{16})$ ], 4113

Copper-63 nuclear quadrupole resonance frequencies and molecular geometries of three-co-ordinate complexes of copper(i) halides with N-alkylimidazolidinethione and thiazolidinethione ligands, 115 NUCLEIC ACID

Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325
Transition-metal saccharide chemistry and biology: synthesis, characterisation, redox behaviour, biointeraction and data

correlations of dinuclear chromium(III) complexes, 1569

NUCLEIC BASE

eactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)] with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497

NUCLEOBASE

Co-ordination chemistry of adenine (HAde): synthesis and characterization of [Cu<sup>II</sup>(tren)(nucleobase)]X<sub>2</sub> [tren = tris(2-aminoethyl)amine, X = Cl or NO<sub>3</sub>] complexes and crystal structure of [Cu<sup>II</sup>(tren)(Ade)]Cl-2H<sub>2</sub>O<sub>3</sub>, 1461 Cytosine nucleobase as a tridentate ligand: metal binding to N(3), NUCLEOBASE (contd)

NUCLEOBASE (contd)

N(4) and O(2) in trans-[(NH<sub>2</sub>Me)<sub>2</sub>Pt(dmcyt)<sub>2</sub>Ag<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub>
(dmcyt = 1,5-dimethylcytosinate), 3275

Unusual hydrogen bonding patterns of N<sup>7</sup> metallated, N<sup>1</sup>
deprotonated guanine nucleobases: acidity constants of cis[Pt(NH<sub>3</sub>)<sub>2</sub>(Hegua)<sub>2</sub>]<sup>2+</sup> and crystal structures of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-4H<sub>2</sub>O and cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-Hegua-7H<sub>2</sub>O
(Hegua = 9-ethylguanine), 3767

NUCLEOSIDE

CLEUSIDE

Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)] with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497

Complex-formation reactions of dichloro(L-methioninato)-palladium(II) with inosine and inosine 5'-monophosphate.

Labolization induced by the S-donor chelate, 3581

NUCLEOTIDE

Oxovanadium(IV) complexation by adenosine 5'-di- and -tri-phosphate and nucleotide building blocks, 425

phosphate and nucleotide building blocks, 425
Cisplatin analogues with sulfur donor ligands.
(Ethylenediamine)platinum(II) complexes with ligands possessing
a sulfinyl or sulfanyl group linked to an anionic oxygen donor
atom. Reactivity and cytotoxicity, 579
Complex-formation reactions of dichloro(L-methioninato)palladium(II) with inosine and inosine 5'-monophosphate.
Labilization induced by the 5-donor chelate, 3581
L-Methionine increases the rate of reaction of 5'-guanosine
monophosphate with the anticancer drug cisplatin: mixed-ligand
adducts and reversible methionine binding. 3721

adducts and reversible methionine binding, 3721

Controlled design of oligomeric ethers with pendant cyclopentadienyliron moieties, 3375

OLIGOPYRIDINE

Strategies for the assembly of homo- and hetero-nuclear metallosupramolecules containing 2,2':6',2"-terpyridine metalbinding domains, 1615

OPTICAL MATERIAL

Non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres: diaromatic azo derivatives

(1994, 3427), 153

Non-linear and potential non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres. Stilbene derivatives containing ferrocenyl, methoxy or dimethylamino donor groups, 673
OPTICAL RESOLUTION

Cobalt(III) complexes with thiosemicarbazones as co-ordinating agents. Spontaneous resolution by crystallization and absolute configuration, 3035 OSMIUM

Luminescent nitridometal complexes. Photophysical and photochemical properties of the  ${}^{3}[(d_{x,y})^{1}(d_{x^{o}})^{1}]$  excited state of nitridoosmium(vi) complexes with polypyridine ligands,

Synthesis and characterisation of enynyl, vinyl and acetylide complexes of osmium(II), 719
Heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893

Synthesis, structural characterization and thermal reactivities of osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2thione, 1047

Ruthenium and osmium acyl fluoride complexes. Crystal structure of [OC-6-13][RuF<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]-CD<sub>2</sub>Cl<sub>2</sub>, 1073
Metallosupramolecular cluster assemblies based on donor–acceptor

type structural frameworks. Syntheses, crystal structures and spectroscopic properties of novel triosmium alkylidyne carbonyl clusters bearing remote ferrocenyl units as electron donors, 1379 Synthesis of novel mixed-metal clusters of mercury and osmium;

Synthesis of novel inited—inetal clusters of neter by and osmitini, crystal and molecular structures of cis-[Os(CO)<sub>16</sub>(μ-η<sub>2</sub>(μ-Hg)O<sub>3</sub>-(CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>-] and [{Os<sub>3</sub>(CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>-(μ<sub>4</sub>-Hg)], 1389

Reaction of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>9</sub>(μ<sub>3</sub>-CNC<sub>5</sub>H<sub>4</sub>CH=CH<sub>2</sub>)] with phenylacetylene. A novel type of alkylidyne–alkyne coupling in a triosmium alkylidyne cluster, 1497

Synthesis and structural characterisation of some new triosmium alkylidyne clusters containing sulfur-donor ligands. The formation of C-S and C-C bonds, 2735

Tormation of C–S and C–C bonds, 2/35 Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-CPBu<sup>2</sup>Ph<sub>2</sub>)] and (R)-[Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>-{μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>2</sub>PPh<sub>2</sub>], 2831 Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTeF<sub>5</sub>; compatibility of phosphine, alkyl and OTeF<sub>5</sub>- ligands in low-valent transition-metal complexes, 2941

Metal-oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent trans-dioxoosmium(VI) complexes with cyanide and mesityl ligands, 2967

Synthesis of complexes of Re<sup>v</sup>, Ru<sup>n</sup>, Os<sup>n</sup>, Rh<sup>l</sup>, Ir<sup>l</sup> and Ir<sup>lll</sup>, Crystal and molecular structures of [ReO(OH)(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)], [ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)(PPh<sub>3</sub>)] and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>- (PMePh<sub>2</sub>)<sub>1</sub>], 3143
Reaction of a side-on co-ordinated carbene ligand with the Wittig reagent, 3251

Perfluoroalkyl- and perfluoroaryl-amidato derivatives of

ruthenium, osmium and iridium, 3497 Oxo complexes of ruthenium with N,N'-donors as oxidation catalysts for alkenes, alkanes and alcohols, and their osmium

analogues, 3537 Dinuclear ruthenium(II) and/or osmium(II) complexes of a nonsymmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence properties and intercomponent energy transfer, 3601

properties and intercomponent energy transfer, 3601 Syntheses and structural characterization of a series of hydrido osmium-palladium carbonyl clusters: [Os,Pd(CO)<sub>16</sub>H<sub>n+4</sub>(µ-Cl)<sub>2-n</sub>] (n = 0-2), [{Os,Pd(CO)<sub>9</sub>(µ+H)<sub>2</sub>(µ-Cl)<sub>2</sub>]+H<sub>2</sub>O and [Os<sub>8</sub>Pd(CO)<sub>11</sub>(µ-H)<sub>3</sub>(µ-Cl)<sub>2</sub>(L<sub>3</sub>N)]-0.5C<sub>6</sub>H<sub>14</sub>, 3987

Some remarkable reactions of the alkylidyne cluster [Os<sub>3</sub>(µ-H)<sub>2</sub>(CO)<sub>9</sub>(µ<sub>2</sub>-CNC,H<sub>4</sub>C,H<sub>4</sub>N)] (NC,H<sub>4</sub>C<sub>2</sub>H<sub>3</sub>N) = 4.4'-bipyridine) with electrophiles. Crystal and molecular structures of the novel water-soluble dicationic cluster complex [Os<sub>3</sub>(µ-H)<sub>3</sub>(CO)<sub>9</sub>(µ<sub>2</sub>-CNC,H<sub>4</sub>C<sub>3</sub>H<sub>4</sub>NH)][BF<sub>4</sub>]<sub>2</sub>·H<sub>2</sub>O, 3995

OXALATE

Crystallization behaviour of  $meso-\Delta(\delta\lambda)$ -[Co{trans-(R,S)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)]Pb<sub>2</sub>Cl<sub>2</sub>]-2H<sub>2</sub>O,  $\Delta(\lambda\lambda)$ -[{[Co{trans-(R,R)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)]Br}<sub>2</sub>]-3H<sub>2</sub>O and  $meso-\Delta(\delta\lambda)$ -[Co{cis-(R,S)(meen)<sub>2</sub>}(C<sub>2</sub>O<sub>4</sub>)]I (meen = N-methylethylene-diamine), 611

Crystal structure and magnetic properties of [Cu(ox)(py),] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143

Mechanistic studies on the  $\mathit{cis}\text{-}[VO_2(H_2O)_4]^+$  and  $[Mo(CN)_8]^{3^-}$  oxidations of the  $Re^{IV}_2$  complex  $[(C_2O_4)_2Re(\mu\text{-}O)_2Re(C_2O_4)_2]^{4^-}$ ,

OXAMIDE

Synthesis and solid-state structural characterization of N,N'dicyclohexyldithiooxamide complexes of  $HgX_2$  (X = SCN or

Cl), 987 OXAZOLE

Structure and mechanism in aerobic alkene epoxidations promoted by ruthenium complexes of bis(dihydrooxazole) ligands, 367

OXIDATION

Reaction of [Fe2(CN)10]4- with L-ascorbic acid, 2561 OXIDE

Five-co-ordinate complexes [MoH(SC<sub>6</sub>H<sub>2</sub>R<sub>3</sub>-2,4,6)<sub>3</sub>(PR'Ph<sub>2</sub>)]
(R = Me or Pr', R' = Me or Et) and their reactions with
nitrogen donors. Crystal structures of [MoH(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>2,4,6)<sub>3</sub>(C<sub>5</sub>H<sub>3</sub>N)(PMe<sub>2</sub>Ph)], [MoH(NC<sub>3</sub>H<sub>4</sub>S-2)<sub>2</sub>(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>2,4,6)(PEtPh<sub>2</sub>)] and [PPh<sub>4</sub>][MoO(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>], 5
Mechanistic study of the co-ordination of hydrogen peroxide to
methylrhenium trioxide, 133
Dinuclear streamium complexes with Me Si(C H), as bridging

Dinuclear zirconium complexes with Me<sub>2</sub>Si(C<sub>2</sub>H<sub>4</sub>)<sub>2</sub> as bridging ligand. Molecular structure of [{Zr(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>Bu¹<sub>2</sub>)Me}<sub>2</sub>(μ-O)-

 $\{\mu\text{-Me,Si(C}_3H_4)_2\}$ ] 231 Non-planar co-ordination of the Schiff-base dianion N,N'-2,2-dimethyltrimethylenebis[salicylideneiminate(2—)] to vanadium,

Solution equilibria and redox reactivities of a dioxo-bridged manganese complex, 621

Low-temperature structures and Raman spectra of crystalline modifications of selenium difluoride dioxide, 689
Properties and reactivity of unusual diiron complexes of a linear tetradentate ligand. Crystal structures of diiron-(II) and -(III) complexes, 707

Formation and decomposition of high-mass metal-oxygen cluster ions in the fast atom bombardment of lanthanide salts, 875
Formation and decomposition of uranium-oxygen clusters in fast atom bombardment of dioxouranium(vI) salts, 885

Cs<sub>3</sub>Ti<sub>5</sub>P<sub>7</sub>O<sub>29</sub>; a titanium(IV) phosphate containing TiO<sub>5</sub> trigonal bipyramids, 927

Anionic and cationic bi- and tri-nuclear tert-butylimido complexes of manganese-(v) and -(vI), 937 Electronic structure of 20-electron bis(cyclopentadienyl)metal oxo

compounds of Group 6: investigation by photoelectron

spectroscopy, 1023
Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating a-amino acid salicylaldiminates and

quinolin-8-olate, 1115
Mechanistic studies on the substitution reactions between aquatetracyanooxotungstate(IV) and HCN-CN<sup>-</sup> and F<sup>-</sup>, 1201 Alkene epoxidation catalysed by camphor-derived β-keto-phosphonate complexes of molybdenum(VI), 1221

Promination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489

Barium and titanium aryl oxides as precursors for the preparation of thin-film oxides. The effect of bombardment by  $O_2^+$ , 1529

Is the ground state of  $[RuO_4]^{2^-}$  exceptional?, 1537

OXIDE (contd)
Second- and third-row transition-metal complexes of dihydroxybenzoic acids, and the crystal structure of [NMe<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>(2,3-dh)<sub>2</sub>]-1.5H<sub>2</sub>O (2,3-H<sub>2</sub>dhb = 2,3-dihydroxybenzoic acid), 1775

Molecular zinc oxide and sulfide complexes stabilized by

pyrazolylborate ligands, 1915

Structure refinement from powder neutron diffraction data of Sn<sub>10</sub>W<sub>16</sub>O<sub>44</sub>, which contains a metal-metal bonded W<sub>6</sub>O<sub>12</sub> cluster, 1947

Diphenylantimony(v) oxide halides and thiocyanate; the crystal structures of dimeric diphenylantimony(v) bromide oxide, and tetrameric diphenylantimony(v) oxide fluoride and thiocyanate, 1995

Synthesis, crystal structures and physical properties of  $\mu$ -oxo- $\mu$ -carboxylato-diiron(III) complexes with tripodal polybenzimidazole ligands containing distinct iron sites, 2045

polybenzimidazole ligands containing distinct fron sites, 2045 Diphenylantimony(v) oxo/chloro carboxylates and phosphinates: crystal structures of {SbPh<sub>2</sub>(D<sub>1</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>]}<sub>2</sub>O and [SbPh<sub>2</sub>(O<sub>2</sub>CPh<sub>2</sub>]<sub>2</sub>O, 2151 Substitution of nitrido by the oxo group in reactions of [ReNCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] with multidentate N,O<sup>-</sup>-donor chelates. Crystal structure of [ReOCl<sub>2</sub>(PPh<sub>3</sub>)(HL)] [H<sub>2</sub>L = 2,6-bis(hydroxymethyl)pyridine], 2189 Neutral oxorhenium(v) complexes with tridentate dithiolates and monodentate alkane, or arene-thiolate coligands, 2277

monodentate alkane- or arene-thiolate coligands, 2277 Synthesis and structural characterisation of dithiocarbamate

stabilised dimeric molybdenum(v) imido complexes via oxo substitution reactions with organic isocyanates, 2337 Resonance-Raman spectra and excited-state geometry of the bis-

Resonance-Raman spectra and excited-state geometry of the bis-(μ-acetato)(μ-oxo) ruthenium(iii) dimeric ion [Ru<sub>2</sub>(μ-O<sub>2</sub>CMe)<sub>2</sub>-(μ-O)(py)<sub>6</sub>]<sup>2+</sup> (py = pyridine), 2417 Mononuclear cis-dioxovanadium(v) anionic complexes [VO<sub>2</sub>L]<sup>-</sup> {H<sub>2</sub>L = [1 + 1] Schiff base derived from salicylaldehyde (or substituted derivatives) and 2-amino-2-methylpropan-1-ol}: synthesis, structure, spectroscopy, electrochemistry and reactivity studies 2450 studies, 2459

Determination of the local environment of the metals in Determination of the local environment of the metals in [Cr<sup>11]</sup><sub>2</sub>Co<sup>11</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>]-py (py = pyridine) by chromium and cobalt K-edge extended X-ray absorption fine structure. Geometric and charge-polarisation influences on Cr–O–Cr superexchange, 2515

An extended X-ray absorption fine structure (EXAFS) study of mixed molybdenum-tungsten M<sub>3</sub> clusters in Zn<sub>2</sub>Mo<sub>3-x</sub>W<sub>x</sub>O<sub>8</sub> (x = 1.15 or 2). 2555

(x = 1, 1.5 or 2), 2555

Synthesis, characterisation and crystal structure of molybdenum and molybdenum-copper hydroxy-rich Schiff-base complexes,

Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and nitrido analogues; crystal structure of [Re<sup>V</sup>(NMe)(py)<sub>3</sub>(OEt)Cl]ClO<sub>4</sub> (py = pyridine), 2779
Preparation and crystal structure of the deficient perovskite

LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819

Structure of Ba<sub>3</sub>In<sub>2</sub>O<sub>4</sub>F<sub>2</sub> by combined powder X-ray and neutron diffraction analysis; oxide/fluoride ordering in a Ruddlesden-Popper phase, 3015

Synthesis and characterization of organoimido- and organoamido-rhenium(v) complexes. Crystal structures of [ReCl<sub>2</sub>(NC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)(HNC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)], [Re(8-HNC<sub>6</sub>H<sub>6</sub>N)<sub>2</sub>O(PPh<sub>3</sub>)][BPh<sub>4</sub>] and [Re(NPh)(NC<sub>3</sub>H<sub>3</sub>S-2-SiMe<sub>3</sub>-3)<sub>2</sub>(PPh<sub>3</sub>)][BPh<sub>4</sub>], 3041 Structural and spectroscopic characterization of a dicyanooxo-molybdenum(iv) complex with a tetradentate Schiff-base ligand,

The crystal structures of [NMe\_4]\_2[(PhPO\_3){MoO(O\_2)\_2}\_2-{MoO(O\_2)\_2(H\_2O)}] and [NBu^\*\_4]\_2[W\_4O\_6(O\_2)\_6(OH)\_2(H\_2O)\_2] and their use as catalytic oxidants, 3131

and their use as catalytic oxidants, 3151
Synthesis and crystal structure of an encapsulated fragment of MoO<sub>2</sub> in the unique Mo<sub>8</sub> oxo-cluster compound [Mo<sub>8</sub>O<sub>8</sub>Cl<sub>6</sub>- (µ<sub>3</sub>-O)<sub>4</sub>(OH)<sub>2</sub>(µ-OH)<sub>4</sub>(µ-OEt)<sub>4</sub>(HOEt)<sub>4</sub>] and its relevance to the sol-gel synthesis of molybdenum oxides, 3263
Mechanistic studies on the cis-[VO<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]<sup>+</sup> and [Mo(CN)<sub>8</sub>]<sup>3-</sup> oxidations of the Re<sup>IV</sup><sub>2</sub> complex [(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>Re(µ-O)<sub>2</sub>Re(C<sub>2</sub>O<sub>4</sub>)<sub>2</sub>]<sup>4-</sup>, 3317

Oxo- and imido-molybdenum(VI) and -tungsten(VI) functionalities

supported by diacetoneglucose, 3329 Equilibria and thermodynamic quantities for the reactions of molybdenum(VI) and tungsten(VI) with mandelate (α-hydroxybenzeneacetate), 3433 Oxo complexes of ruthenium with N,N'-donors as oxidation

catalysts for alkenes, alkanes and alcohols, and their osmium

analogues, 3537
First-row transition-metal complexes of corroles: synthesis and characterization of oxotitanium(IV) and oxovanadium(IV) complexes of β-alkylcorroles, 3617

Thermal reactions of Mo(CO)6 on metal-oxide surfaces, 3753 A novel reaction between physically separated solid reactants, 3825 Potentiometric study of the molybdenum(v1)-benzilic acid system. Structural characterisation and electrochemical properties of

[NH<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>(O<sub>2</sub>CC(O)Ph<sub>2</sub>]<sub>2</sub>]<sub>2</sub>2H<sub>2</sub>O<sub>3</sub>891 Synthesis, structural characterisation and nuclear magnetic resonance study of [Ru<sub>6</sub>C(CO)<sub>15</sub>(μ<sub>3</sub>-η<sup>1</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>16</sub>H<sub>16</sub>-μ-O)]: an intermediate in the formation of [Ru<sub>6</sub>C(CO)<sub>14</sub>(μ<sub>3</sub>-η<sup>2</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>14</sub>(L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>-L<sub>12</sub>- $C_{16}H_{16}$ ], 4113

Electron paramagnetic resonance spectroscopic characterization of {2,2-bis(hdyroxymethyl)-2-[bis(2-hydroxyethyl)amino]-ethanolato}oxochromate(v), 4129

OXIMATE

A mixed-bridged Cu<sub>3</sub> cluster with an isosceles-triangular array of copper(II) ions: synthesis, crystal structure and magnetic properties, 343 Complexes of trimethylplatinum(IV) with butane-2,3-dione

monoxime, 1233

OXIME

Kinetic studies on the reduction of nickel(IV) and nickel(III) oximeimine complexes by ascorbic acid, 1083

Copper(II) co-ordination by oxime analogues of amino acids and peptides, 3911 OXO

Structure and magnetism of novél tetranuclear µ4-oxo-bridged

copper(ii) complexes, 2649

Metal-oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent trans-dioxoosmium(VI) complexes with cyanide and mesityl ligands, 2967

Formation and decomposition of high-mass metal-oxygen cluster ions in the fast atom bombardment of lanthanide salts, 875 Formation and decomposition of uranium-oxygen clusters in fast atom bombardment of dioxouranium(v1) salts, 885

OXYHAEMOCYANIN

Nature of the active sites in haemocyanin and iron nickel hydrogenases: the bond valence sum approach, 1177
PALLADAINDANONE

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one  $[Pd\{C_6H[C(O)CH_2]-6-(OMe)_3-2,3,4\}(Me_2NCH_2CH_2NMe_2)],$ 

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one, [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)] (1995, 3093), 4131

**PALLADIUM** 

Synthesis, resolution and reactions of (±)-(2-aminophenyl)-methylphenylphosphine. Crystal and molecular structure of (R\*,R\*,S\*,R\*)-(±)-(1,3-bis{[2-(methylphenyl-phosphino)phenyl]amino}propane)nickel(II) perchlorate, 57 Spectroscopic and potentiometric studies on the interaction of trans-[(MeH<sub>2</sub>N)<sub>2</sub>Pt(mcyt)<sub>2</sub>PdCl]NO<sub>3</sub> (mcyt = 1-methyl-

cytosinate) with derivatives of amino acids, 489
Phosphorus hydrazides as building blocks for potential photoaffinity labels. Synthesis and co-ordination chemistry of perfluoroaryl azide conjugates of phenylphosphonothioic dihydrazide, 565

dhydrazide, 565

Optically active asymmetric bidentate ligands. Crystal and molecular structure of [SP-4-4-(R),(R)]-(-)<sub>580</sub>-[1-[1-(dimethylamino)ethyl]naphthyl-C²,N}[1-(diphenylphosphino)-2-(methylphenylphosphino)ethane-P,P]palladium(II) hexafluorophosphate, 649

Kinetics and mechanisms of halogen-bridge cleavage in dimethylaminomethylphenyl-C¹,N pallada- and platina-cycles by pyridines. Pressure effects, and crystal structures of the N,N-cis reaction product it N N terms orthografullated analogue and a

reaction product, its N,N-trans orthometallated analogue and a

dimer of similar reactivity, 999

Dynamic nuclear magnetic resonance studies of the η<sup>3</sup>-triphenyl-cyclopropenyl complexes [M(η<sup>3</sup>-C<sub>3</sub>Ph<sub>3</sub>)L]PF<sub>6</sub> [M = Ni, Pd or Pt; L = MeC(CH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>]. Crystal structure of the platinum desirative 1100 derivative, 1109

Homo- and hetero-dinuclear complexes of palladium and platinum containing phosphinoacetylene and/or chloride as bridging ligands, 1333

nganus, 1533 Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides)  $[M\{N(XPPh_2)_2-X,X'\}_2]$  (X = S or Se; M = Ni, Pd or Pt), 1607 Palladium complexes of azines,  $\alpha$ -diazines and  $\alpha$ -2-pyridylazines containing (1R)-(+)-camphor or (1R)-(-)-fenchone groups, 1607

Alkyne insertions into the σ-Pd-C(sp², ferrocene) bond of cyclo-palladated complexes containing Schiff bases derived from ferro-

palladated complexes containing Schill bases us rived from ferro-cene. Crystal structures of [Pd{[[EtC=CEt)<sub>2</sub>(η<sup>2</sup>-C<sub>5</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph)]Fe(η<sup>2</sup>-C<sub>5</sub>H<sub>3</sub>){Cl] (R = H or Me), 1839 Synthesis, resolution and reactions of (±)-1-(dimethylarsino)-2-(methylphenylphosphino)benzene. Crystal and molecular structure of [(5), (5)]-(+)<sub>800</sub>-(<sup>2</sup>-[1-(dimethylarino)ethyl]phenyl-C¹,N}[1-(dimethylarsino)-2-(methylphenylphosphino)benzene-As,P]palladium(II) hexafluorophosphate, 1867

PALLADIUM (contd)

Di- and tri-metallic complexes containing two bridging cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>(µ-cis-[PhNP(OC<sub>6</sub>H<sub>4</sub>Me-p)]<sub>2</sub>)<sub>2</sub>], 1933
Steric control over the complex-formation and chelation kinetics of cis-bis(amine)palladium(II) complexes with methionine and S-methylcysteine in weakly acidic aqueous solution, 2027

2027
Chiral tetraphenylcyclopentadienyl complexes of ruthenium and palladium; crystal structure of [Ru(η<sup>3</sup>-C<sub>3</sub>Ph<sub>4</sub>R<sup>1\*</sup>)(CO)<sub>2</sub>Br] (R<sup>1\*</sup> = menthyl), 2101
Synthesis and structural characterisation of [Pd<sub>4</sub>(μ<sub>3</sub>-CH)(μ-Cl)<sub>3</sub>-(PBu'<sub>3</sub>)<sub>4</sub>] a tetrahedral palladium cluster with a μ<sub>3</sub>-methylidyne ligand, 2107
Synthesis and carbonylation studies on methylpalladium(II)

complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159

Polymeric and bimetallic complexes of diisopropyl monothio-phosphate, 2369

phosphate, 2009
Structure of a C,N,N-cyclometallated palladium(II) complex of 2amino 4-phenylamino-6-(2-pyridyl)-1,3,5-triazine, an α-diimine
ligand with donor-acceptor-donor hydrogen-bonding capability,

2469
Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}{PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd{Ph<sub>2</sub>PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489
Insertion of internal acetylenes into orthopalladated α-methylbenzylamine. Crystal structure of [Pd{C(Ph)=C(Ph)C(Ph)=C(Ph)C(Ph)=C(Ph)C,H<sub>4</sub>CH(Me)NH<sub>2</sub>}Br], 2529
The first orthopalladation of a primary nitrobenzylamine. Synthesis of chiral cyclopalladated complexes derived from (S)-α-methyl-A-nitrobenzylamine. 2535

α-methyl-4-nitrobenzylamine, 2535 Synthesis and characterisation of homo- and hetero-trinuclear Synthesis and characterisation of nome- and netero-trinuclear complexes containing the triply-bridging diphenylthiophosphinito [µ<sub>3</sub>-SPPh<sub>2</sub>] - [igand: molecular structure of [Pd<sub>2</sub>(µ<sub>3</sub>-SPPh<sub>2</sub>)<sub>2</sub>- (C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>NMe<sub>2</sub>-2)(PPh<sub>3</sub>)<sub>2</sub>[ClO<sub>4</sub>-0.8CH<sub>2</sub>Cl<sub>3</sub>, 2805 The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one

[Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)],

Facile synthetic route to cone-shaped phosphorylated [CH<sub>2</sub>P(O)Ph<sub>2</sub>]

Calix [4] arenes, 3097

Monoxidised sulfur and selenium derivatives of bis(diphenylphosphino)amine: synthesis and co-ordination chemistry, 3189

Palladium-catalysed formation of aroylcobalt complexes from iodoarene and tetracarbonylcobaltate anion. Syntheses characterization and reactivities of model intermediate complexes, 3489

complexes, 3489
Complex-formation reactions of dichloro(L-methioninato)palladium(II) with inosine and inosine 5'-monophosphate.
Labilization induced by the S-donor chelate, 3581
Synthesis, molecular structure (M = Pd, X = OH) and reactivity
of trinuclear asymmetric complexes [(C<sub>6</sub>F<sub>3</sub>),Pt(μ-PPh<sub>2</sub>)<sub>2</sub>M(μX)<sub>2</sub>Pt(PPh<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt; X = Cl or OH), 3777
Syntheses and structural characterization of a series of hydrido
osnium-palladium carbonyl clusters: [Os<sub>2</sub>Pd(CO)<sub>16</sub>H<sub>π+4</sub>(μCl)<sub>2-m</sub>] (n = 0-2), [{Os<sub>2</sub>Pd(CO)<sub>6</sub>(μ-H)<sub>2</sub>(μ-Cl)<sub>2</sub>(μ-Cl)<sub>2</sub>-H<sub>2</sub>O and
[Os<sub>4</sub>Pd(CO)<sub>11</sub>(μ-H)<sub>3</sub>(μ-Cl)<sub>3</sub>(C<sub>3</sub>H<sub>3</sub>N)]-0.5C<sub>6</sub>H<sub>14</sub>, 3987
Synthesis and characterisation of palladium(II) complexes of mixed
thioether/oxa ionophores. Crystal structures of

Synthesis and characterisation of palladium(II) complexes of mixed thioether/oxa ionophores. Crystal structures of [PdCl<sub>2</sub>([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pd([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pd([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pd([18]aneS<sub>2</sub>O<sub>4</sub>)], [Pf<sub>6</sub>]<sub>2</sub> ([18]aneS<sub>2</sub>O<sub>3</sub> = 1,4,7.10-tetraoxa-13,16-dithiacyclooctadecane) and [Pd([18]aneS<sub>3</sub>O<sub>3</sub>)][PF<sub>6</sub>]<sub>2</sub> ([18]aneS<sub>3</sub>O<sub>3</sub> = 1,4,7-trioxa-10,13,16-trithiacyclooctadecane), 4045
Palladium(II)-induced preferential activation of the σ[C<sub>5p</sub><sup>2</sup>(phenyl)-Cl] bond versus σ[C<sub>5p</sub><sup>2</sup>(ferrocene)-H]. Crystal structure of [Fe(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>){η<sup>5</sup>-C<sub>3</sub>H<sub>4</sub>CH<sub>2</sub>N= CH(C<sub>4</sub>H<sub>3</sub>Cl<sub>2</sub>-2,6)], 4053
Synthesis of methyl-palladium(II) and -platinum(II) complexes containing labile chelates and olefinic tertiary phosphine ligands: intramolecular insertion of an olefin into a palladium-carbon bond, and activation of a carbon-hydrogen bond by a platinum(II) complex, 4081

obnd, and activation of a carbon-hydrogen bond by a platinum(II) complex, 408!

Synthesis, structural characterisation and electrochemistry of the tetranuclear compound [{Pd<sub>2</sub>(µ-RNNNR)<sub>2</sub>}<sub>2</sub>(µ-Cl)<sub>4</sub>] (R = C<sub>6</sub>H<sub>4</sub>Me-p): a precursor to triazenido-bridged palladium(II) complexes, 4127

PARACYCLOPHANE

Synthesis and characterisation of two clusters  $[Ru_8(\mu+H)_2(\mu_6-\eta^2-CO)-(CO)_{19}(\eta^6-C_{16}H_{16})]$  and  $[Ru_8(\mu_5-\eta^2-CO)(\mu_4-\eta^2-CO)(CO)_{18}-(\eta^6-C_{16}H_{16})]$  having an unusual metal geometry and considerable elongation of the  $\mu_6$ -C-O bond, 2741

PEPTIDE

Potentiometric and spectroscopic study of ternary complexes of copper(II), 1,10-phenanthroline and oxidised glutathione, 1267 η5-Pentamethylcyclopentadienylruthenium(II) complexes containing η6-co-ordinated dipeptides with aromatic side chains, 1549

Mechanism of the oxidation of DL-penicillamine and glutathione

by chromium(vi) in aqueous solution, 2267 Complexing properties of phosphonodipeptides containing aminomethylphosphonic acid, 2605

Complexing properties of phosphonodipeptides containing 1-aminoethylphosphonic acid, 2611

N-p-Amino- and N-p-nitro-phenylsulfonyl derivatives of dipeptides, a new family of ligands for copper(II). Potentiometric and spectroscopic studies, 2729

Copper(II) co-ordination by oxime analogues of amino acids and peptides, 3911

PEROVSKITE

Preparation and crystal structure of the deficient perovskite LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819 PEROXIDE

Impact of dioxygen and carboxylic acids on the transformation of rhodium(I) to rhodium(III) complexes, 105

Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and alcohols, 1833

alcohols, 1833

The crystal structures of [NMe<sub>4</sub>]<sub>2</sub>[(PhPO<sub>3</sub>){MoO(O<sub>2</sub>)<sub>2</sub>}<sub>2</sub>-{MoO(O<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)}] and [NBu<sup>n</sup><sub>4</sub>]<sub>2</sub>[W<sub>4</sub>O<sub>6</sub>(O<sub>2</sub>)<sub>6</sub>(OH)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and their use as catalytic oxidants, 3131

Iron(ii) complexes of polydentate aminopyridyl ligands and an exchangeable sixth ligand; reactions with peroxides. Crystal structure of [FeL<sup>1</sup>(H<sub>2</sub>O)][PF<sub>6</sub>]<sub>2</sub>·H<sub>2</sub>O [L<sup>1</sup> = N,N'-bis(6-methyl-2-pyridylmethyl)-N,N'-bis(2-pyridylmethyl)ethane-1,2-diamine], 3667

EROXY ACID

PEROXY ACID

Reactions of peroxy acids with deuteroferrihaem, 3323 PERYLENE

Perylene salts with tetrahalogenoferrate(III) anions. Synthesis, crystal structure of [(C<sub>20</sub>H<sub>12</sub>)<sub>3</sub>][FeCl<sub>4</sub>] and characterisation, 3543 **PHENANTHROLINE** 

Luminescent nitridometal complexes. Photophysical and photochemical properties of the <sup>3</sup>[(d<sub>x,y</sub>)'(d<sub>n</sub>e<sup>3</sup>)] excited state of nitridoosmium(vi) complexes with polypyridine ligands, 657 Conventional and cyclometallated complexes of ruthenium(ii) with ambidentate terdentate ligands displaying N<sub>3</sub> or N<sub>2</sub>C binding modes, 825

Partially encapsulated copper(i) complexes of mono(o-aryl)-substituted derivatives of 2,2'-bipyridine and 1,10-

phenanthroline, 835

phenanthroline, 835

Potentiometric and spectroscopic study of ternary complexes of copper(II), 1,10-phenanthroline and oxidised glutathione, 1267

Linear enthalpy relationships in co-ordination reactions of macrocyclic ligands with copper(II), 1879

Kinetics of reduction of hexakis(acetamide)- and hexakis(dimethylacetamide)-iron(III) by tris(3,4,5,6,7,8-hexamethyl-1,10-phenanthroline)iron(II) in acetonitrile, 2473

Oxo complexes of ruthenium with N,N'-donors as oxidation cotalwate for allegas allegas and also belong and their consumm.

catalysts for alkenes, alkanes and alcohols, and their osmium analogues, 3537
PHENAZINE

Syntheses, structures and properties of copper(I) co-ordination polymers with bridging phenazine: construction of one- and two-dimensional structures with  $\pi$ - $\pi$  stacking of phenazine, 2201

Hydroxide-bridged diiron(III) complexes of tetraaminodiphenol macrocyclic ligands: structure and properties, 1239

Synthesis, electrochemical and magnetic properties of new acyclic 'side-off' binuclear copper(II) complexes, 1851

Co-ordination chemistry of mixed pyridine-phenol ligands: polynuclear complexes of 6-(2-hydroxyphenyl)-2,2'-bipyridine with Ni<sup>II</sup>, Cd<sup>II</sup>, Mn<sup>II</sup> and Mn<sup>II</sup>Mn<sup>III</sup>, 3071

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 3101

PHENOLATE

Cisplatin analogues with sulfur donor ligands. (Ethylenediamine)platinum(II) complexes with ligands possessing (Etnylenediamine)platinum(ii) complexes with figands possessing a sulfinyl or sulfanyl group linked to an anionic oxygen donor atom. Reactivity and cytotoxicity, 579

Lipophilic hexadentate gallium, indium and iron complexes of new phenolate-derivatized cyclohexanetriamines as potential in vivo metal-transfer reagents, 1677

Dinuclear Cu<sup>II</sup>M<sup>II</sup> (M = Co, Ni, Cu or Zn) and Cu<sup>II</sup>Cu<sup>I</sup> complexes of a phenol-based dinucleating macrocycle with dissimilar N<sub>2</sub>O<sub>2</sub> and N<sub>2</sub>O<sub>2</sub>S sites, 2599

Macrocyclic 'dimersof-dimers' type tetranuclear conper(II)

Macrocyclic 'dimer-of-dimers' type tetranuclear copper(II) complexes with two bridging hydroxy groups in a face-to-face

manner, 3419

Mixed-valence dinuclear iron complexes with a nonadentate polypyridine ligand: high-spin iron(II)-low-spin iron(III), 3533

Macrocyclic Cu<sup>II</sup><sub>4</sub> and Cu<sup>II</sup><sub>2</sub>M<sup>II</sup> complexes. Structure of a heterotrinuclear Cu<sup>II</sup><sub>2</sub>Zn<sup>II</sup> complex exhibiting a helical twist, 3831

Polynuclear zinc(II) complexes of phenol-imine and -amine

macrocycles, 3897

PHENOLATE (contd)

Dimanganese(II) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and catalase-like activity, 4015

Phenylantimony(III) dithiocyanate and the crystal structure of

K[SbPh(SCN)], 1173

Protodemetallation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal and molecular structures of [TIPh<sub>2</sub>{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>}], [TIPh{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>], and [Ti{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>], 1403

Effect of phenyl substitution on bonding in η<sup>3</sup>-benzyl complexes of

platinum, 2391 PHOSPHATE

X-Ray powder structure and Rietveld refinement of γ-zirconium phosphate, Zr(PO<sub>4</sub>)(H<sub>2</sub>PO<sub>4</sub>)-2H<sub>2</sub>O, 111 Oxovanadium(IV) complexation by adenosine 5'-di- and -tri-

phosphate and nucleotide building blocks, 425
CsFe<sub>3</sub>(PO<sub>4</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>2</sub>: a mixed-valence iron phosphate containing trimeric units of iron-oxygen polyhedra, 571
Conformational preferences and protonation sequence of myo-inositol hexaphosphate in aqueous solution; potentiometric and multinuclear magnetic resonance studies, 575 Dinuclear five-co-ordinate zinc complexes bridged by a phosphate

monoester or an inorganic phosphate group, 697 Cs<sub>3</sub>Ti<sub>5</sub>P<sub>7</sub>O<sub>29</sub>: a titanium(IV) phosphate containing TiO<sub>5</sub> trigonal

bipyramids, 927

on Dinuclear five-co-ordinate zinc complexes bridged by a phosphate monoester or an inorganic phosphate group (1995, 697), 1393 Hydrothermal synthesis and crystal structure of the microporous gallophosphate [NH<sub>4</sub>]<sub>4</sub>[Ga<sub>2</sub>P<sub>6</sub>O<sub>32</sub>(OH)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>]+4H<sub>2</sub>O-0.64PrOH with an octahedral-tetrahedral framework, 2147

Rapid synthesis of magnesium aluminophosphate-5 by microwave dielectric heating, 2315

Intramolecular hydrogen-bond formation in nickel(II) complexes with macrocyclic ligands containing non-co-ordinating nitrogen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenshosphates 2633 and hydrogenphosphates, 2633
PHOSPHAZANE OXIDE

Synthetic, spectroscopic and structural studies on uranium and thorium complexes of diphosphazane dioxides, 2991 PHOSPHAZENE

Molecular structures of cyclic mono- and di-(phosphoranylidene)-aminophosphazenes: small-molecule models for high polymers, 2785

PHOSPHIDE

Ligand substitution in [Fe<sub>2</sub>(CO)<sub>6</sub>(NO)(μ-PPh<sub>2</sub>)] and the isomerism of [Fe<sub>2</sub>(CO)<sub>4</sub>(PMe<sub>3</sub>)<sub>2</sub>(NO)(μ-PPh<sub>2</sub>)], 1791 Synthesis of tetracobalt clusters from dicobalt alkyne complexes,

Synthesis and structural studies of new ruthenium cluster carbonyl

derivatives derived from (PhP)<sub>5</sub> and [Ru<sub>3</sub>(CO)<sub>12</sub>] and [Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757
Phosphorus-carbon bond formation in heterobimetallic

molybdenum-tungsten alkyne complexes, 3049 Chemical and theoretical comparison between phosphido (X =

Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>L(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>3</sub>H<sub>3</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699

Synthesis, molecular structure (M = Pd, X = OH) and reactivity of trinuclear asymmetric complexes [(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pt(μ-PPh<sub>2</sub>)<sub>2</sub>M(μ-X)<sub>2</sub>Pt(PPh<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt; X = Cl or OH), 3777

PHOSPHINATE

Self-assembly of a columnar polymetic calcium phosphinate

Self-assembly of a columnar polymeric calcium phosphinate derived from camphene, 2109

Diphenylantimony(V) oxo/chloro carboxylates and phosphinates: crystal structures of  $\{SbPh_2Cl[O_2P(C_6H_{11})_2]\}_2O$  and  $[SbPh_2(O_2CPh)_2]_2O$ , 2151

Nuclear magnetic resonance studies of neutral lanthanide(III) complexes with tetraaza-macrocyclic ligands containing three phosphinate and one carboxamide co-ordinating arms, 2259 PHOSPHINE

Ruthenium(II) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6'-dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49 Synthesis, resolution and reactions of (±)-(2-aminophenyl)-

methylphenylphosphine. Crystal and molecular structure of (R\*,R\*,S\*,R\*)-(±)-(1,3-bis{[2-(methylphenyl-phosphino)phenyl]amino}propane)nickel(II) perchlorate, 57 Platinum(II) co-ordination chemistry of bis(diphenylphosphino)-

Primary amines as nucleation centres for gold clustering, and the structural chemistry of polygold ammonium cations, 559

Terdentate (P,N,N) complexes of a new pyridyl azine phosphine Z,E-PPh<sub>2</sub>CH<sub>2</sub>(Bu')C=N-N=C(Me)C<sub>3</sub>H<sub>4</sub>N and its deprotonated derivative (an azo phosphine) with transition metals, 625

Complexes of the bidentate ligands Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=NNR<sub>2</sub>

(R = Me or H) with rhodium and iridium, 633

Cyclometallation of azine phosphines of type Z,E-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')= N-N=CHR (R = an aromatic or heterocyclic group) involving X-Y (X = C, N or O; Y = H, I or Br) bond fission by platinum(ii), 641

Synthesis and structural characterization of methanide silver(1) Synthesis and structural characterization of the methanide ligand in [Ag<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>(SPPh<sub>2</sub>CHPPh<sub>2</sub>CHCO<sub>2</sub>Me)]ClO<sub>4</sub>+4CH<sub>2</sub>Cl<sub>2</sub>, 805

Synthesis, crystal structures and reactivity of ruthenium-(II) and -(III) complexes containing β-ketophosphine or phosphino enolate

ligands, 851

ngands, 851
Synthesis, crystal structures and reactivity of rhodium(III) complexes containing β-ketophosphine and phosphino enolate ligands, 863
Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear octahedral clusters [Fe<sub>6</sub>(μ<sub>3</sub>-S)<sub>8</sub>(PEt<sub>3</sub>)<sub>8</sub>][PF<sub>6</sub>]<sub>8</sub> (n = 1 or 2), 963
High-valent diphenylacetylene complexes of tungsten, 1153
Synthesis of complexes [Au(PPh<sub>3</sub>)L]<sup>+</sup> (L = primary, secondary or tertiary amine). Crystal structure of [Au(PPh<sub>3</sub>)(NMe<sub>3</sub>)][ClO<sub>4</sub>]-CH-Cl., 1251

tertiary amine). Crystal structure of [Au(PPh<sub>3</sub>)(NMe<sub>3</sub>)][ClO<sub>4</sub>]-CH<sub>2</sub>Cl<sub>2</sub>, 1251
Homo- and hetero-dinuclear complexes of palladium and platinum containing phosphinoacetylene and/or chloride as bridging ligands, 1333
Structural, far-infrared and <sup>31</sup>P nuclear magnetic resonance studies of two-co-ordinate complexes of tris(2,4,6-trimethoxyphenyl)-phosphine with gold(1) halides, 1341
Thermodynamic and spectroscopic studies on the complexation of silver(1) by mixed phosphorus–sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(1)—thiophosphine complex, 1349 thiophosphine complex, 1349

tniopnospnine complex, 1349
Synthesis of silver(1) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Ag(dppf)(PPh<sub>3</sub>)]ClO<sub>4</sub>·
2CH<sub>2</sub>Cl<sub>2</sub>, [Ag(dppf)<sub>2</sub>]ClO<sub>4</sub>·2CHCl<sub>3</sub> and [Ag(dppf)(phen)]ClO<sub>4</sub>
(phen = 1,10-phenanthroline), 1473
Reaction of tin metal powder with triorganophosphorus dihalides:
isolation and spectroscopic characterisation of [PR<sub>3</sub>X][SnX<sub>3</sub>]
and cis- and trans-Sn(PR<sub>3</sub>)<sub>2</sub>X<sub>4</sub> (X = Br or I; R<sub>3</sub> = Ph<sub>3</sub>, Ph<sub>2</sub>Me or
PhMe<sub>3</sub>. 1593 PhMe<sub>2</sub>), 1593

Synthesis of new alkyne-bridged ditungsten complexes [W<sub>2</sub>(CO)<sub>4</sub>-(μ-HC<sub>2</sub>R)(η-C<sub>5</sub>H<sub>3</sub>)<sub>2</sub>] (R = Me or Ph) and the reactions of these and related alkyne-bridged complexes with chlorodiphenylphosphine, 1597

Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Synthesis, crystal structures and reactivity of rhodium(III) complexes containing β-ketophosphine and phosphine enolate ligands (1995, 863), 1767

Synthesis, resolution and reactions of  $(\pm)$ -1-(dimethylarsino)-2-(methylphenylphosphino)benzene. Crystal and molecular structure of [(S),(S)]-(+)<sub>589</sub>-[2-[1-(dimethylamino)ethyl]-phenyl-C<sup>1</sup>,N<sup>1</sup>[1-(dimethylarsino)-2-(methylphenylphosphino)-benzene-As,P]palladium(II) hexafluorophosphate, 1867
Evaluation of the 2,6-diisopropylphenylimido ligand as a steric force in d<sup>1</sup> and d<sup>2</sup> monomeric octahedral complexes of tungsten, 1907
Reactivity of the P. N bord in the helidae soft of

Reactivity of the P-N bond in the halide salts of bis[bis(diphenylphosphino)methylamine]platinum(II), 2005 Kinetics and mechanism of addition of tertiary phosphines and phosphites to the dicarbonyl(η<sup>5</sup>-cyclopentadienyl)(η-ethene)iron costice 2021 cation, 2021

Syntheses and structures of nickel(0) complexes containing the methyl methacrylate monomer as ligand, 2033
Highly selective mono- and di-alkylation of the backbone of

complexes of type fac- $[M(CO)<sub>3</sub>{E,Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')=N-N=C(Bu')CH<sub>2</sub>PPh<sub>2</sub>}]$ (M = Mo or W), 2057

(M = Mo or W), 2057
The isolation from diethyl ether of ionic [(Me<sub>2</sub>N)<sub>3</sub>PI]I and [(CH<sub>2</sub>=CHCH<sub>2</sub>)<sub>2</sub>PhPI]I, and the crystallographically characterised molecular 'spoke' structure PhMe<sub>2</sub>PI<sub>2</sub>, 2421
Triosmium alkylidyne clusters containing monophosphine and chiral diphosphine ligands. Crystal and molecular structures of [Os<sub>5</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-CPBu<sup>P</sup>Ph<sub>2</sub>)] and (R)-[Os<sub>5</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>-{μ<sub>3</sub>-CPPh<sub>2</sub>CH(Me)CH<sub>2</sub>PPh<sub>2</sub>]], 2831
Phosphorus–carbon bond formation in heterobimetallic molybdenum–tunesten alkyne complexes. 3049

Phosphorus—caroon bond formation in neteroolimetatic molybdenum—tungsten alkyne complexes, 3049
Structural and vibrational spectroscopic studies of complexes of trimethylphosphine with copper(i) and silver(i) halides, 3063
Synthesis and crystal structure of [RuCl<sub>2</sub>(PPh<sub>3</sub>){N(SiMe<sub>3</sub>)C(Ph)-NH(PPh<sub>2</sub>)<sub>2</sub>], 3087
Monoxidised sulfur and selenium derivatives of bis(diphenylphosphino)amine: synthesis and co-ordination chemistry, 3189
Connection, silver(i) silver(i) served and (d) complexes with the hybrid ligand

Copper(1), silver(1) and gold(1) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the

crystal structure of [Au(ppye-P<sub>2</sub>)]PF<sub>6</sub>, 3343

Diphosphinoamido complexes of thorium(IV) and uranium-(IV) and -(V). Crystal structures of [{ThCl<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PPr<sup>2</sup><sub>2</sub>)<sub>2</sub>]<sub>2</sub>] and [{UC<sub>2</sub>[N(CH<sub>2</sub>CH<sub>2</sub>PEr<sub>2</sub>)<sub>2</sub>]<sub>2</sub>, 3401

Rapid characterisation of rhodium dihydrides by nuclear magnetic

PHOSPHINE (contd)

HOSPHINE (contd) resonance spectroscopy using indirect two-dimensional methods and para-hydrogen, 3427

A facile, high-yield synthesis of [Pt<sub>2</sub>(PR<sub>3</sub>)<sub>2</sub>(μ-Cl)<sub>2</sub>Cl<sub>2</sub>], 3473

Syntheses and characterization of amino and amido—imido technetium(v) and rhenium(v) complexes with (ο-aminophenyl)-diphenylphosphine-N,P. Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>4</sub>H<sub>4</sub>NH<sub>2</sub>-2)}<sub>2</sub>]Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N+2)}], 3475

Chelating ether–phosphine complexes of the cobalt group metals. Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]-bis(trifluoromethanesulfonato)cobalt(ii) and -trichlororhodium(iii). 3551

rhodium(III), 3551

rhodium(III), 3551
Studies of [Ag(PPh<sub>3</sub>)<sub>2</sub>]NO<sub>3</sub>, [Ag{P(CH<sub>2</sub>CH<sub>2</sub>CN)<sub>3</sub>}<sub>2</sub>]NO<sub>3</sub> and [Ag{P(C<sub>6</sub>H<sub>4</sub>Me-m)<sub>3</sub>}<sub>2</sub>]NO<sub>3</sub> by X-ray diffraction and solid-state nuclear magnetic resonance, 3691
Palladium(II) 2-diphenylphosphinohydroquinone (H<sub>2</sub>pphq) complexes: preparation and structures of a novel cluster, [ChDC(H<sub>2</sub>Le<sub>2</sub>)] and a phosphinohydroquinone (H<sub>2</sub>pphq)

[PdBr<sub>2</sub>(C<sub>8</sub>H<sub>3</sub>(OH)-1,PPh<sub>2</sub>-3,PPh<sub>2</sub>O-4}]-H<sub>2</sub>O, 3731
Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>2</sub>H(CO)<sub>1,2</sub>BH<sub>2</sub>], 3789
Dinitrogen, butadiene and related complexes of molybdenum.

Crystal structures of [Mo(N<sub>2</sub>)(PMe<sub>3</sub>)<sub>3</sub>] and [Mo(η<sup>3</sup>-CH<sub>3</sub>CH-CHCH-)(η<sup>4</sup>-C<sub>4</sub>H<sub>6</sub>)(PEt<sub>3</sub>)<sub>2</sub>][BF<sub>4</sub>], 3801
Crystal structures and electron paramagnetic resonance spectra of [Cu{P(C<sub>3</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]Br<sub>2</sub>-8H<sub>2</sub>O and Cu<sup>2+</sup>-doped [Zn{P(C<sub>3</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]-Br<sub>2</sub>-8H<sub>2</sub>O, examples of a dynamic Jahn–Teller effect in two dimensions, 3809

A general method of generating agostic interaction between Ru<sup>II</sup> and C-H bonds of *tert*-butyl, methyl, aryl, heterocyclic or alkenyl groups using azine phosphines, 3861

Synthesis and structures of dilithium(1,2-diphosphido)benzenes, 3925

Reactivity of cobalt(II) complexes [Co(OEPh<sub>3</sub>)<sub>2</sub>X<sub>2</sub>] (E = P or As; X = Cl, Br, I or NCS) with SO<sub>2</sub> under aerobic and anaerobic conditions. Crystal structure of cocrystallised [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>2</sub>]I<sub>2</sub> and [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>2</sub>, 1095
Bromination of molybdenum carbonyls revisited: oxo complexes and routes to new materials chemistry, 1489

Synthesis and structural characterization of platinum(II) bis(chelate) complexes derived from the ligand system meso/rac-Ph(O)HPCH<sub>2</sub>CH<sub>2</sub>PH(O)Ph, 2975

PHOSPHINIC ACID

Synthesis and complexing properties of polyazamacrocycles with pendant N-methylenephosphinic acid, 1133

PHOSPHINIDENE

Syntax its and structural studies of new ruthenium cluster carbonyl deriva tives derived from (PhP)<sub>5</sub> and [Ru<sub>3</sub>(CO)<sub>12</sub>] and [Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757

PHOSPHINITE

Palladium(II) 2-diphenylphosphinohydroquinone (H2pphq) complexes: preparation and structures of a novel cluster,
[{PdBr(Hpphq)}\_1-2H<sub>2</sub>O, and a phosphine-phosphinite complex,
cis-[PdBr<sub>2</sub>{C<sub>6</sub>H<sub>3</sub>(OH)-1,PPh<sub>2</sub>-3,PPh<sub>2</sub>O-4}]-H<sub>2</sub>O, 3731
PHOSPHINOCHALCOGENOIC AMIDE

Synthesis of phosphinochalcogenoic amidato complexes of zinc and cadmium. The crystal and molecular structure of [Zn{Bu'<sub>2</sub>P(Se)NPr}<sub>2</sub>], 2813

PHOSPHITE

Bis(alkynyl) and alkynyl-vinylidene iron(π) complexes with monodentate phosphite ligands, 1783

Kinetics and mechanism of addition of tertiary phosphines and phosphites to the dicarbonyl(η<sup>5</sup>-cyclopentadienyl)(η-ethene)iron

Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>2</sub>], 3789 **PHOSPHODIPEPTIDE** 

Complexing properties of phosphonodipeptides containing aminomethylphosphonic acid, 2605

PHOSPHONATE

Self-

HOSPHONATE
Self-assembly of polyoxometalate conjugates: novel models for catalytic surfaces from crystal data, 145
Alkene epoxidation catalysed by camphor-derived β-keto-phosphonate complexes of molybdenum(v1), 1221
Metal-ion speciation in blood plasma as a tool for elucidating the in vivo behaviour of radiopharmaceuticals containing <sup>153</sup>Sm and <sup>164</sup>Lo. <sup>1411</sup>

The crystal structures of [NMe<sub>4</sub>]<sub>2</sub>[(PhPO<sub>3</sub>){MoO(O<sub>2</sub>)<sub>2</sub>}<sub>2</sub>-

 $\left\{MoO(O_2)_2(H_2O)\right\}\right]$  and  $\left[NBu^n_4\right]_2\left[W_4O_6(O_2)_6(OH)_2(H_2O)_2\right]$  and their use as catalytic oxidants, 3131

PHOSPHONIC ACID

Complexing properties of phosphonodipeptides containing aminomethylphosphonic acid, 2605

Nuclear magnetic resonance studies of 4-hydroxypiperidinomethyl-

phosphonic acid and its polyoxomolybdate conjugates, 3511

Cadmium(II) complexes containing a discrete tetrakis(carboxylato)bridged dimetal core: isomorphous dinitratotetrakis(µ-triphenyl-phosphoniopropionate)dicadmium(II) dinitrate and diperchlorate, and dichlorotetrakis(µ-triphenylphosphonio-propionate)dicadmium(II) diperchlorate, 1519 PHOSPHONIUM

Reaction of tin metal powder with triorganophosphorus dihalides: isolation and spectroscopic characterisation of  $[PR_3X][SnX_3]$  and cis- and trans- $Sn(PR_3)_2X_4$  (X = Br or  $I; R_3 = Ph_3$ ,  $Ph_2Me$  or

PhMe<sub>2</sub>), 1593
The isolation from diethyl ether of ionic [(Me<sub>2</sub>N)<sub>3</sub>PI]I and [(CH<sub>2</sub>−CHCH<sub>2</sub>)<sub>2</sub>PhPI]I, and the crystallographically characterised molecular 'spoke' structure PhMe<sub>2</sub>PI<sub>2</sub>, 2421
Single-crystal and high-resolution X-ray diffraction studies and Raman spectrum of a phosphorus(v) chloride complex containing a single bromide ion, P<sub>3</sub>Cl<sub>14</sub>Br, 2719
PHOSPHONODIPEPTIDE

Complexion reservition of the only no dispatiales containing

Complexing properties of phosphonodipeptides containing 1-aminoethylphosphonic acid, 2611

PHOSPHORANE

Synthesis, structure and solid-state nuclear magnetic resonance studies of P-chiral (dicyclohexylaminosulfanyl)[(-)-p-menthan-3-yloxy]phenylthioxophosphorane, 3683 PHOSPHORANYLIDENE

Molecular structures of cyclic mono- and di-(phosphoranylidene)-aminophosphazenes: small-molecule models for high polymers,

PHOSPHORINANE

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>c</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P-S compounds, 2797

**PHOSPHORUS** 

Phosphorus hydrazides as building blocks for potential photoaffinity labels. Synthesis and co-ordination chemistry of perfluoroaryl azide conjugates of phenylphosphonothioic dihydrazide, 565
Phosphorus-31 solid-state nuclear magnetic resonance

spectroscopy, individual gauge for localized orbitals calculations and crystal structures of dithiadiphosphetanes [RSP(S)S]<sub>2</sub> (R = alkyl or aryl), 1297

Crystal structure and molecular mechanics, dynamics and quantum-mechanical *ab initio* studies of 2,2,4,4,6,6-hexakis-(*p*-phenoxyphenoxy)-2λ<sup>5</sup>, 4λ<sup>5</sup>, 6λ<sup>5</sup>-cyclotriphosphaza-1,3,5-triene, 1749

The isolation from diethyl ether of ionic [(Me<sub>2</sub>N)<sub>3</sub>PI]I and [(CH<sub>2</sub>-CHCH<sub>2</sub>)<sub>2</sub>PhPI]I, and the crystallographically characterised molecular 'spoke' structure PhMe<sub>2</sub>PI<sub>2</sub>, 2421 Single-crystal and high-resolution X-ray diffraction studies and

Single-crystal and nigh-resolution X-ray diffraction studies and Raman spectrum of a phosphorus(v) chloride complex containing a single bromide ion, P<sub>3</sub>Cl<sub>14</sub>Br, 2719

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>6</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P–S compounds, 2797

Synthesis and structure of small-molecule phosphazene rings bearing fused-ring aryloxy side groups: models for optically useful high polymers, 3521
Synthesis, structure and solid-state nuclear magnetic resonance studies of P-chiral (dicyclohexylaminosulfanyl)[(-)-p-menthan-3-yloxy]phenylthioxophosphorane, 3683

Triphosphorus macrocycle complexes of divalent Group 6 transition metals; crystal structure of bromotricarbonyl[1,5,9-tris-(isopropyl)-1,5,9- triphosphacyclododecane]molybdenum(II) tetraphenylborate, 4091 PHOSPHORUS-31

Phosphorus-31 solid-state nuclear magnetic resonance spectroscopy, individual gauge for localized orbitals calculations and crystal structures of dithiadiphosphetanes [RSP(S)S]<sub>2</sub> (R = alkyl or aryl), 1297 Structural, far-infrared and <sup>31</sup>P nuclear magnetic resonance studies

of two-co-ordinate complexes of tris(2,4,6-trimethoxyphenyl)-phosphine with gold(i) halides, 1341 PHOSPHORYLATION

Facile synthetic route to cone-shaped phosphorylated [CH<sub>2</sub>P(O)Ph<sub>2</sub>] calix[4]arenes, 3097
PHOTOCHEMISTRY

Luminescent nitridometal complexes. Photophysical and photochemical properties of the <sup>3</sup>[(d<sub>\*\*</sub>)<sup>1</sup>(d<sub>\*\*</sub>)<sup>1</sup>] excited state of nitridoosmium(v1) complexes with polypyridine ligands, 657 Steady-state fluorescence emission studies on polyazacyclophane

PHOTOCHEMISTRY (contd)

macrocyclic receptors and on their adducts with hexacyanocobaltate(III), 993

Photoelectrochemical oxidation of tris(dimethyldithiocarbamato-S,S')cobalt(III), 1917

S,5 'cobatt(III), 1917

Photolysis of the [Fe(CN)<sub>5</sub>(NO)]<sup>2-</sup> ion in water and poly(vinyl alcohol) films: evidence for cyano radical, cyanide ion and nitric oxide loss and redox pathways, 2013

The generation and reactivity of versatile ruthenium carbonyl organometallic intermediates by cluster photochemistry, 2923

**PHOTOELECTRON** 

Electronic structure of 20-electron bis(cyclopentadienyl)metal oxo compounds of Group 6: investigation by photoelectron spectroscopy, 1023

Spectroscopy, 1023 Spectroscopy, 1023 Spectroscopy, 1023 Spectroscopy, 1024 Spectroscopy, 1025 Spectroscopy

dimethylpyridine complexes, 1873

Photoelectron spectroscopic investigation of isomeric methyl (isocyanide), η²-iminoacyl and η³-azaallyl complexes of molybdenum and tungsten, 1925 The electronic structure of the carbonyl dihalides, COF<sub>2</sub>, COCl<sub>2</sub>, COBr<sub>2</sub>, COClF, COBrF and COBrCl: a combined computational and experimental study, 2359

PHOTOOXIDANT

Metal—oxo photooxidants. Crystal structure, spectroscopy and photophysical properties of neutral luminescent transdioxoosmium(vi) complexes with cyanide and mesityl ligands,

PHOTOPHYSICS

Design of luminescent building blocks for supramolecular triple-

helical lanthanide complexes, 83 Synthesis, photophysical and electrochemical properties of luminescent dinuclear copper(1) diimines, 499

Luminescent nitridometal complexes. Photophysical and photochemical properties of the <sup>3</sup>[(d<sub>x,y</sub>)<sup>1</sup>(d<sub>x,y</sub>)<sup>2</sup>] excited state of nitridoosmium(v1) complexes with polypyridine ligands, 657 Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>3</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>(WS<sub>4</sub>)]ClO<sub>4</sub>, 753

Lanthanide picrate complexes and picric acid adduct of a calix[4]arene diamide. Syntheses and structures of [Tm(LH<sub>-2</sub>)A], [Ce(LH<sub>-2</sub>)(MeOH<sub>2</sub>A]-HA, [PrLA<sub>3</sub>] and L·2HA {L = 5,11,17,23-terta-rer-butyl-25,27-bis(diethylcarbamoylmethoxy)-26,28-dihydroxycalix[4]arene, HA = picric acid}, 3455

PICRIC ACID

Natural glycine unidentate on copper(II): a novel mode of bonding,

PIGMENT

Synthesis, structural characterisation and Raman spectroscopy of the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts, 2577

Nuclear magnetic resonance studies of 4-hydroxypiperidinomethylphosphonic acid and its polyoxomolybdate conjugates, 3511 **PLATINUM** 

Synthesis and crystal structure of a novel cyclic trinuclear platinum(II) complex, [Pt<sub>3</sub>(L-HMet)<sub>3</sub>]-H<sub>2</sub>O (H<sub>3</sub>Met = methionine), 77 Ligand fields in planar platinum(II) complexes, 197 Spectroscopic and potentiometric studies on the interaction of trans-[(MeH<sub>2</sub>N)<sub>2</sub>Pt(meyt)<sub>2</sub>PdCI]NO<sub>3</sub> (meyt = 1-methylcytosinate) with derivatives of amino acids, 489 Platinum(II) co-ordination chemistry of bis(diphenylphosphino)-

Cisplatin analogues with sulfur donor ligands (Ethylenediamine)platinum(II) complexes with ligands possessing

(Ethylenediamine)platinum(II) complexes with ligands possessing a sulfinyl or sulfanyl group linked to an anionic oxygen donor atom. Reactivity and cytotoxicity, 579

Cyclometallation of azine phosphines of type Z,E-PPh<sub>2</sub>CH<sub>2</sub>C(Bu')= N-N-CHR (R = an aromatic or heterocyclic group) involving X-Y (X = C, N or O; Y = H, I or Br) bond fission by platinum(II), 641

Cyclometallated derivatives of platinum(II) derived from 6-(tert-butyl)-2,2'-bipyridine (HL). Crystal and molecular structure of [Pt(L)Cl], 777

Heteropolynuclear complexes containing multiple redox and

Heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893 Direct oxidation of benzene by electron transfer in a multi-

functionalized chelate resin system, 979
Kinetics and mechanisms of halogen-bridge cleavage in dimethylaminomethylphenyl-C<sup>1</sup>,N pallada- and platina-cycles by pyridines. Pressure effects, and crystal structures of the N,N-cis reaction product, its N,N-trans orthometallated analogue and a dimer of pinylor reactivity. 100 dimer of similar reactivity, 999

Dynamic nuclear magnetic resonance studies of the η<sup>3</sup>-triphenyl-

cyclopropenyl complexes  $[M(\eta^3-C_3Ph_3)L]PF_6[M=Ni, Pd or Pt; L=MeC(CH_2PPh_2)_3]$ . Crystal structure of the platinum derivative, 1109

Complexes of trimethylplatinum(IV) with butane-2,3-dione

monoxime, 1233

Homo- and hetero-dinuclear complexes of palladium and platinum containing phosphinoacetylene and/or chloride as bridging ligands, 1333

Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Enhanced slip distortions in 1-phenyl-2-methyldicarbaplatina-boranes. Conformational destabilisation in the isomerisation of 1-phenyldicarbaplatinaboranes, 1755

Di- and tri-metallic complexes containing two bridging cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>(µ-cis-[PhNP(OC<sub>6</sub>H<sub>2</sub>Me-p)]<sub>2</sub>/2], 1933 Reactivity of the P-N bond in the halide salts of bis[bis(diphenylphosphino)methylamine [platinum(II), 2005 Synthesis and carbonylation studies on methylpalladium(III)

complexes containing chelating pyridinecarboxylate ligands: dynamic behaviour of the ligands and implications for the carbonylation mechanism, 2159 Polymeric and bimetallic complexes of diisopropyl monothio-

phosphate, 2369
Effect of phenyl substitution on bonding in η<sup>3</sup>-benzyl complexes of platinum, 2391

Platinum, 2391

Novel heterotrinuclear, PtAg<sub>2</sub>, and hexanuclear, PtAg<sub>4</sub>, compounds containing bridging alkynyl groups. Crystal structure of [Pt<sub>2</sub>Ag<sub>4</sub>(C<sub>6</sub>F<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-η<sup>2</sup>-C≡CPh)<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>]-0.5CH<sub>2</sub>Cl<sub>2</sub>, 2397

Conformational control in PtS<sub>2</sub>(PR<sub>2</sub>)<sub>2</sub>N metallacycles *via* ligand-substituent effects (R = Ph or OPh), 2467

Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}(PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd{Ph<sub>2</sub>PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489

Synthesis and characterisation of homo- and hetero-trinuclear complexes containing the triply-bridging diphenylthiophosphinito [μ<sub>3</sub>-SPPh<sub>2</sub>]- ligand: molecular structure of [Pd<sub>3</sub>(μ<sub>3</sub>-SPPh<sub>2</sub>)<sub>2</sub>-(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>CH<sub>3</sub>NMe<sub>2</sub>-2)(PPh<sub>3</sub>)<sub>2</sub>]ClO<sub>4</sub>-0.8CH<sub>2</sub>Cl<sub>2</sub>, 2805

Pentafluorophenylplatinum complexes containing η¹- or η²-aryl-Pt interactions. Crystal structure of cis-[Pt(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>({NC<sub>3</sub>H<sub>4</sub>[CH(η²-Ph)Ph]-2}-κN]-0.5C<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>, 2949

Synthesis and structural characterization of platinum(II) bis(chelate) complexes derived from the ligand system meso/rac-

complexes derived from the ligand system meso/rac-Ph(O)HPCH<sub>2</sub>CH<sub>2</sub>PH(O)Ph, 2975 Dynamic nuclear magnetic resonance study of the effects of cis-

chelate ligands on 1,2-metallotropic shifts in trimethyl-platinum(IV) complexes of pyridazine, 3165 Monoxidised sulfur and selenium derivatives of bis(diphenylphos-

Monoxidised sulfur and selenium derivatives of bis(diphenylphosphino)amine: synthesis and co-ordination chemistry, 3189
Cytosine nucleobase as a tridentate ligand: metal binding to N(3), N(4) and O(2) in trans-[(NH<sub>2</sub>Me)<sub>2</sub>Pt(dmcyt)<sub>2</sub>Ag<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub> (dmcyt = 1,5-dimethylcytosinate), 3275
A facile, high-yield synthesis of [Pt<sub>2</sub>(PR<sub>3</sub>)<sub>2</sub>(µ-Cl)<sub>2</sub>Cl<sub>2</sub>], 3473
Palladium-catalysed formation of aroylcobalt complexes from iodoarene and tetracarbonylcobaltate anion. Syntheses,

characterization and reactivities of model intermediate complexes, 3489

L-Methionine increases the rate of reaction of 5'-guanosine

L-Methionine increases the rate of reaction of 5'-guanosine monophosphate with the anticancer drug cisplatin: mixed-ligand adducts and reversible methionine binding, 3721

Unusual hydrogen bonding patterns of N' metallated, N' deprotonated guanine nucleobases: acidity constants of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]<sup>2+</sup> and crystal structures of cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-H<sub>2</sub>O and cis-[Pt(NH<sub>3</sub>)<sub>2</sub>(egua)<sub>2</sub>]-Hegua-7H<sub>2</sub>O (Hegua = 9-ethylguanine), 3767

Synthesis, molecular structure (M = Pd, X = OH) and reactivity of trinuclear asymmetric complexes [(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>Pt(µ-PPh<sub>2</sub>)<sub>2</sub>M(µ-X)<sub>2</sub>Pt(PPh<sub>3</sub>)<sub>2</sub>] (M = Pd or Pt; X = Cl or OH), 3777

Effect of bulky alkyl substituents on the dynamics and stability of platinum complexes with B-agostic bonding, 3819

platinum complexes with β-agostic bonding, 3819 Nucleophilic displacement of halides from monocationic platinum(II) complexes containing neutral tridentate chelating ligands with sulfur and nitrogen donors: kinetics and equilibria, 3853

Sign multinuclear arrays assembled around platinum centres, 4067
Synthesis of methyl-palladium(II) and -platinum(II) complexes
containing labile chelates and olefinic tertiary phosphine ligands:
intramolecular insertion of an olefin into a palladium—carbon
bond, and activation of a carbon—hydrogen bond by a

platinum(ii) complex, 4081

The nature of the platinum—phosphine bond. An *ab initio* Hartree—Fock and density functional study, 4121

POLARIZABILITY

The electronic polarizability distribution of several substituted ferrocenes and di(η<sup>6</sup>-benzene)chromium, 1469

Synthesis and molecular structure of the mixed polymeric cobalt

POLYMER (contd)

compound [Co<sub>3</sub>(SCH<sub>2</sub>CH<sub>2</sub>S)<sub>3</sub>(PEt<sub>3</sub>)<sub>3</sub>]<sub>2</sub>[Co<sub>2</sub>Cl<sub>4</sub>(μ-O<sub>2</sub>SEt<sub>2</sub>)<sub>2</sub>],

Powder route to crystal structures: X-ray powder diffraction determination of polymeric silver imidazolate, 1671

A dimer of dimers and a polymer of tetramers: structures of copper complexes involving 6-fluoro-2-hydroxypyridine, 1765

Crystal structure and magnetic properties of [Cu(ox)(py)<sub>2</sub>] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143

Syntheses, structures and properties of copper(1) co-ordination polymers with bridging phenazine: construction of one- and two-dimensional structures with  $\pi$ - $\pi$  stacking of phenazine, 2201 Syntheses, structures and magnetic studies of homometallic

manganese and heterometallic iron-sodium one-dimensional polymers, 2311

Copper(ii) chloride-1-methylbenzotriazole chemistry: variation of product as a function of metal-to-ligand reaction ratio; synthesis, structure and properties of a dinuclear complex and a novel

structure and properties of a dinuclear complex and a novel chain polymer with two alternating chromophores, 2317 Synthesis and crystal structure of {[Au<sub>2</sub>(dien)<sub>2</sub>]<sup>2+</sup>}<sub>n</sub> (dien = diethylenetriamine), an infinite linear polymer based on weak gold-gold contacts, 2575 Molecular structures of cyclic mono- and di-(phosphoranylidene)-aminophosphazenes: small-molecule models for high polymers, 2785

Controlled design of oligomeric ethers with pendant cyclopentadienyliron moieties, 3375 Synthesis and structure of small-molecule phosphazene rings

bearing fused-ring aryloxy side groups: models for optically useful high polymers, 3521

POLYMORPHISM

Synthesis, structure and solid-state nuclear magnetic resonance studies of P-chiral (dicyclohexylaminosulfanyl)[(-)-p-menthan-3-yloxy]phenylthioxophosphorane, 3683
Silica-mimetic polymorphism of the Cd(CN)<sub>2</sub> host lattice depending on the guest G in Cd(CN)<sub>2</sub>-xG clathrates, 3715
POLYOXOMOLYBDATE

Polymorphism of the Vocaria and Danuary

Reduced polyoxomolybdates with the Keggin and Dawson structures: preparation and crystal structures of two-electron reduced [K(18-crown-6)]<sub>2</sub>[N(PPh<sub>3</sub>)<sub>2</sub>]<sub>2</sub>[HPMo<sub>1</sub>,O<sub>4,0</sub>]-8MeCN-18-crown-6 and four-electron reduced [NBu\*<sub>4</sub>]<sub>5</sub>[H<sub>3</sub>S<sub>2</sub>Mo<sub>1,8</sub>O<sub>6,2</sub>]-4MeCN (18-crown-6 = 1,4,7,10,13,16-hexaoxacyclooctadecane),

POLYPYRIDYL

Application of deuteriation to determine the location of the emitting state in mixed-ligand Ru<sup>II</sup> polypyridyl complexes, 2705

Electron spin resonance study of the binding structures of cationic water-soluble metalloporphyrins on highly oriented deoxyribonucleic acid fibres, 1325

Porphyrin-like macrocyclic complexes: molecular and electronic structure of (5,14-dihydro-6,8,15,17-tetramethyldibenzo[b,t]=[1,4,8,11]tetraazacyclotetradecinato)copper(ii), 2385 Reactions of peroxy acids with deuteroferrihaem, 3323 Inhibitory effect of chloroquine on the peroxidase activity of

ferriprotoporphyrin IX, 3759
POTENTIAL ENERGY

Molecular structure and crystal structure generation for

[Fe<sub>3</sub>(CO)<sub>12</sub>], 3297 POWDER DIFFRACTION

Preparation and crystal structure of the deficient perovskite LaNiO<sub>2.5</sub>, solved from neutron powder diffraction data, 2819

PROTEIN

Complexes of human lactoferrin with vanadium in oxidation states +3, +4 and +5, 1121

Type 1 blue copper protein amicyanin from Thiobacillus versutus: line-broadening effects of chromium(III) complexes and related studies, 3395

**PROTONATION** 

PROTONATION
Conformational preferences and protonation sequence of myoinositol hexaphosphate in aqueous solution; potentiometric and
multinuclear magnetic resonance studies, 575
Aminocarbyne coupling reactions at M(Ph,PCH,CH,PPh<sub>2</sub>); (M =
Mo or W) sites. Detailed mechanistic studies on the protonation
of co-ordinated isocyanides and coupling of ligands in trans[M(CNR);(Ph,PCH,CH,PPh<sub>2</sub>)]; (R = Bu' or Me), 1193
Effects of protonation in decavanadates: crystal structure of
tetrakis(n-hexylammonium) dihydrogendecavanadate(v), 2225
Protonation of trans-[Mo(tq²-MeCCH)2(Ph,PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)];
mechanism of formation of trans[MoX(CHCHMe)(Ph,PCH,CH,PPh<sub>2</sub>)], (X = Cl or Br) or trans[MoF(CCH,Me)(Ph,PCH,CH,PPh<sub>2</sub>)], 2479
PROTONOLYSIS
Synthesis of cationic uranium compounds by protonolysis of amide

Synthesis of cationic uranium compounds by protonolysis of amide precursors: amide and chloroamide complexes, 3019
Synthesis of cationic uranium compounds by protonolysis of amide

precursors: cyclopentadienyl and cyclooctatetraene complexes, 3027

**PULSE RADIOLYSIS** 

Pulse-radiolysis study of the reaction of nitric oxide with superoxide, 2885 PYRAN

Complexes of Rh(C<sub>5</sub>Me<sub>5</sub>) with picolinic acid, pyrones and pyridinones, 3709 **PYRAZINE** 

Synthesis, photophysical and electrochemical properties of luminescent dinuclear copper(1) diimines, 499

Excited-state properties of [(OC)<sub>5</sub>W(L)W(CO)<sub>5</sub>] [L = 4,4'-bipyridyl (4,4'-bipy) or pyrazine] and [(OC)<sub>5</sub>W(4,4'-bipy)],

Spectroelectrochemistry and excited-state absorption spectroscopy of rhenium(1) α,α'-diimine complexes, 3677

PYRAZOLATE

μ-Pyrazolato-μ-carboxylato- and di(μ-pyrazolato)-dimanganese(Π) complexes: synthesis, characterization and catalase-like function, 3634

**PYRAZOLE** 

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31
Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and

copper compounds, 4099
PYRAZOLYL

Molecular zinc oxide and sulfide complexes stabilized by

pyrazolylborate ligands, 1915

Boratropic rearrangements in tris(pyrazolyl)borate molybdenum mononitrosyl complexes: effects of co-ligands, 2281
A reversible intramolecular hydrogen-bonding interaction involving second-sphere co-ordination of a water ligand, 2921

Molybdenum(I)mononitrosylcomplexes: syntheses, electrochemistry, electron paramagnetic resonance spectra and magnetism of complexes with  $N_6$  and  $N_4$  first-co-ordination spheres and the crystal structures of  $[Mo\{HB(dmpz)_3\}(NO)(NC_5H_4Ph-4)_2]I$  and  $[Mo\{HB(dmpz)_3\}(NO)(NC_6H_7)_2]BPh_4$  (dmpz = 3,5-dimethylpyrazol-1-yl), 3243 with the interpretation and replaced by structures of iron(III).

Synthesis, properties and molecular structures of iron(III), cobalt(II), nickel(II), copper(II), copper(I) and zinc(II) complexes with N,N-bis(pyrazol-1-ylmethyl)benzylamine, 3503
PYRAZOLYLMETHANE

Synthesis, spectroscopic characterization and dynamic behaviour of niobium complexes with poly(pyrazol-1-yl)methane ligands,

Comparative study of the catalytic oxidation of catechols by copper(II) complexes of tripodal ligands, 31
Design of luminescent building blocks for supramolecular triple-helical lanthanide complexes, 83

kinetics and mechanisms of halogen-bridge cleavage in dimethylaminomethylphenyl-C<sup>1</sup>,N pallada- and platina-cycles by pyridines. Pressure effects, and crystal structures of the N,N-cis reaction product, its N,N-trans orthometallated analogue and a dimer of similar reactivity, 999

Analogues of the iron-binding site in catechol 1,2-dioxygenase: iron(III) complexes of benzimidazole- and pyridine-containing tridentate ligands, 1259

**PYRIDAZINE** 

Dynamic nuclear magnetic resonance study of the effects of cis-chelate ligands on 1,2-metallotropic shifts in trimethyl-platinum(IV) complexes of pyridazine, 3165

PYRIDINE

Structure and properties of copper-(II) and -(I) complexes with 2,6-bis[2-(thiophen-2-ylmethylimino)ethyl]pyridine, 1939
Crystal structure and magnetic properties of [Cu(ox)(py)<sub>2</sub>] (py = pyridine): a ferromagnetic oxalate-bridged zigzag chain complex, 2143

Synthesis and electrochemistry of heterobridged gold(1) and gold(II) complexes of pyridine-2-thiolate. Crystal structures of [Au<sub>2</sub>-{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}{(μ-C<sub>3</sub>H<sub>4</sub>NS)] and [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}-(μ-C<sub>3</sub>H<sub>4</sub>NS)βr<sub>2</sub>], 2245

(μ-C<sub>2</sub>R<sub>4</sub>NS)B<sub>2</sub>], 2243
 Resonance-Raman spectra and excited-state geometry of the bis-(μ-acetato)(μ-oxo) ruthenium(III) dimeric ion [Ru<sub>2</sub>(μ-O<sub>2</sub>CMe)<sub>2</sub>-(μ-O)(py)<sub>2</sub>]<sup>2+</sup> (py = pyridine), 2417
 Structure of a C,N,N-cyclometallated palladium(II) complex of 2-amino-4-phenylamino-6-(2-pyridyl)-1,3,5-triazine, an α-diimine ligand with donor-acceptor-donor hydrogen-bonding capability,

Determination of the local environment of the metals in [Cr<sup>III</sup><sub>2</sub>Co<sup>II</sup>O(MeCO<sub>2</sub>)<sub>6</sub>(py)<sub>3</sub>] ·py (py = pyridine) by chromium and cobalt K-edge extended X-ray absorption fine structure. Geometric and charge-polarisation influences on Cr-O-Cr superexchange, 2515

Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and nitrido analogues; crystal structure of

[Re<sup>v</sup>(NMe)(py)<sub>3</sub>(OEt)Cl]ClO<sub>4</sub> (py = pyridine), 2779 Synthesis and characterization of gold(III) adducts and

PYRIDINE (contd)

YRIDINE (contd) cyclometallated derivatives with 2-substituted pyridines. Crystal structure of [Au{\cong N\_6H\_4(CMe<sub>2</sub>C<sub>6</sub>H\_4)-2\cong C<sub>2</sub>], 2865
Pentafluorophenylplatinum complexes containing η¹- or η²-aryl-Pt interactions. Crystal structure of cis-[Pt(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>({\cong NC<sub>3</sub>H\_4[CH(η²-Ph)Ph]-2\cong N)]-0.5C<sub>6</sub>H<sub>3</sub>Me, 2949
Mixed-valence dinuclear iron complexes with a nonadentate polypyridine ligand: high-spin iron(II)-low-spin iron(III), 3533
Complexes of Rh(C<sub>3</sub>Me<sub>3</sub>) with picolinic acid, pyrones and pyridinones, 3709
Nucleophilic displacement of halides from monocationic platinum/III

Nucleophilic displacement of halides from monocationic platinum(II) complexes containing neutral tridentate chelating ligands with sulfur and nitrogen donors: kinetics and equilibria, 3853

PYRIDINOL.

A dimer of dimers and a polymer of tetramers: structures of copper complexes involving 6-fluoro-2-hydroxypyridine, 1765

PYRIDONATE

Synthesis, structural characterisation and studies of octanuclear copper complexes of pyridonate and carboxylate ligands, 163
Syntheses, structures and magnetic studies of homometallic
manganese and heterometallic iron-sodium one-dimensional polymers, 2311 PYRIDYL

Synthesis and spectroscopic properties of di-2-pyridyl sulfide (dps) compounds. Crystal structure of [Ru(dps)<sub>2</sub>Cl<sub>2</sub>], 17
Redox-responsive bi- and tri-nuclear iron/molybdenum complexes

Redox-responsive bi- and tri-nuclear iron/molybdenum complexes incorporating the ferrocenyl unit as a redox spectator, 2769 Copper(1), silver(1) and gold(1) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the crystal structure of [Au(ppye-P)<sub>2</sub>]PF<sub>6</sub>, 3343 Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and copper compounds, 4099
PYRIMIDINE
Synthesis structural abaracterization and the control of the control

Synthesis, structural characterization and thermal reactivities of osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2thione, 1047

An unusual dimerization of 6-amino-2-thiouracilate in a cobalt(III) complex, 2627

PYROCATECHOL VIOLET

Aluminium(III)-pyrocatechol violet equilibria: a potentiometric study, 1799

PYRROLIZINIDE

Preparation, crystal structure and single-crystal polarized spectra of bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diiminopyrrolizinido)-zinc(II)-tetrahydrofuran (1/4), 281

QUANTUM MECHANICS

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>c</sub>H<sub>4</sub>P<sub>2</sub>S<sub>c</sub>, a new tetrathiadiphosphorinane, and comparison with related P–S compounds, 2797

QUATERPYRIDINE

QUATERPYRDINE

Cobalt and nickel complexes of 2,2':6',2'':6',2'''-quaterpyridine as catalysts for electrochemical reduction of carbon dioxide, 1103

Synthesis, properties and crystal structures of iron-(II) and -(III) complexes of 2,2':6',2'':6',2'''-quaterpyridine, 2961

Dinuclear ruthenium(II) and/or osmium(II) complexes of a non-symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence properties and intercomponent energy transfer, 3601

QUINOLINE

Inhibitory effect of chloroguine on the peroxidase activity of

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

QUINOLINOLATE Chemistry of [RuL<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup> (HL = 8-hydroxyquinoline): synthesis, structure, metal redox behaviour and isomer selectivity, 1417

OUINONE Synthesis and characterisation of the mixed-sandwich complex closo-[3-( $\eta$ -C<sub>5</sub>Me<sub>5</sub>)Fe-4-Me<sub>5</sub>S-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>] and its charge-transfe salts; crystal structure of [Fe( $\eta$ -C<sub>5</sub>Me<sub>5</sub>)(C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>SMe<sub>2</sub>)]\*[ddq]\*-CH<sub>2</sub>Cl<sub>2</sub> (ddq = 2,3-dichloro-5,6-dicyano-p-benzoquinone), 2509

QUINOXALINE

Synthesis, photophysical and electrochemical properties of luminescent dinuclear copper(i) diimines, 499

The reaction of cobalt(III) β-ketoenolates with trifluoroacetic acid,

RADIOPHARMACEUTICAL

Metal-ion speciation in blood plasma as a tool for elucidating the in vivo behaviour of radiopharmaceuticals containing <sup>153</sup>Sm and <sup>166</sup>Ho, 1411

RAMAN

The structure of solutions of gallium(1) chloride in benzene, 245 Low-temperature structures and Raman spectra of crystalline modifications of selenium difluoride dioxide, 689 Resonance-Raman spectra and excited-state geometry of the bis(μ-acetato)(μ-oxo) ruthenium(III) dimeric ion [Ru<sub>2</sub>(μ-O<sub>2</sub>CMe)<sub>2</sub>-(μ-O)(py)<sub>6</sub>]<sup>2+</sup> (py = pyridine), 2417 Synthesis, structural characterisation and Raman spectroscopy of

the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts, 2577

manuscripts, 25/1/
Single-crystal and high-resolution X-ray diffraction studies and
Raman spectrum of a phosphorus(v) chloride complex containing
a single bromide ion, P<sub>3</sub>Cl<sub>14</sub>Br, 2719
Disproportionation of polynuclear chloroethylaluminate anions in
acidic 1-butyl-3-methylimidazolium chloride-AlEtCl<sub>2</sub> molten salts in the presence of a hydrocarbon phase, 3867 RAMAN MICROSCOPY

Synthesis, structural characterisation and Raman spectroscopy of the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts, 2577

Quantitative and structural investigations of hydrogen-bonding interactions in anion binding of mono- and 1,1'-bis-substituted aryl cobaltocenium receptors, 403

Intramolecular hydrogen-bond formation in nickel(II) complexes

with macrocyclic ligands containing non-co-ordinating introgen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenphosphates, 2633

Synthesis, structure and anion co-ordination chemistry of a novel macrocyclic cobaltocenium receptor, 3447

RECOGNITION

Outpatel per ballier bid and the structure and contained the

Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549

Direct oxidation of benzene by electron transfer in a multi-functionalized chelate resin system, 979

RESOLUTION

Synthesis, resolution and reactions of  $(\pm)$ -(2-aminophenyl)-methylphenylphosphine. Crystal and molecular structure of  $(R^*, R^*, S^*, R^*)$ - $(\pm)$ -(1,3-bis $\{[2$ -(methylphenyl-phosphino)phenyl]amino $\}$ -propane)nickel(ii) perchlorate, 57 Optically active asymmetric bidentate ligands. Crystal and molecular structure of [SP-4-4-(R),(R)-(-)-(R)

Mechanistic study of the co-ordination of hydrogen peroxide to methylrhenium trioxide, 133

Heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893

derivatives of platinum(ii), 893

Rhenium complex of a triply deprotonated chelated thiosemicarbazide and its conversion to a nitride complex *via* a hydrazide intermediate. Crystal structure of [ReCl<sub>2</sub>(NH)(NHNH<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>], 1357

Mono- and bis-diazenido complexes of rhenium(iii) containing bidentate ditertiary phosphine ligands. The crystal and molecular structures of [Re(NNC<sub>6</sub>H<sub>4</sub>Me-4)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PH<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>]-2dmf, [Re(NNC<sub>6</sub>H<sub>4</sub>Cl-4)<sub>2</sub>(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>] and [ReCl(NNC<sub>6</sub>H<sub>4</sub>Me-4)<sub>2</sub>(Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>)<sub>2</sub>][PF<sub>6</sub>], 1663

Synthesis and characterization of phenylimidorhenium(v) compounds containing polypyridy ligands. Crystal structures of *mer*-[Re(NPh)Cl<sub>2</sub>(bipy)], *trans*-[Re(NPh)Cl<sub>2</sub>(bipy)], *trans*-[Re(NPh)Cl<sub>2</sub>(bipy)], *trans*-[Re(NPh)Cl<sub>2</sub>(bipy)], *trans*-[Re(NPh)Cl<sub>2</sub>(bipy)], terpy = 2,2'-bipyridine, terpy = 2,2'-6',2'-terpyridine), 1733

Nucleophilic additions to the chiral rhenium alkene complexes [Re(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)(NO)(PPh<sub>3</sub>)(H<sub>2</sub>C=CHR)]BF<sub>4</sub> (R = H, Me, CH<sub>2</sub>CH<sub>2</sub>Me, Ph or CH<sub>2</sub>Ph): regio-, diastereo- and enantio-selectivities, 1857

Substitution of nitrido by the oxo group in reactions of

CH<sub>2</sub>CH<sub>3</sub>Me, Ph of CH<sub>2</sub>Ph): feglo-, diastereo- and enantoselectivities, 1857
Substitution of nitrido by the oxo group in reactions of [ReNCl<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>] with multidentate N,O<sup>-</sup>-donor chelates. Crystal structure of [ReOCl<sub>3</sub>(PPh<sub>3</sub>)(HL)] [H<sub>2</sub>L = 2,6-bis(hydroxymethyl)pyridine], 2189
Supramolecular chemistry of [{M(CO)<sub>3</sub>(μ<sub>3</sub>-OH)}<sub>4</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233
Neutral oxorhenium(v) complexes with tridentate dithiolates and monodentate alkane- or arene-thiolate coligands, 2277
Reactivity patterns of the unsaturated tetrahedral cluster [Re<sub>4</sub>-(μ<sub>3</sub>-H)<sub>4</sub>(CO)<sub>1</sub>-]. Easy addition of four MeCN molecules and 'ionic' or 'neutral' fragmentation pathways of the spiked-triangle intermediate [Re<sub>4</sub>(μ-H)<sub>4</sub>(CO)<sub>1</sub>-(NCMe)<sub>4</sub>], 2407
Synthesis, spectroscopy and electrochemistry of rhenium(v) imido complexes of pyridine and a comparative study with oxo and nitrido analogues; crystal structure of [Re<sup>v</sup>(NMe)(py)<sub>5</sub>(OEt)CI]ClO<sub>4</sub> (py = pyridine), 2779

RHENIUM (contd)

Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTeF<sub>5</sub>; compatibility of phosphine, alkyl and OTeF<sub>5</sub><sup>-</sup> ligands in low-valent transition-metal complexes 2941

2941 Synthesis and characterization of organoimido- and organoamido-rhenium(v) complexes. Crystal structures of [ReCl<sub>2</sub>(NC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)(HNC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>-2)], [Re(8-HNC<sub>3</sub>H<sub>6</sub>N)<sub>2</sub>O(PPh<sub>3</sub>)][BPh<sub>4</sub>] and [Re(NPh)(NC<sub>6</sub>H<sub>3</sub>S-2-SiMe<sub>3</sub>-3)<sub>4</sub>(PPh<sub>3</sub>)][BPh<sub>4</sub>], 3041 Synthesis of complexes of ReV, Ru<sup>11</sup>, Os<sup>11</sup>, Rh<sup>1</sup>, Ir<sup>1</sup> and Ir<sup>11</sup>. Crystal and molecular structures of [ReO(OH)(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)], [ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)] and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>. (PMePh<sub>2</sub>)<sub>3</sub>], 3143 Syntheses and structures of [Re(SC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)<sub>3</sub>(PPh<sub>3</sub>)], [Re(SC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)<sub>3</sub>(Bu<sup>1</sup>NC)<sub>2</sub>], [Re(SC<sub>6</sub>H<sub>2</sub>Pr<sup>2</sup><sub>3</sub>-2,4,6)<sub>3</sub>L(PPh<sub>3</sub>)] (L = N<sub>2</sub> or CO) and [ReH<sub>4</sub>(PPh<sub>3</sub>)<sub>4</sub>][ReO(SC<sub>6</sub>H<sub>2</sub>Pr<sup>2</sup><sub>3</sub>-2,4,6)<sub>4</sub>], 3153

3153

Mechanistic studies on the cis- $[VO_2(H_2O)_1]^+$  and  $[Mo(CN)_8]^{3-}$  oxidations of the  $Re^{IV}_2$  complex  $[(C_2O_4)_2Re(\mu-O)_2Re(C_2O_4)_2]^{4-}$ ,

Syntheses and characterization of amino and amido-imido syntheses and characterization of amino and amido-imido technetium(v) and rhenium(v) complexes with (o-aminophenyl)-diphenylphosphine-N,P. Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}<sub>2</sub>]Cl-MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475

RHODIUM

Impact of dioxygen and carboxylic acids on the transformation of rhodium(1) to rhodium(11) complexes, 105
Organometallic liquid crystals based on octahedral rhodium(III), 317
Hydridorhodium diphosphite catalysts in the asymmetric

Hydridorhodium diphosphite catalysts in the asymmetric hydroformylation of styrene, 409

Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B]<sup>-</sup> (M = Rh or Ir) and gold(i) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][rams- Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B], trans-[Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>}] and cis-[Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>}], 549

Complexes of the bidentate ligands Z-PPh<sub>2</sub>CH<sub>2</sub>C(Bu¹)=NNR<sub>2</sub> (R = Me or H) with rhodium and iridium, 633

Synthesic crystal structures and reactivity of rhodium(u) complexes

Synthesis, crystal structures and reactivity of rhodium(III) complexes

Synthesis, crystal structures and reactivity of rhodium(III) complexe containing β-ketophosphine and phosphine enolate ligands, 863 Effect of amine substituents and neutral leaving groups on the activation volume for aquation of octahedral pentaamine complexes of Cr<sup>III</sup> and Rh<sup>III</sup>, 891 Dinuclear pentafluorophenyl compounds of rhodium(III) with anionic bridging ligands. Molecular structures of [P(CH,Ph)Ph<sub>3</sub>], [{Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>/2(μ-CO<sub>3</sub>)], 917 Dynamics and molecular aggregation in crystalline [{M(C,H<sub>6</sub>)}<sub>3</sub>/μ,2-η<sup>2</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>6</sub>H<sub>3</sub>R)] [M = CO, R = CH(Ph)Me, CH<sub>2</sub>CH<sub>2</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089 Synthesis, crystal structures and reactivity of rhodium(III)

[I/M(C<sub>3</sub>H<sub>3</sub>)<sub>3</sub>|<sub>4</sub>|<sub>4</sub>-n<sup>2</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>4</sub>H<sub>3</sub>R)] [M = Co, R = CH(Ph)Me, CH<sub>2</sub>CH<sub>2</sub>Ph or CHCHMe; M = Rh, R = H] clusters, 1089

Synthesis, crystal structures and reactivity of rhodium(III) complexes containing B-ketophosphine and phosphine enolate ligands (1995, 863), 1767

Amphiphilic terpyridine complexes of ruthenium and rhodium displaying lyotropic mesomorphism, 1769

Complexes of 2-diphenylphosphinobenzenethiol and 2-diphenylphosphino-6-trimethylsilylbenzenethiol with rhodium and iridium. Crystal and molecular structures of [IrCl<sub>2</sub>(Ph<sub>2</sub>PC<sub>4</sub>H<sub>4</sub>S)(PMePh<sub>2</sub>)<sub>2</sub>] and [Ir(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)<sub>3</sub>]·0.75CH<sub>2</sub>Cl<sub>2</sub>, 1957

Synthesis, reactivity and catalytic activity of [RuH(η¹-OCMe<sub>2</sub>)(CO)<sub>2</sub>(PPr³)<sub>2</sub>]BF<sub>4</sub>, 2171

Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}(PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd¹Ph<sub>2</sub>PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489

Unexpected gold-containing boride clusters formed from the reactions of [RhRu<sub>3</sub>H(η³-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au(PPh<sub>3</sub>)}<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> and [RhRu<sub>3</sub>H(η³-C<sub>3</sub>Me<sub>3</sub>)(CO)<sub>9</sub>B{Au(PPh<sub>3</sub>)}<sub>2</sub>(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis-(diphenylphosphino)ferrocene], 2639

Chemical behaviour of the mixed-metal carbonyl clusters [Fe<sub>3</sub>Rh(CO)<sub>2</sub>]<sup>2</sup> and [Fe<sub>6</sub>Rh<sub>3</sub>(CO)<sub>2</sub>]<sup>2</sup>. Crystal structures of [Fe<sub>7</sub>Rh(CO)<sub>2</sub>] and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>3</sub>Cl)<sub>2</sub>Cl<sub>3</sub> (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>2</sub>(CO)<sub>2</sub>Cl)<sub>4</sub>(Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>2</sub>(CO)<sub>2</sub>(CO)<sub>4</sub>Cl<sub>3</sub>(Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>2</sub>(CO)<sub>2</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(Londal) (Londal) (PPh<sub>3</sub>)]-and [Fe<sub>7</sub>Rh<sub>3</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>(CO)<sub>4</sub>

$$\label{eq:constraints} \begin{split} & [Fe_2Rh(CO)_{10}]^- \ and \ [Fe_2Rh_2(CO)_{12}]^{2-}. \ Crystal \ structures \ of \\ & [Fe_2Rh(CO)_9(PPh_3)]^- \ and \ [Fe_2Rh_2(\mu\text{-CO})_3(CO)_9\{\mu_3\text{-Au}(PPh_3)\}]^-, \end{split}$$

2703
Four-membered chelate rings in complexes with 2,2-bis(diphenylphosphino)propane. Crystal and molecular structures of trans-[RuCl<sub>2</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>], [RuCl{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>{η-C<sub>5</sub>H<sub>5</sub>}] and [(η-C<sub>5</sub>H<sub>5</sub>Ru(μ-CO)<sub>2</sub>{μ-Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>}RhCl<sub>3</sub>](Rh-Ru), 2901
A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>2</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>13</sub>BH<sub>3</sub>], 2935
Synthesis, crystal structure and electrospray mass spectrometric study of the rhodium(III) dioxolene complex

[Rh{OCC(CO<sub>2</sub>Et)SC(CO<sub>2</sub>Et)CO}(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(PPh<sub>3</sub>)], 3007 Structural characterisation of solution species implicated in the rhodium-catalysed carbonylation of methanol by Rh K-edge X-ray absorption spectroscopy, 3089 Molecular structure and crystal organization of neutral and ionic derivatives of [M<sub>4</sub>(CO)<sub>12</sub>] (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287

Rapid characterisation of rhodium dihydrides by nuclear magnetic

resonance spectroscopy using indirect two-dimensional methods and para-hydrogen, 3427
Chelating ether-phosphine complexes of the cobalt group metals. Crystal structures of bis[benzylbis(2-ethoxyethyl)phosphine]-bis(trifluoromethanesulfonato)cobalt(II) and -trichloro-bedium(II) 2551 rhodium(III), 3551

Reaction of pentaammineaquarhodium(III) with carbonate in strongly basic solution: a multiple choice of potential

strongly basic solution: a multiple choice of potential interactions, 3591

Synthesis, crystal structures and spectroscopic properties of *cis*and *trans*-[RhCl<sub>2</sub>L<sub>2</sub>]<sup>+</sup> [L = 1,3-bis(dimethylphosphino)propane or 1,2-bis(dimethylphosphino)ethane (dmpe)]: reinvestigation of the dmpe complexes, 3609

Complexes of Rh(C<sub>3</sub>Me<sub>3</sub>) with picolinic acid, pyrones and pyridinones, 3709

Pentafluorophenylphosphine complexes of rhodium(t): extended X-ray absorption fine structure studies of L(Rh(PPh) (C.F.). 1-

X-ray absorption fine structure studies of  $[\{Rh[PPh_x(C_6F_5)_3, x]_2, (\mu-C)\}_a](x = 0-2)$  and  $[\{Rh[(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2](\mu-C)\}_2]$ . Crystal structures of  $[\{RhC[Ph_5], \{(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2\}]$ -C<sub>4</sub>H<sub>8</sub>O and  $\{C_6F_5\}_2PCH_2CH_2P(C_6F_5)_2$  4029

Rapid characterisation of rhodium dihydrides by nuclear magnetic resonance spectroscopy using indirect two-dimensional methods and *para*-hydrogen, 3427 **RUTHENIUM** 

Synthesis and spectroscopic properties of di-2-pyridyl sulfide (dps) compounds. Crystal structure of [Ru(dps)<sub>2</sub>Cl<sub>2</sub>], 17

compounds. Crystal structure of [Ru(dps),Cl<sub>2</sub>], 17
Ruthenium(ii) complexes with the atropisomeric diphosphine 2,2'-bis(diphenylphosphino)-6,6' dimethylbiphenyl in the enantioselective hydrogenation of pentane-2,4-dione, 49
Preparation and crystal structures of cationic dienehydrido and dienyl ruthenium complexes containing N,N',N''-trimethyl-1,4,7-triazacyclononane, 227
Preparation of [Ru(n<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl(C=CPh)(RNC)] (R = C<sub>8</sub>H<sub>9</sub> or C<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6) and its reaction with tetracyanoethylene. Crystal structures of [Ru(n<sup>6</sup>-C<sub>6</sub>Me<sub>6</sub>)Cl(C[=C(CN)<sub>2</sub>]CPh=C(CN)<sub>2</sub>}-(C<sub>8</sub>H<sub>9</sub>NC)] and cis-[RuCl<sub>2</sub>(C<sub>8</sub>H<sub>9</sub>NC)<sub>2</sub>], 307
Structure and mechanism in aerobic alkene epoxidations promoted by ruthenium complexes of bis(dihydrooxazole) ligands, 367
Synthesis and structural characterization of the tetraruthenium

Synthesis and structural characterization of the tetraruthenium cluster complexes [Ru<sub>4</sub>(µ-H)<sub>4</sub>(CO)<sub>10</sub>(L-L)] (L-L = diphosphine),

Substitution reactions of trans-[Ru(NH<sub>3</sub>)<sub>4</sub>[P(OEt)<sub>3</sub>](H<sub>2</sub>O)]<sup>2+</sup> revisited. Mechanistic elucidation from a volume-profile analysis,

A zwitterionic cluster compound: synthesis and characterisation of the triphenylphosphoniocyclopentadienide derivative [Ru<sub>6</sub>C(CO)<sub>14</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>PPh<sub>3</sub>)], 495
Heterometallic boride clusters: formation of octahedral

Heterometallic boride clusters: formation of octahedral [M<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B]<sup>-</sup> (M = Rh or Ir) and gold(I) phosphine derivatives. Crystal structures of [N(PPh<sub>3</sub>)<sub>2</sub>][trans-Ir<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B], trans-[Rh<sub>2</sub>Ru<sub>4</sub>(CO)<sub>16</sub>B{μ<sub>2</sub>-AuP(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>]}, 549
Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2-</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 741
Conventional and cyclometallated complexes of ruthenium(II) with ambidentate terdentate ligands displaying N<sub>3</sub> or N<sub>2</sub>C binding modes. 825

modes, 825 Synthesis and characterisation of precursors to organometal cluster

Synthesis, crystal structures and reactivity of ruthenium-(II) and -(III) complexes containing β-ketophosphine or phosphine enolate

heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893
Kinetics and mechanism of the addition of azide ion to a carbonyl ligand of [Ru<sub>2</sub>(CO)<sub>12</sub>]: cluster activation, 905

Preparation, characterisation, molecular and crystal structure of

Preparation, characterisation, molecular and crystal structure of the octaruthenium arene clusters [Ru<sub>8</sub>H<sub>4</sub>(CO)<sub>18</sub>(η<sup>6</sup>-arene)] (arene = C<sub>6</sub>H<sub>6</sub> or C<sub>16</sub>H<sub>16</sub>), 909

Electrophilic reactivity of arene carbonyl cluster complexes with the Ru<sub>6</sub>C core. Crystal and molecular structure of [Ru<sub>6</sub>C(CO)<sub>16</sub>(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>Ph<sub>7</sub>-1,4)], 1061

Tetraruthenium cluster isomers containing both C<sub>6</sub>H<sub>8</sub> and [2.2]paracyclophane ligands: a new face-bridging co-ordination mode for a C<sub>1</sub> aromatic ring 1063

mode for a C<sub>6</sub> aromatic ring, 1063

New mixed-ligand isocyanide diphosphine ruthenium(II) derivatives. Synthesis of a potential metal-containing tetra lentate

ngano, 1009
Ruthenium and osmium acyl fluoride complexes. Crystal structure of [OC-6-13][RuF<sub>2</sub>(CO)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]-CD<sub>2</sub>Cl<sub>2</sub>, 1073
Syntheses and crystal structures of the ruthenium carbidocarbonyl clusters [Ru<sub>2</sub>C(CO)<sub>11</sub>(μ-Br)<sub>2</sub>(η<sup>2</sup>-C<sub>3</sub>H<sub>5</sub>)(μ-η<sup>3</sup>-C<sub>3</sub>H<sub>5</sub>)],

**RUTHENIUM** (contd)

[Ru<sub>5</sub>C(CO)<sub>13</sub>(μ-1)(μ-η<sup>2</sup>-COMe)]<sup>-</sup>, [Ru<sub>5</sub>C(CO)<sub>14</sub>(μ-Br)<sub>2</sub>] and [Ru<sub>6</sub>C(CO)<sub>16</sub>(μ-Br)]<sup>-</sup> with novel metal frameworks, 1369 Chemistry of [RuL<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup> (HL = 8-hydroxyquinoline): synthesis, structure, metal redox behaviour and isomer selectivity, 1417

Chemistry of the carbido- and nitrido-decaruthenium cluster anions [Ru<sub>10</sub>H(C)(CO)<sub>24</sub>]<sup>-</sup>, [Ru<sub>10</sub>C(CO)<sub>24</sub>]<sup>2-</sup> and [Ru<sub>10</sub>N(CO)<sub>24</sub>]<sup>-</sup>, 1527

Is the ground state of [RuO<sub>4</sub>]<sup>2-</sup> exceptional?, 1537

Geometrical preference of ruthenium oxidation states: metal redox

and isomerisation of [Ru(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>]<sup>0,+</sup>, 1543 η<sup>5</sup>-Pentamethylcyclopentadienylruthenium(II) complexes containing η<sup>6</sup>-co-ordinated dipeptides with aromatic side chains, 1549 Synthesis, molecular and crystal structure of tetraruthenium butterfly arene clusters, 1555

Strategies for the assembly of homo- and hetero-nuclear metallosupramolecules containing 2,2':6',2"-terpyridine metal-binding domains, 1615

Synthesis and nuclear magnetic resonance studies of halogeno and hydrido tris(pyrazol-1-yl)borato ruthenium(tt) complexes, 1629 Steric properties of sulfoxide ligands. Synthesis and crystal structure of mer-[RuCl<sub>3</sub>(Ph<sub>2</sub>SO)<sub>3</sub>], 1653
Amphiphilic terpyridine complexes of ruthenium and rhodium displaying lyotropic mesomorphism, 1769

Lithioalkynyl iron(II) or ruthenium(II) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging ethynediyl system, 1901 Chiral tetraphenylcyclopentadienyl complexes of ruthenium and palladium; crystal structure of [Ru(η²-C<sub>3</sub>Ph<sub>4</sub>R¹\*)(CO)<sub>2</sub>Br] (R¹\* = menthyl), 2101

(R<sup>1</sup> = mentily), 2101 Synthesis, reactivity and catalytic activity of [RuH(η¹-OCMe₂)(CO)₂(PPr¹₃)₂]BF₄, 2171 Non-polymeric diruthenium(I,III) carboxylates. Crystal structures of [Ru₂C(μ-O₂CCMe₃)₄(H₂O)] and [Ru₂C(μ-O₂CCHMe₂)₄(thf)] (thf = tetrahydrofuran), 2183

(m) = tertanyurofuran, 2165
Synthesis, crystal structure and catalytic activities of [Ru<sup>III</sup>(bbpc)(PPh<sub>3</sub>)Cl] [H<sub>2</sub>bbpc = 1,2-bis(4-tert-butylpyridine-2carboxamido)-4,5-dichlorobenzene], 2215
Electron-transfer reactions and the self-exchange rate of the
perruthenate(vii)-ruthenate(vi) couple, 2221
Recetion of CH (D) SSN with The (CO) 1. Courted structure of

Reaction of  $CH_2(Ph_2PSe)_2$  with  $[Ru_3(CO)_{12}]_2$ . Crystal structure of  $[Ru_4Se_4(CO)_{10}(Ph_2PCH_2PPh_2)]_3$ , a missing link in the  $[M_4E_4L_{12}]_2$  cubane series  $(M = Group\ 8\ metal,\ E = chalcogenido\ ligand)$ ,

cubane series (M = Group's metal, E = chalcogenido ligand), 2321

Resonance-Raman spectra and excited-state geometry of the bis(μ-acetato)(μ-oxo) ruthenium(III) dimeric ion [Ru<sub>2</sub>(μ-O<sub>2</sub>CMe)<sub>2</sub>(μ-O)(py)<sub>6</sub>]<sup>2+</sup> (py = pyridine), 2417

Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)]<sup>-</sup> with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497

Unexpected gold-containing boride clusters formed from the reactions of [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>6</sub>B{Au<sub>2</sub>(Hp)<sup>5</sup>-(C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>6</sub>B{Au<sub>2</sub>(Hp)<sup>5</sup>},(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> and [RhRu<sub>3</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>6</sub>B{Au<sub>2</sub>(Hp)f},(AuCl)]-CH<sub>2</sub>Cl<sub>2</sub> [dppf = 1,1'-bis(diphenylphosphino)ferrocene], 2639

Di- and linear tri-nuclear carbonyl ruthenium clusters containing asymmetrically bridging 2,7-disubstituted naphthyridines, 2663

Application of deuteriation to determine the location of the emitting state in mixed-ligand Ru<sup>II</sup> polypyridyl complexes, 2705

Synthesis and characterisation of two clusters [Ru<sub>8</sub>(μ-H)<sub>2</sub>(μ<sub>6</sub>-η<sup>2</sup>-CO)(CO)<sub>19</sub>(η<sup>6</sup>-C<sub>16</sub>H<sub>16</sub>)] having an unusual metal geometry and considerable elongation of the μ<sub>6</sub>-C-O bond, 2741

(η - (1 16)) having an instant interal geometry and considerable elongation of the μ<sub>6</sub>·C–O bond, 2741

C<sub>4</sub>·Ring ligand-transfer reactions: applications to cluster chemistry. Crystal structures of [Ru<sub>5</sub>C(CO)<sub>13</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)] and [Ru<sub>6</sub>C(CO)<sub>15</sub>(η-C<sub>4</sub>Ph<sub>4</sub>)], 2749

Synthesis and structural studies of new ruthenium cluster carbonyl

derivatives derived from (PhP)5 and [Ru3(CO)12] and [Ru<sub>3</sub>(CO)<sub>10</sub>(NCMe)<sub>2</sub>], 2757 Rhodium complexes with 1,8-diazabicyclo[5.4.0]undec-7-ene (dbu):

Rnontum complexes with 1,8-diazabicyclo[3.4,U]undec-/-ene (dbu): crystal structure of *trans*. [Rn(CO)(dbu)(PPh<sub>3</sub>)<sub>2</sub>]ClO<sub>4</sub>, 2861

Four-membered chelate rings in complexes with 2,2-bis(diphenylphosphino)propane. Crystal and molecular structures of *trans*-[RuCl<sub>2</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>], [RuCl<sub>3</sub>{Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>](η-C<sub>3</sub>H<sub>3</sub>)] and [(η-C<sub>3</sub>H<sub>3</sub>)Ru(μ-CO)<sub>2</sub>(μ-Me<sub>2</sub>C(PPh<sub>2</sub>)<sub>2</sub>RhCl<sub>2</sub>](Rh-Ru), 2901

The generation and reactivity of versatile ruthenium carbonyl organomatallic intermediates by cluster photochemistry. 2923

organometallic intermediates by cluster photochemistry, 2923 A spiked-butterfly cluster: crystal and electronic structures of [RhRu<sub>4</sub>H(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>13</sub>BH<sub>2</sub>], 2935

[RhRu,H(f)<sup>2</sup>-C<sub>5</sub>Me<sub>5</sub>](CU)<sub>13</sub>BH<sub>2</sub>], 2933 Synthesis, characterization and crystal structures of some half-sandwich ruthenium(ii) complexes of 1,4,7-trimethyl-1,4,7-triazacyclononane containing π-acidic ancillary ligands, 2955 Synthesis and crystal structure of [RuCl<sub>2</sub>(PPh<sub>3</sub>){N(SiMe<sub>3</sub>)C(Ph)-NH(PPh<sub>2</sub>)], 3087 Synthesis of complexes of Re<sup>V</sup>, Ru<sup>II</sup>, Os<sup>II</sup>, Rh<sup>I</sup>, Ir<sup>I</sup> and Ir<sup>III</sup>. Crystal and molecular structures of [ReO(OH)(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)],

[ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)(PPh<sub>3</sub>)<sub>3</sub>] and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>

[ReH<sub>4</sub>(SC<sub>2</sub>H<sub>4</sub>SiPh<sub>2</sub>-2)(PPh<sub>3</sub>)<sub>3</sub>] and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>· (PMePh<sub>2</sub>)<sub>3</sub>], 3143

Synthesis and characterisation of guaiazulene derivatives of two ruthenium carbonyl clusters, 3307

Pyridyl to amido and amido to pyridyl isomerisation in an isonicotinamide complex of ruthenium(III), 3415

Synthesis and crystallographic characterisation of [Ru<sub>2</sub>C(CO)<sub>16</sub>(C<sub>2</sub>H<sub>9</sub>)] and [Ru<sub>2</sub>C(CO)<sub>16</sub>(C<sub>12</sub>H<sub>12</sub>)]: facial π bonding and σ bonding from the same ring system, 3431

Perfluoroalkvl- and perfluoroaryl-amidato derivatives of

Perfluoroalkyl- and perfluoroaryl-amidato derivatives of ruthenium, osmium and iridium, 3497 Oxo complexes of ruthenium with N,N'-donors as oxidation catalysts for alkenes, alkanes and alcohols, and their osmium analogues, 3537

Synthesis and reactivity of tungsten vinylallene complexes, 3561 Hypodentate ligands: systematic approaches to complexes containing didentate 2,2':6',2"-terpyridine (terpy) and the crystal and molecular structures of [Ru(bipy-N,N'),(terpy-N,N')][PF<sub>6</sub>]<sub>2</sub> and [Ru(bipy-N,N'),(bterpy-N,N')][PF<sub>6</sub>]<sub>2</sub> bipyridine, bterpy = 6-bromo-2,2':6',2"-terpyridine), 3571

Dinuclear ruthenium(II) and/or osmium(II) complexes of a non-symmetric bis-chelating quaterpyridine ligand. Synthesis, electrochemical behaviour, absorption spectra, luminescence

properties and intercomponent energy transfer, 3601 Spectroelectrochemistry and excited-state absorption spectroscopy of rhenium(1) α,α'-diimine complexes, 3677

of rhenium(1) α,α'-diimine complexes, 3677
Reaction chemistry of alkynes with the tris(acetonitrile)ruthenium cluster [Ru<sub>3</sub>(CO)<sub>6</sub>(MeCN)<sub>3</sub>], 3785
Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of [Ru<sub>4</sub>H(CO)<sub>12</sub>BH<sub>2</sub>], 3789
A general method of generating agostic interaction between Ru<sup>11</sup> and C-H bonds of tert-butyl, methyl, aryl, heterocyclic or alkenyl groups using azine phosphines, 3861
Methyl group geometries, C-H bond properties and internal rotation in dicarbonyl(η<sup>2</sup>-cyclopentadienyl)methyl-iron(II) and -ruthenium(II), [MMe(η<sup>2</sup>-C<sub>3</sub>H<sub>3</sub>)(CO)<sub>2</sub>] (M = Fe or Ru), 3955
Synthesis, structural characterisation and nuclear magnetic resonance study of [Ru<sub>6</sub>C(CO)<sub>15</sub>(μ<sub>3</sub>-η<sup>1</sup>: η<sup>2</sup>-C<sub>16</sub>H<sub>16</sub>-μ-O)]: an intermediate in the formation of [Ru<sub>6</sub>C(CO)<sub>14</sub>(μ<sub>3</sub>-η<sup>2</sup>: η<sup>2</sup>: η<sup>2</sup>-C<sub>16</sub>H<sub>16</sub>)], 4113

C<sub>16</sub>H<sub>16</sub>)], 4113 SACCHARIDE

Transition-metal saccharide chemistry and biology: synthesis, characterisation, redox behaviour, biointeraction and data correlations of dinuclear chromium(III) complexes, 1569

Binuclear and polymeric manganese(II) salicylate complexes:
synthesis, crystal structure and catalytic activity of
[Mn<sub>2</sub>(Hsal)<sub>4</sub>(H<sub>2</sub>O)<sub>4</sub>] and [{Mn<sub>2</sub>(sal)<sub>2</sub>(Hsal)(H<sub>2</sub>O)(H<sub>3</sub>O)(py)<sub>4</sub>\*
2py}<sub>4</sub>] [H<sub>2</sub>sal = salicylic acid, py = pyridine), 771
SALICYLIDENE

Synthesis and structure of carboxyl-bonded oxovanadium(v) complexes incorporating α-amino acid salicylaldiminates and quinolin-8-olate, 1115

SCANDIUM

Crown ether complexation of scandium(III). Formation and spectroscopic characterisation of ScCl<sub>2</sub>\*-oxacrown specie

spectroscopic transfer satisfies of two scandium dibenzocrowns, 811 Studies of the reaction system [ScCl<sub>3</sub>(thf)<sub>3</sub>]-SbCl<sub>3</sub>-L (thf = tetrahydrofuran, L = 4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane): unexpected formation and crystal structure of [H<sub>2</sub>L]Cl<sub>2</sub>-ScCl<sub>3</sub>(H<sub>2</sub>O)<sub>3</sub>-3H<sub>2</sub>O, 3173 SCHIFF BASE

Structure and magnetism of electronically distorted iron(III)

Schiff-base complexes, 37

Non-planar co-ordination of the Schiff-base dianion N,N'-2,2-dimethyltrimethylenebis[salicylideneiminate(2—)] to vanadium,

Phosphorus hydrazides as building blocks for potential photoaffinity labels. Synthesis and co-ordination chemistry of perfluoroaryl azide conjugates of phenylphosphonothioic dihydrazide, 565 Attempted functionalisation of a mononuclear barium complex of

a 24-membered bibracchial tetraimine Schiff-base macrocycle derived from tris(2-aminoethyl)amine using salicylaldehyde, 765 Alkyne insertions into the σ-Pd-C(sp², ferrocene) bond of cyclopalladated complexes containing Schiff bases derived from ferro-

panadated complexes containing scinit bases defived from leftocene. Crystal structures of [Pd{[[EtC=CEt]<sub>2</sub>(η²-C<sub>2</sub>H<sub>3</sub>CR=NCH<sub>2</sub>-Ph])Fc(η²-C<sub>2</sub>H<sub>3</sub>){Cl] (R = H or Me), 1839

Synthesis, electrochemical and magnetic properties of new acyclic 'side-off' binuclear copper(ii) complexes, 1851

Synthesis, magnetic and mass spectrometric studies on dinuclear complexes based on Schiff-base triazolic ligands, 2305

Mononuclear cis-dioxovanadium(v) anionic complexes [VO<sub>2</sub>L]

[H.L. = I. + 1] Schiff base derived from saliculal shade for

{H,L = [1 + 1] Schiff base derived from salicylaldehyde (or substituted derivatives) and 2-amino-2-methylpropan-1-ol}: synthesis, structure, spectroscopy, electrochemistry and reactivity studies, 2459

Synthesis, characterisation and crystal structure of molybdenum

SCHIFF BASE (contd)

and molybdenum-copper hydroxy-rich Schiff-base complexes, 2591

Synthesis, structure and oxygen-evolving activity of dinuclear manganese complexes with a Schiff-base macrocyclic ligand and bridging benzoate, 2825

Structural and spectroscopic characterization of a dicyanooxo-molybdenum(IV) complex with a tetradentate Schiff-base ligand,

SELENIDE

Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Reaction of CH<sub>2</sub>(Ph<sub>2</sub>PSe)<sub>2</sub> with [Ru<sub>3</sub>(CO)<sub>12</sub>]. Crystal structure of [Ru<sub>4</sub>Se<sub>4</sub>(CO)<sub>10</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)], a missing link in the [M<sub>4</sub>E<sub>4</sub>L<sub>12</sub>] cubane series (M = Group 8 metal, E = chalcogenido ligand), 2321

Synthesis and crystal structure of a salt containing the transdiphenyldi-µ-seleno-diselenodistannate (2 – ) anion, 3113 Monoxidised sulfur and selenium derivatives of bis(diphenylphosphino)amine: synthesis and co-ordination chemistry, 3189
SELENIUM

Low-temperature structures and Raman spectra of crystalline modifications of selenium difluoride dioxide, 689

SELENIUM-77

Synthesis and structures of bis[bis(trimethylsilyl)amido]tin(IV) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)}<sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>3</sub>Si)<sub>2</sub>N}<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179

Homoleptic silver(1) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear magnetic resonance studies, 3439

SELENOCYANATE

Some Group 15 pseudo-halides and the crystal structure of diphenylbismuth(III) thiocyanate, 383

Carbon-13 nuclear magnetic resonance studies of the redox reactions of aurothiomalates with selenocyanate in aqueous solution, 1483

SELENOLATE

2,2'-Bipyridine complexes of the lithium chalcogenolates Li(EPh) and Li(NC<sub>3</sub>H<sub>4</sub>E-2) (E = S or Se), 45

Distortions in six-co-ordinate complexes of molybdenum(ii) and tungsten(ii). Crystal structures of mer-[Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)<sub>2</sub>-(CO)<sub>3</sub>(PMePh<sub>2</sub>)], cis,cis,cis-[W(SC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>(CO)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>] and [W(SC<sub>6</sub>H<sub>3</sub>Pri<sub>2</sub>-2,6)<sub>2</sub>(CO)<sub>2</sub>(PMe<sub>2</sub>Ph)<sub>2</sub>], 1315

Synthesis and characterisation of manganese(ii) chalcogenolato

complexes. Crystal and molecular structure of [{Mn-(µ-SeC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>}<sub>∞</sub>], 1645 Chalcogenolato complexes of bismuth and antimony. Syntheses, thermolysis reactions, and crystal structure of Sb(SC<sub>6</sub>H<sub>2</sub>Pr<sup>2</sup><sub>3</sub>-

2,4,6)<sub>3</sub>, 1649 SELENOPHOSPHINIC AMIDE

Synthesis of selenophosphinic and tellurophosphinic amides and amidato complexes. Crystal structures of Bu'<sub>2</sub>P(Te)NH(C<sub>6</sub>H<sub>11</sub>), [Ti(η-C<sub>5</sub>H<sub>3</sub>)Cl<sub>2</sub>{Bu'<sub>2</sub>P(Se)NPr<sup>3</sup>}] and [TiCl<sub>2</sub>{Bu'<sub>2</sub>P(Se)N-(C<sub>6</sub>H<sub>11</sub>)}<sub>2</sub>]-C<sub>7</sub>H<sub>8</sub>, 1887

SELENOPHOSPHORYL

Proportion Selection (Creating Proportion of the Proportion Selection Proportion Selection Proportion Selection (Creating Proportion Selection Proportion Proport

Preparation and characterisation of [Pt{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}(PR<sub>3</sub>)<sub>2</sub>]Cl (R = alkyl or aryl); crystal structure of [Pd{Ph<sub>2</sub>PNP(Se)Ph<sub>2</sub>-P,Se}{N(SePPh<sub>2</sub>)<sub>2</sub>-Se,Se'}]-0.5EtOH-0.3CH<sub>2</sub>Cl<sub>2</sub>, 2489
SELF-ASSEMBLY
Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549

SEVEN CO-ORDINATE The synthesis of the first examples of water-soluble seven-co-ordinate complexes of tungsten(II), 1525

SEXIPYRIDINE

Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocene-functionalized helicand 4',4""-di(ferrocenyl)-2,2':6'.2":6'',2":6'',2":5'',2":"sexipyridine, 3253 SHIELDING ANISOTROPY

Solution and solid-state nuclear magnetic resonance studies on interstitial atoms within transition-metal carbonyl clusters, 1985

Stereochemical factors affecting second-sphere co-ordination of ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503 Siderophore analogues. Synthesis and chelating properties of a new

macrocyclic trishydroxamate ligand, 2565

Silica-mimetic polymorphism of the Cd(CN)<sub>2</sub> host lattice depending on the guest G in Cd(CN)<sub>2</sub>·xG clathrates, 3715

Dinuclear zirconium complexes with  $Me_2Si(C_5H_4)_2$  as bridging ligand. Molecular structure of  $[\{Zr(\eta^5-C_3H_3Bu^1_2)Me\}_2(\mu-O)-Me_3]$ {μ-Me<sub>2</sub>Si(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>}], 231

Determination by electron diffraction of the molecular structures of

chloro-and bromo-tris(trimethylsilyl)methane in the gas phase, 349 Determination by electron diffraction of the molecular structure of bromotris(methoxydimethylsilyl)methane in the gas phase, 975

Synthesis, structural characterization, electrochemical properties and polymerization behaviour of the first silicon-bridged [1.1] ferrocenophane [{Fe(η-C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>SiMe<sub>2</sub>}<sub>2</sub>], 1893 SILOXANE

Synthesis and structures of cyclopentadienyl fluoro and chloro complexes of a triad (Ti, Zr, Hf) containing acyclic and cyclic siloxane building blocks, 2453

Synthesis and structural characterization of methanide silver(1) complexes. Unprecedented co-ordination of the methanide ligand in [Ag<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>(SPPh<sub>2</sub>CHPPh<sub>2</sub>CHCO<sub>2</sub>Me)]ClO<sub>4</sub>-4CH<sub>2</sub>Cl<sub>2</sub>.

New mixed-ligand isocyanide diphosphine ruthenium(II) derivatives. Synthesis of a potential metal-containing tetradentate

Macrocyclic ligand design. Effect of donor-set and ring-size variation on silver(1)/lead(11) discrimination within an extended

series of dibenzo substituted rings, 1127
Kinetics of oxidation of azide ion by bis(dihydrogentellurato)cuprate(III) and -argentate(III) in alkaline media, 1227

Thermodynamic and spectroscopic studies on the complexation of silver(1) by mixed phosphorus—sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(1)—

thiophosphine complex, 1349

Synthesis of silver(1) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dppf). Crystal structures of [Ag(dppf)(PPh<sub>3</sub>)]ClO<sub>4</sub>·
2CH<sub>2</sub>Cl<sub>2</sub>. [Ag(dppf)<sub>2</sub>]ClO<sub>4</sub>·2CHCl<sub>3</sub> and [Ag(dppf)(phen)]ClO<sub>4</sub>
(phen = 1,10-phenanthroline), 1473

Powder route to crystal structures: X-ray powder diffraction

determination of polymeric silver imidazolate, 1671 Hydrolytically-sensitive hexaimino and hydrolytically-inert

octaamino-cryptand hosts for dicopper, 1739

octammo-cryptand hosts for dicopper, 1739
Synthesis of new heterodinuclear aminocarbyne complexes: crystal structures of [AuW{μ-CN(Et)Me}(C<sub>E</sub>F<sub>3</sub>(CO)<sub>2</sub>(η-C<sub>3</sub>H<sub>3</sub>)] and [{CuW{μ-CN(Et)Me}Cl(CO)<sub>2</sub>(η-C<sub>3</sub>H<sub>3</sub>)}<sub>2</sub>], 2087
Novel heterotrinuclear, PtAg<sub>2</sub>, and hexanuclear, Pt<sub>2</sub>Ag<sub>4</sub>, compounds containing bridging alkynyl groups. Crystal structure of [Pt<sub>2</sub>Ag<sub>4</sub>(C<sub>3</sub>F<sub>3</sub>)<sub>4</sub>(μ<sub>3</sub>-η<sup>2</sup>-C=CPh)<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>]-0.5CH<sub>2</sub>Cl<sub>2</sub>, 2397
Building two-dimensional silver(i) co-ordination polymers with dicarboxylate-like ligands: synthesis and crystal structures of polymeric complexes of silver nitrate and perchlorate with

polymeric complexes of silver nitrate and perchlorate with flexible double betaines, 2671 Structural and vibrational spectroscopic studies of complexes of

trimethylphosphine with copper(i) and silver(i) halides, 3063 Synthesis and structural characterization of crown thioether

Synthesis and structural characterization of crown thioether complexes of silver(1) and copper(11), 3215
Cytosine nucleobase as a tridentate ligand: metal binding to N(3), N(4) and O(2) in trans-[(NH<sub>2</sub>Me)<sub>2</sub>Pt(dmcyt)<sub>2</sub>Ag<sub>2</sub>][NO<sub>3</sub>]<sub>2</sub> (dmcyt = 1,5-dimethylcytosinate), 3275
Copper(1), silver(1) and gold(1) complexes with the hybrid ligand 1-(diphenylphosphino)-2-(2-pyridyl)ethane (ppye). Variable-temperature nuclear magnetic resonance investigations and the crystal structure of [Au(ppye-P)<sub>2</sub>]PF<sub>6</sub>, 3343
Homoleptic silver(1) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear magnetic resonance studies, 3439

magnetic resonance studies, 3439 1,1'-Bis(diphenylthiophosphoryl)ferrocene as a *trans-*chelating

1,1'-Bis(dipheny)thiophosphory)Jerrocene as a *trans*-chelating ligand in gold(1) and silver(1) complexes, 3563

Preparation and crystal structures of the silver(1) carboxylates [Ag<sub>2</sub>{C<sub>6</sub>H<sub>4</sub>(CO<sub>2</sub>)<sub>2</sub>}(NH<sub>3</sub>)<sub>2</sub>], [NH<sub>4</sub>][Ag<sub>5</sub>{C<sub>6</sub>H<sub>3</sub>(CO<sub>2</sub>)<sub>3</sub>}<sub>2</sub>(NH<sub>3</sub>)<sub>2</sub>-(H<sub>2</sub>O)<sub>2</sub>]-H<sub>2</sub>O and [NH<sub>4</sub>][Ag<sub>5</sub>{C<sub>4</sub>H<sub>3</sub>N<sub>2</sub>(CO<sub>2</sub>)<sub>2</sub>], 3565

Studies of [Ag(PPh<sub>3</sub>)<sub>2</sub>]NO<sub>3</sub>, [Ag{P(CH<sub>2</sub>CN<sub>2</sub>)<sub>3</sub>}<sub>2</sub>]NO<sub>3</sub> and [Ag{P(C<sub>6</sub>H<sub>4</sub>Me-m)<sub>3</sub>}<sub>2</sub>]NO<sub>3</sub> by X-ray diffraction and solid-state nuclear magnetic resonance, 3691

Synthesis, solid-state and solution structures of bis{N,N'-bis[(2-thienyllmethylene]-1,2-diaminoethane}-silver(1) and -copper(1)

Synthesis, solid-state and solution structures of bis{N,N'-bis[(2-thienyl)methylene]-1,2-diaminoethane}-silver(i) and -copper(i) trifluoromethanesulfonate complexes, 4021
Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and copper compounds, 4099
SILYL

Determination by electron diffraction of the molecular structure of

bromotris(methoxydimethylsilyl)methane in the gas phase, 975 Syntheses, structures and magnetic studies of homometallic

manganese and heterometallic iron-sodium one-dimensional polymers, 2311
SOLID SOLUTION Synthesis, characterization and electronic structure of the novel 'stellated' octahedral cluster [Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]\*. Crystal and molecular structure of [Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[So<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[So<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[So<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[So<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(μ<sub>3</sub>-S)<sub>6</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[So<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.7</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>[Co<sub>6</sub>(μ<sub>3</sub>-S)<sub>7</sub>(μ<sub>3</sub>-H)(PEt<sub>3</sub>)<sub>6</sub>

A novel reaction between physically separated solid reactants, 3825 SOLVATOCHROMISM Solvent-dependent <sup>2</sup>H nuclear magnetic resonance spectra and

SOLVATOCHROMISM (contd)

solvatochromism in ligand-field absorption bands of cis-[CrF;N<sub>4</sub>]-type complexes with triethylenetetramine, pyridine or 2,2'-bipyridine, 2837
SOLVENT EFFECT

Thermodynamic and spectroscopic investigations on the interaction of uranyl(v1) with neutral N- and O-donors in dimethyl

wilfoxide, 733
Kinetics and mechanism of ligand exchange in tetrakis(acetylacetonato)zirconium(tv) in organic solvents, 1077
Thermodynamic and spectroscopic studies on the complexation of silver(i) by mixed phosphorus–sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(i)—

thiophosphine complex, 1349
Thermodynamics of formation of 1,4,7,10,13,16-hexaoxacyclooctadecane (18-crown-6) complexes with calcium, strontium and
barium ions in water and dimethylformamide, 3081

Metal-ion speciation in blood plasma as a tool for elucidating the in vivo behaviour of radiopharmaceuticals containing <sup>153</sup>Sm and <sup>166</sup>Ho, 1411

**SQUARATE** 

Conversion of hydrogen-bonded manganese(II) and zinc(II) squarate (C<sub>4</sub>O<sub>4</sub>,<sup>2-</sup>) molecules, chains and sheets to three-dimensional cage networks, 727

Syntheses, crystal structures and electronic properties of [Cu(bipym)(C<sub>4</sub>O<sub>4</sub>)(H<sub>2</sub>O)<sub>5</sub>]-2H<sub>2</sub>O and [Cu<sub>2</sub>(bipym)(C<sub>4</sub>O<sub>4</sub>)<sub>2</sub>(H<sub>2</sub>O)<sub>6</sub>] (bipym = 2,2'-bipyrimidine), 3207

STABILITY

Potentiometric and spectroscopic study of equilibria in the aqueous ternary system copper<sup>II</sup>—L-histidine—HA (HA = aminomethane-or 2-aminobenzene-sulfonic acid), 129

Complexes of Ga<sup>3+</sup> and In<sup>3+</sup> with the N,N"-bis(butylamide)

derivative of diethylenetriaminepentaacetic acid: stability constants and nuclear magnetic resonance studies in aqueous

Quantitative and structural investigations of hydrogen-bonding interactions in anion binding of mono- and 1,1'-bis-substituted

interactions in anion binding of mono- and 1,1'-bis-substitute aryl cobaltocenium receptors, 403

Oxovanadium(IV) complexation by adenosine 5'-di- and -triphosphate and nucleotide building blocks, 425

Role of the NH<sub>3</sub>+ moiety in iron(III)-, aluminium(III)- and gallium(III)-aminohydroxamate interactions, 477

Spectroscopic and potentiometric studies on the interaction of trans-[(MeH<sub>2</sub>N<sub>2</sub>)<sub>2</sub>Pt(mcyt)<sub>2</sub>PdCI]NO<sub>3</sub> (mcyt = 1-methyl-cytosinate) with derivatives of amino acids, 489

Aqueous electrochemistry of mono- and bi-nuclear copper(II) complexes with polyzafa/niparacyclophane ligands, 541

complexes with polyaza[n]paracyclophane ligands, 541
Thermodynamic and spectroscopic investigations on the interaction of uranyl(v1) with neutral N- and O-donors in dimethyl sulfoxide, 733

Complexation of aluminium(III), gallium(III) and indium(III) ions with D-gluconic and lactobionic acids. A potentiometric and

nuclear magnetic resonance spectroscopic study, 799
Steady-state fluorescence emission studies on polyazacyclophane macrocyclic receptors and on their adducts with

hexacyanocobaltate(III), 993

Macrocyclic ligand design. Effect of donor-set and ring-size variation on silver(I)/lead(II) discrimination within an extended

series of dibenzo substituted rings, 1127

Synthesis and complexing properties of polyazamacrocycles with pendant N-methylenephosphinic acid, 1133

Potentiometric and spectroscopic study of ternary complexes of copper(II), 1,10-phenanthroline and oxidised glutathione, 1267

Thermodynamic and spectroscopic studies on the complexation of silver(i) by mixed phosphorus-sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(i)—thiophosphine complex, 1349

Complexation of aluminium(III), gallium(III) and indium(III) ions

with p-gluconic and lactobionic acids. A potentiometric and nuclear magnetic resonance spectroscopic study (1995, 799),

Metal-ion speciation in blood plasma as a tool for elucidating the in vivo behaviour of radiopharmaceuticals containing 153Sm and 166Ho, 1411

Unusual stabilities of 6,6'-bis(aminomethyl)-2,2'-bipyridyl chelates of transition-metal ions and crystal structures of the ligand and

its copper(II) and nickel(II) complexes, 1511 Thermodynamics of the complexation of cerium-, europium- and erbium-(III) with 1,4,10-trioxa-7,13-diazacyclopentadecane-N,N'-diacetic acid and 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-N,N'-diacetic acid, 1583

Aluminium(III)-pyrocatechol violet equilibria: a potentiometric

study, 1799

Linear enthalpy relationships in co-ordination reactions of macrocyclic ligands with copper(II), 1879

Mono- and poly-nuclear cryptate complexes of cage-like azamacro-

cyclic compounds: a thermodynamic and electrochemical approach, 2377

Siderophore analogues. Synthesis and chelating properties of a new

Siderophore analogues. Synthesis and chelating properties of a new macrocyclic trishydroxamate ligand, 2565
Complexing properties of phosphonodipeptides containing aminomethylphosphonic acid, 2605
Complexing properties of phosphonodipeptides containing 1-aminoethylphosphonic acid, 2611
Intramolecular hydrogen-bond formation in nickel(II) complexes with macrocyclic ligands containing non-co-ordinating nitrogen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenphosphates, 2633
Co-ordination of copper(II) with monoamino-triols and -tetrols. Effect of stereochemistry on complex formation, 2657
Thermodynamic and electrochemical studies of lanthanide and

Effect of stereochemistry on complex formation, 265/
Thermodynamic and electrochemical studies of lanthanide and
alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689
Complexation of thorium(iv) with 2-thenoic and 2-furoic acids in
aqueous solution at low pH, 2697
N-p-Amino- and N-p-nitro-phenylsulfonyl derivatives of dipeptides,
a new family of ligands for copper(ii). Potentiometric and
spectroscopic studies, 2729
Thermodynamics of formation of 1.4.7.10.13.16-hexaoxacyclo-

Thermodynamics of formation of 1,4,7,10,13,16-hexaoxacyclooctadecane (18-crown-6) complexes with calcium, strontium and barium ions in water and dimethylformamide, 3081

Synthesis and co-ordination chemistry of a novel bis(benzo crown ether) substituted calix[4] arene that can simultaneously complex cations and anions, 3117

Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacycloocta-decane-7-malonate, -7,16-bis(malonate) and -7,16-bis(a-methylacetate), 3353

Equilibria and thermodynamic quantities for the reactions of molybdenum(vi) and tungsten(vi) with mandelate (α-hydroxybenzeneacetate), 3433

Ligand-field stabilization energies of the first-row transition-metal dihalides and their bearing on the Irving-Williams rule, 3483 Hydrolysis of the zinc(II) ion in sodium nitrate, chloride and

perchlorate medium; the effect of the anionic medium, 3597
Potentiometric and spectrophotometric study of the solution equilibria in the nickel(II)—diethanolamine—water system in aqueous sodium perchlorate solutions at 25 °C, 3843
1,5-Diaminopentanetriols and 1,6-diaminohexanetetrols, potent dimer-forming ligands for Cu<sup>2+</sup> ions. Potentiometric and

spectroscopic studies, 3849
Potentiometric study of the molybdenum(vi)-benzilic acid system.

Structural characterisation and electrochemical properties of [NH<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>(O<sub>2</sub>CC(O)Ph<sub>2</sub>}<sub>2</sub>]-2H<sub>2</sub>O, 3891

Copper(II) co-ordination by oxime analogues of amino acids and

peptides, 3911 STEREOCHEMISTRY

Stereochemical factors affecting second-sphere co-ordination of ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503

STEREOISOMERISM

TEREOSCILECTIVITY

Synthesis, resolution and reactions of (±)-(2-aminophenyl)methylphenylphosphine. Crystal and molecular structure of (R\*,R\*,S\*,R\*)-(±)-(1,3-bis{[2-(methylphenylphosphino)phenyl]amino)propane]nickel(II) perchlorate, 57

Complexing properties of phosphonodipeptides containing 1-aminoethylphosphonic acid, 2611

Co-ordination of copper(II) with monoamino-triols and -tetrols.

Effect of stereochemistry on complex formation, 2657

TEREOSELECTIVITY

STEREOSELECTIVITY

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)], 3093

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one,

[Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)] (1995, 3093), 4131

STILBENE

Non-linear and potential non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres. Stilbene derivatives containing ferrocenyl, methoxy or dimethylamino donor groups, 673 STREPTONIGRIN

3-Amino-6,6'-bis(methoxycarbonyl)-2,2'-bipyridine, a model for the central chelation unit of streptonigrin, 951 Copper(II) bipyridyl and iminopyridyl analogues of streptonigrin, 3905

STYRENE

Hydridorhodium diphosphite catalysts in the asymmetric hydroformylation of styrene, 409 SUBSTITUTION

Substitution reactions of trans-[Ru(NH<sub>3</sub>)<sub>4</sub>{P(OEt)<sub>3</sub>}(H<sub>2</sub>O)]<sup>2+</sup> revisited. Mechanistic elucidation from a volume-profile analysis, SUBSTITUTION (contd)

Mechanistic studies on the substitution reactions between aquatetracyanooxotungstate(iv) and HCN-CN<sup>-</sup> and F<sup>-</sup>, 1201 Effect of phenyl substitution on bonding in η<sup>3</sup>-benzyl complexes of platinum, 2391

platinum, 2391

Reactivity of [Ru<sup>III</sup>(edta)(H<sub>2</sub>O)]— with nucleic bases, nucleosides and DNA (calf-thymus) in aqueous solution (edta = ethylenediamine-N,N,N',N'-tetraacetate), 2497

Nucleophilic displacement of halides from monocationic platinum(II)

complexes containing neutral tridentate chelating ligands with sulfur and nitrogen donors: kinetics and equilibria, 3853

Intramolecular hydrogen-bond formation in nickel(II) complexes with macrocyclic ligands containing non-co-ordinating nitrogen atom(s): new ditopic receptors differentiating hydrogensulfate and hydrogenphosphates, 2633 SULFENAMIDE

A new type of sulfenamido ligand. Crystal structure of W(NBu')<sub>2</sub>(η<sup>2</sup>-PhSNBu')<sub>2</sub>, 1059

SULFIDE

Synthesis and spectroscopic properties of di-2-pyridyl sulfide (dps) compounds. Crystal structure of [Ru(dps)<sub>2</sub>Cl<sub>2</sub>], 17
Synthesis of two new antimony sulfide clusters: structures of [PPh<sub>4</sub>]<sub>2</sub>[Sb<sub>6</sub>S<sub>6</sub>], 301
Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>3</sub>(Ph<sub>2</sub>PCH<sub>1</sub>PPh<sub>2</sub>)<sub>2</sub>(Ws<sub>4</sub>)]ClO<sub>4</sub>, 753
Crystal and polecular structure, magnetic properties and scattered

Crystal and molecular structure, magnetic properties and scattered-wave description of the electronic structure of the hexanuclear octahedral clusters [Fe<sub>6</sub>(µ<sub>3</sub>-S)<sub>8</sub>(PEt<sub>3</sub>)<sub>6</sub>][FF<sub>6</sub>]<sub>n</sub> (n = 1 or 2), 963 Synthesis, structural characterization and thermal reactivities of osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2-

Thomos, 1047

Thermodynamic and spectroscopic studies on the complexation of silver(i) by mixed phosphorus—sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(i)—thiophosphine complex, 1349

Bis(bidentate) complexes of iminobis(diphenylphosphine chalcogenides) [M{N(XPPh<sub>2</sub>)<sub>2</sub>-X,X'}<sub>2</sub>] (X = S or Se; M = Ni, Pd or Pt), 1607

Molecular zinc oxide and sulfide complexes stabilized by

pyrazolylborate ligands, 1915
Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+</sup> core by a tridentate thiolate and chemical analogues of the molybdenum co-ordination environment in the

iron-molybdenum cofactor of nitrogenase, 1965 Synthesis and structural characterisation of dithiocarbamatestabilised dimeric molybdenum(V) imido complexes via oxo substitution reactions with organic isocyanates, 2337 Cleavage of an aryl carbon-sulfur bond in hydride-thiolate

Cleavage of an ary Carbon-stillar both in hydride-inbiate complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)(OMe)(PMePh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>2</sub>)}<sub>2</sub>(μ-S)<sub>2</sub>], 2583 Monoxidised sulfur and selenium derivatives of bis(diphenylphosphino)amine: synthesis and co-ordination chemistry, 3189 A novel reaction between physically separated solid reactants, 3825 Sunthair characteristics and other services of the state of the state of the solid reactants, 3825

Synthesis, characterization and electronic structure of the novel 'stellated' octahedral cluster  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]^+$ . Crystal and molecular structure of  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PEt_3)_6]_{0.7}[Co_6(\mu_3-H)(PET_4)_6]_{0.7}[Co_6(\mu_3-H)(PET_4)_6]_{0.7}[Co_6(\mu_3-H)(PET_4)_6]_{0.7}[Co_6(\mu_3-H)($ S)<sub>8</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.3</sub>[BPh<sub>4</sub>], 3881

Kinetics of the formation, reactivity and crystal structure of the sulfite-bridged cation di-µ-hydroxo-µ-(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(III)], 2843
SULFONATE

Inhibitory effect of chloroquine on the peroxidase activity of ferriprotoporphyrin IX, 3759

Synthesis and molecular structure of the mixed polymeric cobalt compound [Co<sub>3</sub>(SCH<sub>2</sub>CH<sub>2</sub>S)<sub>3</sub>(PEt<sub>3</sub>)<sub>3</sub>]<sub>2</sub>[Co<sub>2</sub>Cl<sub>4</sub>(μ-O<sub>2</sub>SEt<sub>2</sub>)<sub>2</sub>], 1447 SULFONIC ACID

Potentiometric and spectroscopic study of equilibria in the aqueous ternary system copper II\_L-histidine-HA (HA = aminomethane-or 2-aminobenzene-sulfonic acid), 129

Aluminium(III)-pyrocatechol violet equilibria: a potentiometric

study, 1799 SULFONYL

N-p-Amino- and N-p-nitro-phenylsulfonyl derivatives of dipeptides, a new family of ligands for copper(II). Potentiometric and spectroscopic studies, 2729

SULFOXIDE

Steric properties of sulfoxide ligands. Synthesis and crystal structure of mer-[RuCl<sub>2</sub>(Ph<sub>3</sub>SO)<sub>2</sub>], 1653
Thermodynamic and electrochemical studies of lanthanide and alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689

Phosphorus-31 solid-state nuclear magnetic resonance spectroscopy, individual gauge for localized orbitals calculations and crystal structures of dithiadiphosphetanes [RSP(S)S]<sub>2</sub> (R = alkyl or aryl), 1297

SULFUR DIOXIDE

Reactivity of cobalt(ii) complexes [Co(OEPh<sub>3</sub>)<sub>2</sub>X<sub>2</sub>] (E = P or As; X = Cl, Br, I or NCS) with SO<sub>2</sub> under aerobic and anaerobic conditions. Crystal structure of cocrystallised [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>2</sub>, and [Co(OPMe<sub>3</sub>)<sub>3</sub>(OH<sub>2</sub>)<sub>3</sub>]I<sub>2</sub>, 1095 Kinetics of the formation, reactivity and crystal structure of the sulfite-bridged cation di-µ-hydroxo-µ-(sulfito-O,O')-bis[(1,4,7-triazacyclononane)chromium(ii)], 2843

SUPERDIAMONDOID NETWORK

SUPERDIAMONDOID NETWORK

Supramolecular chemistry of [(M(CO)<sub>3</sub>(μ<sub>3</sub>·OH))<sub>4</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233
SUPEROXIDE

Pulse-radiolysis study of the reaction of nitric oxide with superoxide, 2885 SUPPORTED MATERIAL

Direct oxidation of benzene by electron transfer in a multi-functionalized chelate resin system, 979

SUPRAMOLECULAR CHEMISTRY

Supramolecular chemistry of [{M(CO)<sub>3</sub>(µ<sub>3</sub>-OH)}<sub>4</sub>] (M = Mn or Re): a modular approach to crystal engineering of superdiamondoid networks, 2233

Stereochemical factors affecting second-sphere co-ordination of formula properties and provided in the control of the con

ferrioxamine B with cis-syn-cis and cis-anti-cis isomers of dicyclohexano-18-crown-6 in chloroform and a comparison with alkali-metal and ammonium cations, 2503

Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocenefunctionalized helicand 4',4""-di(ferrocenyl)-2,2':6',2":6",2"":6"",2"":esxipyridine, 3253

SURFACE

Thermal reactions of Mo(CO)<sub>6</sub> on metal-oxide surfaces, 3753

SURFACTANT

Amphiphilic terpyridine complexes of ruthenium and rhodium displaying lyotropic mesomorphism, 1769

SYNTHESIS

The synthesis of the first examples of water-soluble seven-coordinate complexes of tungsten(II), 1525

Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules  $[M(\eta^7-C_7H_7)(\eta^5-C_3H_5)]$  (M=Ti, V, Nb or Ta), 3727

Syntheses and characterization of amino and amido-imido technetium(v) and rhenium(v) complexes with (o-aminophenyl)diphenylphosphine-*N*,*P*. Crystal structures of [TcNCl-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH<sub>2</sub>-2)}<sub>2</sub>]Cl·MeCN and [Re{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>N-2)}Cl<sub>2</sub>-{PPh<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>NH-2)}], 3475

TELLURATE

Kinetics of oxidation of azide ion by bis(dihydrogentellurato)-cuprate(III) and -argentate(III) in alkaline media, 1227
Reactions of cis-[Os(CO)<sub>4</sub>Me<sub>2</sub>] and cis-[Re(CO)<sub>4</sub>(PPh<sub>3</sub>)Me] with anhydrous HF and HOTEF<sub>3</sub>; compatibility of phosphine, alkyl and OTEF<sub>3</sub>- ligands in low-valent transition-metal complexes,

TELLURIUM-125

Synthesis and structures of bis[bis(trimethylsilyl)amido]tin(tv) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)}<sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>3</sub>Si)<sub>2</sub>N}<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179

Homoleptic silver(t) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear magnetic resonance studies, 3439
TELLUROLATE

Synthesis and characterisation of manganese(II) chalcogenolato complexes. Crystal and molecular structure of [{Mn-(μ-SeC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>}<sub>∞</sub>], 1645 TELLUROPHOSPHINIC AMIDE

Synthesis of selenophosphinic and tellurophosphinic amides and amidato complexes. Crystal structures of Bu¹<sub>2</sub>P(Te)NH(C<sub>6</sub>H<sub>11</sub>), [Ti(η-C<sub>3</sub>H<sub>2</sub>)Cl<sub>3</sub>{Bu¹<sub>2</sub>P(Se)NPr¹<sub>3</sub>] and [TiCl<sub>2</sub>{Bu¹<sub>2</sub>P(Se)N-(C<sub>6</sub>H<sub>11</sub>)]<sub>2</sub>]-C<sub>7</sub>H<sub>8</sub>, 1887

TEMPLATE

One-step template synthesis and solution structures of bis(macrocyclic) octaamine dicopper(II) complexes, 3269 Polynuclear zinc(II) complexes of phenol-imine and -amine macrocycles, 3897
TERPYRIDINE

Luminescent nitridometal complexes. Photophysical and photochemical properties of the  ${}^{3}[(d_{x,y})^{1}(d_{x^{o}})^{1}]$  excited state of nitridoosmium(v1) complexes with polypyridine ligands, 657 Synthesis of the potentially pentadentate ligand 6,6°-bis(2-hydroxyphenyl)-2,2':6',2"-terpyridine (H<sub>2</sub>L) and the crystal structure and magnetic properties of [{Cu(HL)}<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub>-5MeCN,

Heteropolynuclear complexes containing multiple redox and chromophoric moieties: σ-alkynyl-bipyridine or -terpyridine derivatives of platinum(II), 893 TERPYRIDINE (contd)

Strategies for the assembly of homo- and hetero-nuclear

Strategies for the assembly of homo- and hetero-nuclear metallosupramolecules containing 2,2':6',2--terpyridine metal-binding domains, 1615

Synthesis and characterization of phenylimidorhenium(v) compounds containing polypyridyl ligands. Crystal structures of mer-[Re(NPh)Cl<sub>3</sub>(bipy)], trans-[Re(NPh)(OEt)(bipy)<sub>2</sub>][PF<sub>6</sub>]<sub>2</sub> and trans-[Re(NPh)Cl<sub>2</sub>(terpy)]PF<sub>6</sub> (bipy = 2,2'-bipyridine, terpy = 2,2':6',2"-terpyridine), 1733

Amphiphilic terpyridine complexes of ruthenium and rhodium displaying hydrogic mesomorphism. 1760

Amphiphilic terpyridine complexes of ruthenium and rhodium displaying lyotropic mesomorphism, 1769
Hypodentate ligands: systematic approaches to complexes containing didentate 2,2".6',2"-terpyridine (terpy) and the crystal and molecular structures of [Ru(bipy-N,N')](erpy-N,N')][PF<sub>6</sub>]<sub>2</sub> and [Ru(bipy-N,N')<sub>2</sub>(bterpy-N,N')][PF<sub>6</sub>]<sub>2</sub> (bipy = 2,2'-bipyridine, bterpy = 6-bromo-2,2':6',2"-terpyridine), 3571
Rigid multinuclear arrays assembled around platinum centres, 4067

TETRATHIAFULVALENE

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex commo-[3,3'-Fe $\{1-(C_4H_3S)-1,2-C_2B_9H_{10}\}_2\}^-$ , 2851

Synthesis, structures and physical properties of bis(ethylenedithio)-tetrathiafulvalenium salts of paramagnetic metallacarborane anions, 3221

Protodemetallation reactions of some diphenylthallium(III) compounds with dicyclohexyldithiophosphinic acid. Crystal and molecular structures of [TIPh<sub>2</sub>{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>}], [TIPh<sub>5</sub>S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>}] and [Ti{S<sub>2</sub>P(C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>}]. CHCl<sub>3</sub>, 1403 **THEORETICAL** 

The electronic structure of the carbonyl dihalides, COF<sub>2</sub>, COCl<sub>2</sub>, COBr<sub>2</sub>, COClF, COBr and COBrCl: a combined computational and experimental study, 2359

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of CHPS.

C<sub>6</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P-S compounds, 2797

Synthesis and crystal structure of a salt containing the transdiphenyldi-µ-seleno-diselenodistannate (2-) anion, 3113 One-step template synthesis and solution structures of

Molecular structure and crystal structure of the decided and control of the structure and crystal organization of neutral and ionic derivatives of  $[M_4(CO)_{1.2}]$  (M = Co, Rh or Ir) clusters and a bonding study by extended-Hückel calculations, 3287 Molecular structure and crystal structure generation for  $[EO(CO)_{1.2}]$  (202)

[Fe<sub>3</sub>(CO)<sub>12</sub>], 3297

Ligand-field stabilization energies of the first-row transition-metal dihalides and their bearing on the Irving-Williams rule, 3483

Chemical and theoretical comparison between phosphido ( $X = PR_2$ ) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>(X)] [L = CO or  $P(OMe)_3$ ,  $cp = \eta - C_5H_5$ ]. Structure of [Nb(cp)<sub>2</sub>(CO)( $\mu$ -SEt){Fe(CO)<sub>4</sub>}], 3699

Structure of the copper(II) complex of a highly preorganised tetradentate ligand based on bispidine (3,7-diazabicyclo-

[3.3.1]nonane), 3705 Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules  $[M(\eta^7-C_7H_7)(\eta^5-C_5H_5)]$  (M=Ti, V,Nb or Ta), 3727 Synthesis, characterization and electronic structure of the novel

'stellated' octahedral cluster  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]^+$ . Crystal and molecular structure of  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ ,  $[Co_6(\mu_3-S)_7(\mu_3-H)(PEt_3)_6]_0$ . S)<sub>8</sub>(PEt<sub>3</sub>)<sub>6</sub>]<sub>0.3</sub>[BPh<sub>4</sub>], 3881 Comparison of the reactivity of [2.2]paracyclophane and *p*-xylene, 4039

The nature of the platinum-phosphine bond. An ab initio Hartree-Fock and density functional study, 4121

THERMOCHROMISM Variable geometry of nickel(II) complexes with N¹-isopropyl-2-methyl-propane-1,2-diamine (L). Crystal structures of [NiL\_1Br<sub>2</sub>-3H<sub>2</sub>O, [NiL\_2Br]Br and [NiL<sub>2</sub>(NCS)<sub>2</sub>] and solid-state thermochromism in [NiL<sub>2</sub>]Br<sub>2</sub>-3H<sub>2</sub>O, 337

THERMODYNAMICS

Thermodynamic and spectroscopic investigations on the interaction of uranyl(vi) with neutral N- and O-donors in dimethyl sulfoxide, 733

Thermodynamic and spectroscopic studies on the complexation of silver(i) by mixed phosphorus-sulfur compounds in propylene carbonate. Crystal and molecular structure of a silver(i)-

carbonate. Crystal and molecular structure of a silver(i)-thiophosphine complex, 1349

Thermodynamics of the complexation of cerium-, europium- and erbium-(III) with 1,4,10-trioxa-7,13-diazacyclopentadecane-N,N'-diacetic acid and 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-N,N'-diacetic acid, 1583

Linear enthalpy relationships in co-ordination reactions of macrocyclic ligands with copper(II), 1879

Thermodynamic and electrochemical studies of lanthanide and

alkaline-earth-metal cryptates in dimethyl sulfoxide, 2689 Thermodynamics of formation of 1,4,7,10,13,16-hexaoxacyclooctadecane (18-crown-6) complexes with calcium, strontium and barium ions in water and dimethylformamide, 3081

Preparation and characterization of the first binary arsenic azide species: As(N<sub>3</sub>)<sub>3</sub> and [As(N<sub>3</sub>)<sub>4</sub>][AsF<sub>6</sub>], 3365 Equilibria and thermodynamic quantities for the reactions of

molybdenum(vi) and tungsten(vi) with mandelate (α-hydroxybenzeneacetate), 3433 Thermal reactions of Mo(CO)<sub>6</sub> on metal-oxide surfaces, 3753

THERMOLYSIS

Chalcogenolato complexes of bismuth and antimony. Syntheses, thermolysis reactions, and crystal structure of Sb(SC<sub>6</sub>H<sub>2</sub>Pr<sup>i</sup><sub>3</sub>-2,4,6)<sub>3</sub>, 1649 THIANYL

Synthesis and structural characterisation of some new triosmium alkylidyne clusters containing sulfur-donor ligands. The formation of C-S and C-C bonds, 2735

THIAPHOSPHORINANE

Crystal structure, nuclear magnetic resonance spectroscopy and individual gauge for localised orbitals (IGLO) calculations of C<sub>6</sub>H<sub>4</sub>P<sub>2</sub>S<sub>6</sub>, a new tetrathiadiphosphorinane, and comparison with related P-S compounds, 2797

THIAZOLE

Synthesis and characterization of mono(carbene) complexes of copper and crystal structure of a linear thiazolinylidene pound, 313

THIENYL

Synthesis, structure and physical properties of tetrathiafulvalenium salts of the ferracarborane complex *commo*-[3,3'-Fe{1-(C<sub>4</sub>H<sub>3</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>]<sup>-</sup>, 2851

Synthesis, solid-state and solution structures of bis{*N,N'*-bis[(2-thienyl)methylene]-1,2-diaminoethane}-silver(1) and -copper(1) trifluoromethanesulfonate complexes, 4021

THIOCYANATE

Variable geometry of nickel(II) complexes with N¹-isopropyl-2-methyl-propane-1,2-diamine (L). Crystal structures of [NiL<sub>2</sub>]Br<sub>2</sub>·3H<sub>2</sub>O, [NiL<sub>2</sub>Br]Br and [NiL<sub>2</sub>(NCS)<sub>2</sub>] and solid-state thermochromism in [NiL<sub>2</sub>]Br<sub>2</sub>·3H<sub>2</sub>O, 337

Preparation and crystal structures of diphenylantimony(III) thiocyanate and bis(2,6-dimethylphenyl)antimony(III)

thiocyanate, 377

thiocyanate, 377

Some Group 15 pseudo-halides and the crystal structure of diphenylbismuth(III) thiocyanate, 383

Dinuclear pentafluorophenyl compounds of rhodium(III) with anionic bridging ligands. Molecular structures of [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(µ-SCN)<sub>2</sub>] and [P(CH<sub>2</sub>Ph)Ph<sub>3</sub>]<sub>2</sub>[Rh(C<sub>6</sub>F<sub>3</sub>)<sub>3</sub>]<sub>4</sub>µ-CO<sub>3</sub>], 917

Phenylantimony(III) dithiocyanate and the crystal structure of K[SbPh(SCN)<sub>3</sub>], 1173

Pinhenylantimony(III) oxide halides and thiocyanate: the crystal structure of the crystal structure

Diphenylantimony(v) oxide halides and thiocyanate; the crystal structures of dimeric diphenylantimony(v) bromide oxide, and tetrameric diphenylantimony(v) oxide fluoride and thiocyanate,

THIOCYANIDE

Dimanganese(II) complexes of a new phenol-based dinucleating ligand with two amino chelating arms: synthesis, structure and catalase-like activity, 4015

THIOLATE

Five-co-ordinate complexes [MoH(SC<sub>6</sub>H<sub>2</sub>R<sub>3</sub>-2,4,6)<sub>3</sub>(PR'Ph<sub>2</sub>)] (R = Me or Pr', R' = Me or Et) and their reactions with nitrogen donors. Crystal structures of [MoH(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>(C<sub>3</sub>H<sub>3</sub>N)(PMe<sub>2</sub>Ph)], [MoH(NC<sub>3</sub>H<sub>4</sub>S-2)<sub>4</sub>(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>(FetPh<sub>2</sub>)] and [PPh<sub>4</sub>][MoO(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>4</sub>], 5 2,2'-Bipyridine complexes of the lithium chalcogenolates Li(EPh) and Li(NC<sub>3</sub>H<sub>4</sub>E-2) (E = S or Se), 45 Synthesis and reactions of uranium(IV) tetrathiolate complexes, 237 Synthesis, crystal structure, electrochemistry and electronic

Synthesis and reactions of maintainty fectationate complexes, 25 Synthesis, crystal structure, electrochemistry and electronic paramagnetic resonance spectroscopy of  $[M\{(PPh_2CH_2)_3CMe\}(o-S_2C_6H_4)][PF_6]_n$  (M = Fe, Co or Rh; n = 0 or 1), 531 Co-ordination complexes of the bismuth(III) thiolate Bi(SC<sub>6</sub>F<sub>5</sub>)<sub>3</sub>,

1163
Bidentate ligand transfer reactions between gold(t) complexes, 1255
Syntheses, characterisation and crystal structures of metal complexes of a novel 1,2-dithiolate ligand, 6,7-dihydro-6-methylene-5*H*-1,4-dithiepine-2,3-dithiol, 1285
Distortions in six-co-ordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of *mer*-[Mo(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>1</sub>-2,4,6)<sub>2</sub>-(CO)<sub>3</sub>(PMePh<sub>2</sub>)], *cis,cis,cis*-[W(SC<sub>6</sub>H<sub>2</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>(CO)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>] and [W(SeC<sub>6</sub>H<sub>3</sub>Pr'<sub>1</sub>-2,6)<sub>2</sub>(CO)<sub>2</sub>(PMe<sub>2</sub>Ph)<sub>2</sub>], 1315
Synthesis and molecular structure of the mixed polymeric cobalt compound [Co<sub>3</sub>(SCH<sub>2</sub>CH<sub>3</sub>S)<sub>3</sub>(PEt<sub>3</sub>)<sub>3</sub>]<sub>2</sub>[Co<sub>2</sub>Cl<sub>4</sub>(μ-O<sub>2</sub>SEt<sub>2</sub>)<sub>2</sub>], 1447
Chalcogenolato complexes of bismuth and antimony. Syntheses, thermolysis reactions, and crystal structure of Sb(SC<sub>6</sub>H<sub>2</sub>Pr'<sub>3</sub>-2,4,6)<sub>3</sub>, 1649

Complexes of 2-diphenylphosphinobenzenethiol and 2-diphenylphosphino-6-trimethylsilylbenzenethiol with rhodium

THIOLATE (contd)

ATE (contd)
and iridium. Crystal and molecular structures of
[IrCl<sub>2</sub>(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)(PMePh<sub>2</sub>)<sub>2</sub>] and [Ir(Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>S)<sub>3</sub>]
0.75CH<sub>2</sub>Cl<sub>2</sub>, 1957
Binding of the {MoFe<sub>3</sub>S<sub>4</sub>}<sup>3+</sup> core by a tridentate thiolate and chemical
analogues of the mollydenum co-ordination environment in the iron-molybdenum cofactor of nitrogenase, 1965 Neutral thiolates of antimony(III) and bismuth(III), 2129

Preparation, structure and reactivity of dinuclear aminothiolate-

Freparators, studente and reactivity of undected administrational bridged iridium complexes, 2137

Synthesis and electrochemistry of heterobridged gold(i) and gold(ii) complexes of pyridine-2-thiolate. Crystal structures of [Au<sub>2</sub>-{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}-{μ-C<sub>2</sub>H<sub>4</sub>NS)] and [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}-{μ-C<sub>3</sub>H<sub>4</sub>NS)Br<sub>2</sub>], 2245

Neutral oxorhenium(v) complexes with tridentate dithiolates and monodentate alkane- or arene-thiolate coligands, 2277
Cleavage of an aryl carbon-sulfur bond in hydride-thiolate

Creavage of an aryl carbon–sulfur bond in hydride–thiolate complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>·2,4,6)(OMe(PMePh<sub>2</sub>)}<sub>3</sub>(µ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>·2,4,6)(OEt)(PEtPh<sub>2</sub>)}<sub>3</sub>(µ-S)<sub>2</sub>], 2583

The occurrence of both amide and thiolate forms of the benzoxazole-2-thionate anion (C<sub>2</sub>H<sub>4</sub>ONS<sup>-</sup>) in the same molecule: synthesis and crystal structure of C<sub>2</sub>H<sub>4</sub>ONSNa[µ-OP(NMe<sub>2</sub>)<sub>3</sub>]<sub>3</sub>-NaC<sub>2</sub>H<sub>4</sub>ONS, 3139

NaC<sub>7</sub>H<sub>4</sub>ONS, 3139

Synthesis of complexes of Re<sup>V</sup>, Ru<sup>II</sup>, Os<sup>II</sup>, Rh<sup>I</sup>, Ir<sup>I</sup> and Ir<sup>III</sup>. Crystal and molecular structures of [ReO(OH)(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>(PPh<sub>3</sub>)], [ReH<sub>4</sub>(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)(PPh<sub>3</sub>)] and [IrH(SC<sub>6</sub>H<sub>4</sub>SiPh<sub>3</sub>-2)<sub>2</sub>-(PMePh<sub>2</sub>)<sub>3</sub>], 3143

Syntheses and structures of [Re(SC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)<sub>3</sub>(PPh<sub>3</sub>)], [Re(SC<sub>6</sub>H<sub>3</sub>Me<sub>2</sub>-2,6)<sub>3</sub>(Bu<sup>I</sup>NC)<sub>2</sub>], [Re(SC<sub>6</sub>H<sub>2</sub>Pr<sup>2</sup><sub>3</sub>-2,4,6)<sub>3</sub>L(PPh<sub>3</sub>)] (L = N<sub>2</sub> or CO) and [ReH<sub>4</sub>(PPh<sub>3</sub>)<sub>4</sub>][ReO(SC<sub>6</sub>H<sub>2</sub>Pr<sup>2</sup><sub>3</sub>-2,4,6)<sub>4</sub>], 3153

3153
Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>L(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>3</sub>H<sub>5</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699
Reactions of carbonylchlorogold() with thiolates and thiols.
Crystal and molecular structures of [NaL(H<sub>2</sub>O)][(AuCl)<sub>3</sub>SBu<sup>1</sup>],
[NaL][AuCl<sub>2</sub>], [NaL]<sub>4</sub>[AuCl<sub>2</sub>]<sub>2</sub>[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] and [NaL]<sub>2</sub>[Au<sub>4</sub>Cl<sub>6</sub>S<sub>2</sub>] (L = 1,4,7,10,13-pentaoxacyclopentadecane), 3917
THIOLE

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Carbon-13 nuclear magnetic resonance studies of the redox reactions of aurothiomalates with selenocyanate in aqueous solution, 1483

THIONE

Copper-63 nuclear quadrupole resonance frequencies and molecular geometries of three-co-ordinate complexes of copper(i) halides with N-alkylimidazolidinethione and thiazolidinethione ligands,

Synthesis, crystal structure and properties of novel ferrocenyl multisulfur compounds, 897

Synthesis, structural characterization and thermal reactivities of osmium carbonyl clusters containing 4,6-dimethylpyrimidine-2-

THIOPHENYL

Structure and properties of copper-(II) and -(I) complexes with 2,6-bis[2-(thiophen-2-ylmethylimino)ethyl]pyridine, 1939

THIOPHOSPHATE

Polymeric and bimetallic complexes of diisopropyl monothio-

osphate, 2369

THIOPHOSPHINITE

Synthesis and characterisation of homo- and hetero-trinuclear complexes containing the triply-bridging diphenylthiophosphinito [μ<sub>3</sub>·SPPh<sub>2</sub>] - ligand: molecular structure of [Pd<sub>3</sub>(μ<sub>3</sub>·SPPh<sub>2</sub>)<sub>2</sub>-(C<sub>6</sub>F<sub>3</sub>)<sub>2</sub>(C<sub>6</sub>H<sub>4</sub>CH<sub>2</sub>NMe<sub>2</sub>-2)(PPh<sub>3</sub>)<sub>2</sub>]ClO<sub>4</sub>·0.8CH<sub>2</sub>Cl<sub>2</sub>, 2805 **THIOPHOSPHORYL** 

1,1'-Bis(diphenylthiophosphoryl)ferrocene as a *trans*-chelating ligand in gold(t) and silver(1) complexes, 3563

THIOSEMICARBAZIDE

Rhenium complex of a triply deprotonated chelated thiosemicarbazide and its conversion to a nitride complex via a hydrazide intermediate. Crystal structure of [ReCl<sub>2</sub>(NH)(NHNH<sub>2</sub>)(PPh<sub>3</sub>)<sub>2</sub>], 1357

THIOSEMICARBAZONE
Transition metal-

Transition-metal complexes of cyclohexane-1,2-dione bis(thiosemicarbazone) (H<sub>2</sub>L). Crystal structures of [ZnL(OH<sub>2</sub>)]-dmf (dmf = dimethylformamide) and [Zn(H<sub>2</sub>L)Cl]Cl · 2H<sub>2</sub>O, 2297

Cobalt(III) complexes with thiosemicarbazones as co-ordinating agents. Spontaneous resolution by crystallization and absolute configuration, 3035
THIOSULFATE

Kinetics and mechanism of the oxidation of thiosulfate ion by hexachloroiridate(IV), 3109 THIOURACILATE

An unusual dimerization of 6-amino-2-thiouracilate in a cobalt(III) complex, 2627

## **THORIUM**

Exploring the auxiliary co-ordination sphere of tripodal amino(triamido) actinide complexes, 603

Synthetic, spectroscopic and structural studies on uranium and

thorium complexes of diphosphazane dioxides, 2991

Synthesis and characterization of tin(iv) and organotin(iv) 1,4-dimethylpiperazine-2,5-dione (cyclosarcosylsarcosine) adducts,

Dynamics of tin nuclei in alkyltin(iv)—deoxyribonucleic acid condensates by variable-temperature tin-119 Mössbauer spectroscopy, 467

Step-wise nucleophilic substitution of bis(cyclopentadienyl)tin(II); synthesis and structural characterisation of [ $\{Sn(\eta^3-C_5H_3)[\mu-\xi^3-H_3\}\}$ N=C(NMe<sub>2</sub>)<sub>2</sub>]<sub>2</sub>] and [{Sn[S(CH<sub>2</sub>)<sub>3</sub>SC(R)][µ-N=C(NMe<sub>2</sub>)<sub>2</sub>]}<sub>2</sub>] (R = H or SiMe<sub>3</sub>), 1587 Reaction of tin metal powder with triorganophosphory disables:

isolation and spectroscopic characterisation of  $[PR_3X][SnX_3]$  and cis- and trans- $Sn(PR_3)_2X_4$  (X = Br or I;  $R_3 = Ph_3$ ,  $Ph_2Me$  or

PhMe<sub>2</sub>), 1593

Lithioalkynyl iron(II) or ruthenium(II) complexes as precursors of novel alkynyl and vinylidene derivatives: heterobimetallic complexes containing a bridging ethynediyl system, 1901
Structure refinement from powder neutron diffraction data of Sn<sub>10</sub>W<sub>16</sub>O<sub>44</sub>, which contains a metal-metal bonded W<sub>6</sub>O<sub>12</sub> cluster, 1947
Scale synthesis of Sn<sub>10</sub>V and the structure of Sn<sub>10</sub>

Cluster, 1947

Facile synthesis of Sn<sub>4</sub>N<sub>4</sub> cubanes; syntheses and structures of [Sn(NC<sub>6</sub>H<sub>1</sub>))]<sub>4</sub> and [Sn(2-NCH<sub>2</sub>C<sub>5</sub>H<sub>4</sub>N)]<sub>4</sub>, 1991

Characterisation of the tin(II) hydroxide cation [Sn<sub>3</sub>(OH)<sub>4</sub>]<sup>2+</sup>, and the crystal structure of tritin(II) tetrahydroxide dinitrate, 2273

Synthesis, structural characterisation and Raman spectroscopy of the incoming incomes lead tin vallout types I and II and lead

the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts, 2577

Ligand transfer from a tris(imino)stannate anion; syntheses and structures of [{Cu[µ-N=C(Bu)Ph]}<sub>4</sub>]-thf (thf = tetrahydrofuran) and [{Cu[µ-N=C(Bu)Ph]}<sub>4</sub>(PPh<sub>3</sub>)<sub>2</sub>-toth, 2707

High-temperature Mössbauer studies on <sup>119</sup>Sn-enriched caesium tin(II) chlorides and bromides, 2723

Group 6 metallocene( $\nu$ )-main group metal complexes: synthesis and structures of a Mo-B-Li compound and of [W( $\eta$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>H-

{SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>}, 2999
Synthesis and crystal structure of a salt containing the *trans*-diphenyldi-μ-seleno-diselenodistannate (2—) anion, 3113

Synthesis and structures of bis[bis(trimethylsilyl)amido]tin((v) cyclic chalcogenides [{Sn[N(SiMe<sub>3</sub>)<sub>2</sub>]<sub>2</sub>(μ-E)}<sub>2</sub>] and a heterobimetallic analogue [{(Me<sub>3</sub>Si)<sub>2</sub>N}<sub>2</sub>Ge(μ-Te)<sub>2</sub>Sn{N(SiMe<sub>3</sub>)<sub>2</sub>}<sub>2</sub>] (E = S, Se or Te), 3179

TIN-119

Dynamics of tin nuclei in alkyltin(IV)—deoxyribonucleic acid condensates by variable-temperature tin-119 Mössbauer spectroscopy, 467

TITANIUM

Mono(ŋ-cyclopentadienyl)benzamidinato alkyl compounds of titanium and zirconium, 217

Cs<sub>3</sub>Ti<sub>5</sub>P<sub>7</sub>O<sub>29</sub>: a titanium(IV) phosphate containing TiO<sub>5</sub> trigonal bipyramids, 927

bipyramids, 927
Barium and titanium aryl oxides as precursors for the preparation of thin-film oxides. The effect of bombardment by O<sub>2</sub>+, 1529
Synthesis of selenophosphinic and tellurophosphinic amides and amidato complexes. Crystal structures of Bu¹-P(Te)NH(C<sub>6</sub>H<sub>11</sub>), [Ti(η-C<sub>5</sub>H<sub>3</sub>)Cl<sub>2</sub>(Bu¹-P(Se)NPr³)] and [TiCl<sub>2</sub>{Bu¹-P(Se)N-(C<sub>6</sub>H<sub>11</sub>)], 1887
Synthesis and structures of cyclopentadienyl fluoro and chloro complexes of a triad (Ti, Zr, Hf) containing acyclic and cyclic siloxane building blocks, 2453
First-row transition-metal complexes of corroles: synthesis and

First-row transition-metal complexes of corroles: synthesis and characterization of oxotitanium(IV) and oxovanadium(IV) complexes of  $\beta$ -alkylcorroles, 3617

Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules  $[M(\eta^7-C_7H_7)(\eta^5-C_3H_5)]$  (M=Ti, V,Nb or Ta), 3727

Exchange of organoimido groups at a mononuclear titanium centre and a crystallographic evaluation of the relative structural influences of the NBu<sup>t</sup>, NC<sub>6</sub>H<sub>4</sub>Me-4 and NC<sub>6</sub>H<sub>4</sub>NO<sub>2</sub>-4 ligands,

Carbon-hydrogen bond properties and alkyl group geometries in dichloro(η<sup>2</sup>-cyclopentadienyl)methyltitanium(iv) and dichloro(η<sup>3</sup>-cyclopentadienyl)ethyltitanium(iv) [TiR(η<sup>5</sup>-C<sub>2</sub>H<sub>3</sub>)Cl<sub>2</sub>] (R = Me or Et), 3941

TRANS INFLUENCE

Investigation of the trans influence in transition-metal nitride

complexes, 1635
TRANSITION METAL

Metal-dinitrogen  $\sigma$ - and  $\pi$ -bonding roles in [Fe(dmpe)<sub>2</sub>H(N<sub>2</sub>)]<sup>+</sup>, [Fe(depe)<sub>2</sub>(N<sub>2</sub>)] and trans-[V(dmpe)<sub>2</sub>(N<sub>2</sub>)<sub>2</sub>]<sup>-</sup> (dmpe = Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>, depe = Et<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PEt<sub>2</sub>), i Crystal structures of salts of transition-metal halide clusters, 287

TRANSITION METAL (contd)

Inorganic reaction mechanisms: the bioinorganic-organometallic interface, 503

interface, 503

Synthesis, crystal structure, electrochemistry and electronic paramagnetic resonance spectroscopy of [M{(PPh<sub>2</sub>CH<sub>2</sub>)<sub>3</sub>CMe}-(o-S<sub>2</sub>C<sub>6</sub>H<sub>4</sub>)][PF<sub>6</sub>]<sub>n</sub> (M = Fe, Co or Rh; n = 0 or 1), 531

Terdentate (P,N,N) complexes of a new pyridyl azine phosphine Z,E-PPh<sub>2</sub>CH<sub>2</sub>(Bu')C=N-N=C(Me)C<sub>3</sub>H<sub>4</sub>N and its deprotonated derivative (an azo phosphine) with transition metals, 625

A new type of sulfenamido ligand. Crystal structure of W(NBu')<sub>2</sub>(η<sup>2</sup>-PhSNBu')<sub>2</sub>, 1059

Versatile cation complexation by a calix[4] arene tetraamide (L). Synthesis and crystal structure of [ML][ClO<sub>4</sub>]<sub>2</sub>-nMeCN (M = Fe<sup>II</sup>, Ni<sup>II</sup>, Cu<sup>II</sup>, Zn<sup>III</sup> or Pb<sup>III</sup>), 1273

Unusual stabilities of 6,6'-bis(aminomethyl)-2,2'-bipyridyl chelates of transition-metal ions and crystal structures of the ligand and its copper(II) and nickel(III) complexes, 1511

Investigation of the trans influence in transition-metal nitride

Investigation of the trans influence in transition-metal nitride complexes, 1635

complexes, 1053
Second- and third-row transition-metal complexes of dihydroxybenzoic acids, and the crystal structure of [NMe<sub>4</sub>]<sub>2</sub>[MoO<sub>2</sub>(2,3-dhb)<sub>2</sub>]-1.5H<sub>2</sub>O (2,3-H<sub>2</sub>dhb = 2,3-dihydroxybenzoic acid), 1775

Chiling and acid, texts angless progressive resonance studies on

Solution and solid-state nuclear magnetic resonance studies on interstitial atoms within transition-metal carbonyl clusters,

Transition-metal complexes of cyclohexane-1,2-dione bis(thiosemicarbazone) (H<sub>2</sub>L). Crystal structures of [ZnL(OH<sub>2</sub>)]-dmf (dmf = dimethylformamide) and [Zn(H<sub>2</sub>L)Cl]Cl:2H<sub>2</sub>O, 2297
Dinuclear Cu<sup>II</sup>M<sup>II</sup> (M = Co, Ni, Cu or Zn) and Cu<sup>II</sup>Cu<sup>I</sup> complexes

of a phenol-based dinucleating macrocycle with dissimilar  $N_2O_2$  and  $N_2O_2S$  sites, 2599

and N<sub>2</sub>O<sub>2</sub>S sites, 2399

Complexing properties of phosphonodipeptides containing aminomethylphosphonic acid, 2605

Complexing properties of phosphonodipeptides containing 1-aminoethylphosphonic acid, 2611

Metallosupramolecules bearing pendant redox-active domains: synthesis and co-ordination behaviour of the metallocenefunctionalized helicand 4',4'''-di(ferrocenyl)-2,2':6',2'':6'',2'':6'',2''':6'',2'''-sexipyridine, 3253 Ligand-field stabilization energies of the first-row transition-metal

dihalides and their bearing on the Irving—Williams rule, 3483 Synthesis, properties and molecular structures of iron(III), cobalt(III), nickel(III), copper(III), copper(I) and zinc(II) complexes with N,N-bis(pyrazol-1-ylmethyl)benzylamine, 3503 Kinetics and mechanism of complex formation of some bivalent

and trivalent metal ions with pentaammine(nitrilotriacetato)cobalt(III) in aqueous medium, 3627

Partial deuteriation studies, ethyl-group geometries and C–H bond properties in [MEt(cp)(CO)<sub>2</sub>] (M = Fe or Ru) and [MEt(cp)(CO)<sub>3</sub>] (M = Mo or W) (cp = η<sup>5</sup>-C<sub>3</sub>H<sub>5</sub>), 3963

Rigid multinuclear arrays assembled around platinum centres, 4067

TRIAZENIDE Synthesis, structural characterisation and electrochemistry of the tetranuclear compound [{Pd<sub>2</sub>(μ-RNNNR)<sub>2</sub>}<sub>2</sub>(μ-Cl)<sub>4</sub>] (R = C<sub>6</sub>H<sub>4</sub>Me-p): a precursor to triazenido-bridged palladium(II) complexes, 412

Structure of a C,N,N-cyclometallated palladium(II) complex of 2-amino-4-phenylamino-6-(2-pyridyl)-1,3,5-triazine, an  $\alpha$ -diimine ligand with donor-acceptor-donor hydrogen-bonding capability,

TRIAZOLE

Synthesis, magnetic and mass spectrometric studies on dinuclear complexes based on Schiff-base triazolic ligands, 2305

TRIPHOSPHINE Synthesis, crystal structure, electrochemistry and electronic Synthesis, Crystal structure, electrochemistry and electronic paramagnetic resonance spectroscopy of [M{(PPh<sub>2</sub>CH<sub>2</sub>)<sub>3</sub>CMe}-(o-S<sub>3</sub>C<sub>6</sub>H<sub>4</sub>)][PF<sub>6</sub>]<sub>n</sub> (M = Fe, Co or Rh; n = 0 or 1), 531 Dynamic nuclear magnetic resonance studies of the  $\eta^3$ -

triphenylcyclopropenyl complexes [M( $n^3$ -C<sub>2</sub>Ph<sub>3</sub>)L]PF<sub>6</sub> [M = Ni, Pd or Pt; L = MeC(CH,PPh<sub>2</sub>)<sub>3</sub>]. Crystal structure of the latinum derivative, 1109

Piathudi cervative, 1709

TRIPODAL LIGAND

Extended X-ray absorption fine structure, crystal structures at 295
and 173 K, and electron paramagnetic resonance and electronic spectra of bis[tris(2-pyridyl)methane]copper(II) dinitrate, 595

Attempted functionalisation of a mononuclear barium complex of

a 24-membered bibracchial tetraimine Schiff-base macrocycle derived from tris(2-aminoethyl)amine using salicylaldehyde, 765

Synthesis, crystal structures and physical properties of μ-οχο-μ-carboxylato-diiron(III) complexes with tripodal polybenzimidazole ligands containing distinct iron sites, 2045

Boratropic rearrangements in tris(pyrazolyl)borate molybdenum mononitrosyl complexes: effects of co-ligands, 2281 Heteroleptic tripodal complexes of copper(II): towards a synthetic model for the active site in galactose oxidase, 2323

Crystal structures and electron paramagnetic resonance spectra of  $[Cu_1^{\mu}(C_1H_4N)_{3/2}]Br_{2^{*}}8H_{3}O$  and  $Cu^{2^{*}}$ -doped  $[Zn_1^{\mu}(C_2H_4N)_{3/2}]-Br_{2^{*}}8H_{3}O$ , examples of a dynamic Jahn–Teller effect in two dimensions, 3809

Synthesis of η-cyclopentadienyl-polyborane derivatives of molybdenum and tungsten, 67 Non-linear optical materials containing molybdenum or tungsten

mononitrosyl redox centres: diaromatic azo derivatives (1994, 3427), 153

Structure and mechanism in aerobic alkene epoxidations promoted by ruthenium complexes of bis(dihydrooxazole) ligands, 367 Syntheses and reactions of ansa-[2,2-bis(η-cyclopentadienyl)-propane]-tungsten and -molybdenum compounds, 395 Non-linear and potential non-linear optical materials containing molybdenum or tungsten mononitrosyl redox centres. Stilbene

derivatives containing ferrocenyl, methoxy or dimethylamino donor groups, 673

Synthesis, crystal structure, photophysical properties and theoretical studies of [Cu<sub>3</sub>(Ph<sub>2</sub>PCH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>(WS<sub>4</sub>)]ClO<sub>4</sub>, 753 Electronic structure of 20-electron bis(cyclopentadienyl)metal oxo compounds of Group 6: investigation by photoelectron

spectroscopy, 1023

A new type of sulfenamido ligand. Crystal structure of W(NBu¹)<sub>2</sub>(η²-PhSNBu¹)<sub>2</sub>, 1059

1,5,9-Triphosphacyclododecane complexes of molybdenum and tungsten; crystal structure of tricarbonyl[1,5,9-tris(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(0), 1139
2,6-Diisopropylphenylimido and diphenylacetylene complexes of

2,6-Disopropylphenylimido and diphenylacetylene complexes of tungsten containing the bidentate ligands 4,4'-dimethyl-2,2'-bipyridine and 1,2-bis(diphenylphosphino)ethane, 1147
High-valent diphenylacetylene complexes of tungsten, 1153
Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)2
(M = Mo or W) sites. Synthesis and properties of the diamino-acetylene complexes trans-[MX(n²-MeHNC=CNHMe)-(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)2, A(X = F, Cl or ClO<sub>4</sub>; A = BF<sub>4</sub>, PF<sub>6</sub>, HCl<sub>2</sub> or ClO<sub>4</sub>) and of their di(aminocarbyne)-type precursors, 1183
Aminocarbyne coupling reactions at M(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)2 (M = Mo or W) sites. Detailed mechanistic studies on the protonation of co-ordinated isocyanides and coupling of ligands in trans-

of co-ordinated isocyanides and coupling of ligands in *trans*-[M(CNR)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (R = Bu<sup>1</sup> or Me), 1193 Mechanistic studies on the substitution reactions between

aquatetracyanooxotungstate(IV) and HCN-CN<sup>-</sup> and F<sup>-</sup>, 120 Reactions of the μ-alkyne dimer [W<sub>2</sub>(η-C<sub>3</sub>H<sub>4</sub>Pr)<sub>2</sub>Cl<sub>4</sub>(μ-C<sub>2</sub>Et<sub>2</sub>)]: synthesis and bonding analysis of a μ-alkyne-μ-imido bridged ditungsten complex, 1207

Syntheses, reactivities and molecular structures of tungsten

complexes containing the diphenylphosphinodithioformato ligand, 1305

ngand, 1305
Distortions in six-co-ordinate complexes of molybdenum(II) and tungsten(II). Crystal structures of mer-[Mo(SC<sub>6</sub>H<sub>2</sub>Pri<sub>3</sub>-2,4,6)<sub>2</sub>-(CO)<sub>3</sub>(PMePh<sub>2</sub>)<sub>1</sub>], cis,cis,cis-[W(SC<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>-2,4,6)<sub>2</sub>(CO)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>] and [W(SeC<sub>6</sub>H<sub>3</sub>Pri<sub>2</sub>-2,6)<sub>2</sub>(CO)<sub>2</sub>(PMe<sub>2</sub>Ph)<sub>2</sub>], 1315
The preparation and characterisation of new mixed carbonyl nitro complexes of Group 6 metals, 1391

The synthesis of the first examples of water-soluble seven-co-ordinate complexes of tungsten(II), 1525

Synthesis of new alkyne-bridged ditungsten complexes [W<sub>2</sub>(CO)<sub>4</sub>-(μ-HC<sub>2</sub>R)(η-C<sub>3</sub>H<sub>3</sub>)<sub>2</sub>] (R = Me or Ph) and the reactions of these and related alkyne-bridged complexes with chlorodiphenyl-

and related any ne-bridged complexes with chlorodiphenyi-phosphine, 1597

Formation of η²-aroyl, η¹-halogenocarbyne or sterically crowded aryldiazenide ligands in the reactions of ring-substituted tricarbonyl[hydrotris(pyrazolyl)borato]-molybdate and-tungstate anions with arenediazonium cations and related oxidants, 1709

Heteropolyperoxo- and isopolyperoxo-tungstates and -molybdates as catalysts for the oxidation of tertiary amines, alkenes and alcohols, 1833

Evaluation of the 2,6-diisopropylphenylimido ligand as a steric force in d<sup>1</sup> and d<sup>2</sup> monomeric octahedral complexes of tungsten,

1907
Photoelectron spectroscopic investigation of isomeric methyl (isocyanide), η²-iminoacyl and η³-azaallyl complexes of molybdenum and tungsten, 1925
Di- and tri-metallic complexes containing two bridging cyclodiphosphazane ligands: the crystal structure of [Mo<sub>2</sub>(CO)<sub>8</sub>{μ-cis-[PhNP(OC<sub>6</sub>H<sub>4</sub>Me-p)]<sub>2</sub>}<sub>2</sub>], 1933
Structure refinement from powder neutron diffraction data of Sn<sub>10</sub>W<sub>16</sub>O<sub>44</sub>, which contains a metal-metal bonded W<sub>6</sub>O<sub>12</sub> cluster, 1947
Highly selective mono- and di-alkylation of the backbone of complexes of type face.

complexes of type fac-

[M(CO) $_3$ {E,Z-PPh $_2$ CH $_2$ C(Bu')=N-N=C(Bu')CH $_2$ PPh $_2$ }] (M = Mo or W), 2057 Synthesis of new heterodinuclear aminocarbyne complexes: crystal structures of [AuW{ $\mu$ -CN(Et)Me $_2$ (C $_6$ F $_3$ )(CO) $_2$ ( $\eta$ -C $_5$ H $_3$ )] and [{CuW{ $\mu$ -CN(Et)Me $_2$ Cl(CO) $_2$ ( $\eta$ -C $_3$ H $_3$ )} $_2$ ], 2087 Neutral thiolates of antimony(III) and bismuth(III), 2129

TUNGSTEN (contd)

Electron-transfer reactions and the self-exchange rate of the perruthenate(VII)-ruthenate(VI) couple, 2221
Chemistry of molybdenum complexes with (triphenylmethyl)allene,

An extended X-ray absorption fine structure (EXAFS) study of mixed molybdenum-tungsten  $M_3$  clusters in  $Zn_2Mo_{3-x}W_xO_8$  (x=1,1.5 or 2), 2555 Cleavage of an aryl carbon-sulfur bond in hydride-thiolate

Cleavage of an ary Carbon-sulful both in hydride-infolder complexes of molybdenum and tungsten. Crystal structures of [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>3</sub>)}<sub>2</sub>(µ-S)<sub>2</sub>] and [{Mo(SC<sub>6</sub>H<sub>2</sub>Pr<sub>3</sub>-2,4,6)(OEt)(PEtPh<sub>3</sub>)}<sub>3</sub>(µ-S)<sub>2</sub>], 2583 Reactions of dichlorobis(2,3-dimethylbutane-2,3-diolato)-tungsten(vi) with water and alcohols, 2701

tungsten(v) with water and airconous, 2/01 Excited-state properties of  $[(OC),W(L)W(CO)_3]$  [L = 4,4'-bipyridyl (4,4'-bipy) or pyrazine] and [(OC),W(4,4'-bipy)], 2711 Molybdotungstovanadates  $[V_2MO_0,W_{(4,-n)}O_1]^{4-}$ , 2891 Group 6 metallocene(v)—main group metal complexes: synthesis and structures of a Mo-B-Li compound and of  $[W(\eta-C_3H_3)_2H_{-(S-C)}C(MS)MO_3]$ , 3,2000

[SnCl<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>], 2999

Phosphorus—carbon bond formation in heterobimetallic molvbdenum—tungsten alkyne complexes, 3049

Synthesis and characterisation of cationic bis(cyclopentadienyl)tungsten(IV) complexes containing alkyl, chloride and hydride ligands, 3125

the crystal structures of [NMe<sub>4</sub>]<sub>2</sub>[(PhPO<sub>3</sub>){MoO(O<sub>2</sub>)<sub>2</sub>}<sub>2</sub>-{MoO(O<sub>2</sub>)<sub>2</sub>(H<sub>2</sub>O)}] and [NBu<sup>n</sup><sub>4</sub>]<sub>2</sub>[W<sub>4</sub>O<sub>6</sub>(O<sub>2</sub>)<sub>6</sub>(OH)<sub>2</sub>(H<sub>2</sub>O)<sub>2</sub>] and their use as catalytic oxidants, 3131

Oxo- and imido-molybdenum(vi) and -tungsten(vi) functionalities supported by diacetoneglucose, 3329 Equilibria and thermodynamic quantities for the reactions of molybdenum(VI) and tungsten(VI) with mandelate (α-hydroxybenzeneacetate), 3433

Synthesis and reactivity of tungsten vinylallene complexes, 3561
Chemical and theoretical comparison between phosphido (X = PR<sub>2</sub>) and thiolato (X = SR) bent niobocenes of the type [Nb(cp)<sub>2</sub>(X)] [L = CO or P(OMe)<sub>3</sub>, cp = η-C<sub>5</sub>H<sub>3</sub>]. Structure of [Nb(cp)<sub>2</sub>(CO)(μ-SEt){Fe(CO)<sub>4</sub>}], 3699
Triphosphorus macrocycle complexes of divalent Group 6 transition matches constal structure of Proportion of S. 9. tries

metals; crystal structure of bromotricarbonyl[1,5,9-tris-(isopropyl)-1,5,9-triphosphacyclododecane]molybdenum(II)

tetraphenylborate, 4091 URANIUM Molecular structure of monomeric uranium tetrachloride determined by gas electron diffraction at 900 K, gas-phase infrared spectroscopy and quantum-chemical density-functional calculations, 185

Synthesis and reactions of uranium(IV) tetrathiolate complexes, 237 Exploring the auxiliary co-ordination sphere of tripodal amino(triamido) actinide complexes, 603

Thermodynamic and spectroscopic investigations on the interaction of uranyl(v1) with neutral N- and O-donors in dimethyl sulfoxide, 733

Formation and decomposition of uranium-oxygen clusters in fast atom bombardment of dioxouranium(vI) salts, 885

atom bombardment of dioxouranium(VI) salts, 885
Synthetic, spectroscopic and structural studies on uranium and
thorium complexes of diphosphazane dioxides, 2991
Synthesis of cationic uranium compounds by protonolysis of amide
precursors: amide and chloroamide complexes, 3019
Synthesis of cationic uranium compounds by protonolysis of amide
precursors: cyclopentadienyl and cyclooctatetraene complexes,
3027

VANADIUM

Discrete variational Xa studies of the electronic structure of amavadin, 191

Non-planar co-ordination of the Schiff-base dianion N,N'-2,2dimethyltrimethylenebis[salicylideneiminate(2-)] to vanadium,

Oxovanadium(IV) complexation by adenosine 5'-di- and -tri-phosphate and nucleotide building blocks, 425 Synthesis and structure of carboxyl-bonded oxovanadium(V)

complexes incorporating a-amino acid salicylaldiminates and quinolin-8-olate, 1115

Complexes of human lactoferrin with vanadium in oxidation states

+3, +4 and +5, 1121 Synthesis and characterization of new di- and tetra-meric

Synthesis and characterization of new di- and tetra-meric vanadium intermediates of olefin polymerization catalysts. Crystal structures of [V<sub>\*</sub>(µ-Cl<sub>\*</sub>)Cl<sub>\*</sub>(MeCO<sub>\*</sub>,Et)<sub>a</sub>] and [{VOCl<sub>2</sub>[CH<sub>2</sub>(CO<sub>2</sub>Et)<sub>3</sub>])<sub>a</sub>]-2CH<sub>2</sub>Cl<sub>2</sub>, 1727

Effects of protonation in decavanadates: crystal structure of tetrakis(n-hexylammonium) dihydrogendecavanadate(v), 2225

Mononuclear cis-dioxovanadium(v) anionic complexes [VO<sub>2</sub>L] {H<sub>2</sub>L = [1 + 1] Schiff base derived from salicylaldehyde (or substituted derivatives) and 2-amino-2-methylpropan-l-ol}: synthesis, structure, spectroscopy, electrochemistry and reactivity studies, 2459

Molyhdotyngsteyrandates [V Mo. W. \_ O. 74 - 3601]

Molybdotungstovanadates [V<sub>2</sub>Mo<sub>n</sub>W<sub>(4-n)</sub>O<sub>19</sub>]<sup>4-</sup>, 2891 Mechanistic studies on the *cis*-[VO<sub>2</sub>(H<sub>2</sub>O)<sub>4</sub>]<sup>+</sup> and [Mo(CN)<sub>8</sub>]<sup>3-</sup>

oxidations of the  $Re^{IV_2}$  complex  $[(C_2O_4)_2Re(\mu-O)_2Re(C_2O_4)_2]^{4-}$ ,

First-row transition-metal complexes of corroles: synthesis and characterization of oxotitanium(IV) and oxovanadium(IV)

complexes of \( \beta\)-alkylcorroles, 3617

Kinetics of oxidation of antimony(III) by vanadium(v) in aqueous

hydrochloric acid media, 3623
Theoretical investigation of the electronic structures of the mixed-ring sandwich molecules  $[M(\eta^7-C_7H_7)(\eta^5-C_5H_5)]$  (M=Ti, V,Nb or Ta), 3727 VANADIUM-51

Molybdotungstovanadates  $[V_2Mo_nW_{(4-n)}O_{19}]^{4-}$ , 2891 VINYL

Synthesis and characterisation of enynyl, vinyl and acetylide complexes of osmium(II), 719
Synthesis of novel mixed-metal clusters of mercury and osmium;

Synthesis of novel mixed-metal clusters of mercury and osmium; crystal and molecular structures of cis-[Os(CO)<sub>4</sub>(μ-Hg)Os<sub>3</sub>- (CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>] and [{Os<sub>3</sub>(CO)<sub>10</sub>(μ-η<sup>2</sup>-CH=CHPh)<sub>2</sub>- (μ<sub>4</sub>-Hg)], 1389

Protonation of trans-[Mo(η<sup>2</sup>-MeCCH)<sub>2</sub>(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>]: mechanism of formation of trans-[MoX(CHCHMe)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>] (X = Cl or Br) or trans-[MoF(CCH<sub>2</sub>Me)(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>], 2479

Phosphorus-carbon bond formation in heterobimetallic molybdenum-tunesten alkune complexes 30449

molybdenum-tungsten alkyne complexes, 3049

VINYLALLENE

Synthesis and reactivity of tungsten vinylallene complexes, 3561

Bis(alkynyl) and alkynyl-vinylidene iron(II) complexes with monodentate phosphite ligands, 1783 Vinylidene complexes of the molybdenum auxiliary Mo(Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)(C<sub>2</sub>H<sub>7</sub>). Structural and spectroscopic investigations on vinylidene ligand orientation, 2873 WATER SOLUBLE

The synthesis of the first examples of water-soluble seven-co-ordinate complexes of tungsten(II), 1525

WITTIG REACTION

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one [Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)], 3093

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one,

[Pd{C<sub>6</sub>H[C(O)CH<sub>3</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)] (1995, 3093), 4131

WITTIG REAGENT

Reaction of a side-on co-ordinated carbene ligand with the Wittig reagent, 3251
X-RAY DIFFRACTION

X-Ray powder structure and Rietveld refinement of γ-zirconium phosphate, Zr(PO<sub>4</sub>)(H<sub>2</sub>PO<sub>4</sub>)-2H<sub>2</sub>O, 111

Iron-57 Mössbauer spectroscopic and X-ray diffraction studies on the mixed-valence state of binuclear ferrocene derivatives with

the mixed-valence state of binuclear ferrocene derivatives with long alkyl substituents, 513

Powder route to crystal structures: X-ray powder diffraction determination of polymeric silver imidazolate, 1671

Synthesis, structural characterisation and Raman spectroscopy of the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: their identification on medieval paintings and manuscripts, 2577

X-RAY POWDER DIFFRACTION

Structure of Ba<sub>3</sub>In<sub>2</sub>O<sub>5</sub>F<sub>2</sub> by combined powder X-ray and neutron diffraction analysis; oxide/fluoride ordering in a Ruddlesden— Popper phase, 3015 XYLENE

Comparison of the reactivity of [2.2]paracyclophane and p-xylene, 4039

YLIDE

Mercury(II) chloride adducts of flexible double betaines: influence of different polymethylene bridges between the quaternary nitrogen atoms, 139 A zwitterionic cluster compound: synthesis and characterisation of

the triphenylphosphoniocyclopentadienide derivative  $[Ru_6C(CO)_{14}(\eta^5\text{-}C_3H_4PPh_3)]$ , 495 Synthesis and structural characterization of methanide silver(t)

complexes. Unprecedented co-ordination of the methanide ligand in [Ag<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>(SPPh<sub>2</sub>CHPPh<sub>2</sub>CHCO<sub>2</sub>Me)]ClO<sub>4</sub>\*4CH<sub>2</sub>Cl<sub>2</sub>,

Cadmium(II) complexes containing a discrete tetrakis(carboxylato)-bridged dimetal core: isomorphous dinitratotetrakis(μ-triphenyl-phosphoniopropionate)dicadmium(II) dinitrate and diperchlorate, and dichlorotetrakis(μ-triphenyl-phosphonio-propionate)dicadmium(II) diperchlorate, 1519

Synthesis and electrochemistry of heterobridged gold(I) and gold(II) complexes of pyridine-2-thiolate. Crystal structures of [Au<sub>2</sub>-{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}-(μ-C<sub>3</sub>H<sub>4</sub>NS)] and [Au<sub>2</sub>{μ-(CH<sub>2</sub>)<sub>2</sub>PPh<sub>2</sub>}-(μ-C<sub>3</sub>H<sub>4</sub>NS)Br<sub>2</sub>], 2245

YLIDE (contd)

Building two-dimensional silver(I) co-ordination polymers with dicarboxylate-like ligands: synthesis and crystal structures of polymeric complexes of silver nitrate and perchlorate with flexible double betaines, 2671

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one

[Pd{C<sub>6</sub>H[C(O)CH<sub>2</sub>]-6-(OMe)<sub>3</sub>-2,3,4}(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)], 3093

The first ligand-assisted stereoselective Wittig reactions. Synthesis and crystal structure of the 3-palladaindan-1-one

 $\begin{array}{l} \textbf{[Pd\{C_6H[C(0)CH_2]\text{-}6\text{-}(OMe)_3\text{-}2,3,4\}(Me_2NCH_2CH_2NMe_2)]}\\ \textbf{(1995, 3093)}, 4131 \end{array}$ 

VTTERBIUM

**TTERBIUM**Synthesis and <sup>171</sup>Yb-{<sup>1</sup>H} nuclear magnetic resonance spectra of the ytterbium(II) aryloxides [Yb(OR<sup>2</sup>)<sub>2</sub>(L)<sub>n</sub>] [(L)<sub>n</sub> = (OE<sup>2</sup>)<sub>2</sub>, (thf)<sub>2</sub>, (thf)<sub>3</sub>, (pyridine)<sub>2</sub> or Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>] and [{Yb( $\mu$ -OR<sup>2</sup>)(X)}<sub>2</sub>] (X = OR<sup>2</sup> or NR<sub>2</sub>) (R<sup>2</sup> = C<sub>6</sub>H<sub>2</sub>Bu<sup>2</sup><sub>2</sub>-2,6-Me-4, R = SiMe<sub>3</sub>, the tetrahydrofuran), 1435

thi = tetranydrofuran, 1435
Reactions of ytterbium(II) amides with various Brønsted acids, CS<sub>2</sub> or LiNR<sub>2</sub>; crystal structures of [[Yb(NR<sub>2</sub>)(µ-OCBu¹<sub>3</sub>)]<sub>2</sub>] and [Yb(OCBu¹<sub>3</sub>)<sub>2</sub>(thf)<sub>2</sub>] (R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 2251
Synthesis and characterisation of ytterbium(II) alkyls, 3933

Synthesis and that acterisation of ytterbulm(ft) arkyls, 5955

YTTERBIUM-171

Synthesis and <sup>171</sup>Yb-{<sup>1</sup>H} nuclear magnetic resonance spectra of the ytterbium(ft) arkyloxides [Yb(OR')<sub>2</sub>(L)<sub>n</sub>] [(L)<sub>n</sub> = (OEt<sub>2</sub>)<sub>2</sub>, (thf')<sub>2</sub>, (thf')<sub>3</sub>, (pyridine)<sub>2</sub> or Me<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>PMe<sub>2</sub>] and [{Yb(μ-OR')(X)}<sub>2</sub>] (X = OR' or NR<sub>2</sub>) (R' = C<sub>6</sub>H<sub>2</sub>Bu<sup>2</sup><sub>2</sub>-2,6-Me-4, R = SiMe<sub>3</sub>, thf = tetrahydrofuran), 1435

YTTRIUM

A novel reaction between physically separated solid reactants,

ZINC

tert-Butylimido compounds of manganese-(VII), -(VI), -(V) and -(II); nitrido, amido, alkyl, zinc and aluminium compounds, 205

Dinuclear zinc(ii) complexes of a Robson macrocycle, 275
Preparation, crystal structure and single-crystal polarized spectra
of bis(1,2,6,7-tetracyano-3,5-dihydro-3,5-diiminopyrrolizinido)zinc(ii)-tetrahydrofuran (1/4), 281
Dinuclear five-co-ordinate zinc complexes bridged by a phosphate

monoester or an inorganic phosphate group, 697
Conversion of hydrogen-bonded manganese(II) and zinc(II) squarate
(C<sub>4</sub>O<sub>4</sub>,<sup>2</sup>) molecules, chains and sheets to three-dimensional cage networks, 727
3-Amino-6,6'-bis(methoxycarbonyl)-2,2'-bipyridine, a model for

the central chelation unit of streptonigrin, 951

Synthesis and characterization of some mixed alkyl-carbamates of zinc or cadmium: crystal structures of [Zn<sub>4</sub>Me<sub>2</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>6</sub>] and [Zn<sub>4</sub>Me<sub>4</sub>(O<sub>2</sub>CNEt<sub>2</sub>)<sub>4</sub>], 1043

Prediction and observation of the structure of the zinc(II) complex of 1,5,9,13-tetraazacyclohexadecane. A crystallographic and molecular mechanics study of the conformations assumed by the macrocycle when complexed with metal ions, 1363 Dinuclear five-co-ordinate zinc complexes bridged by a phosphate

monoester or an inorganic phosphate group (1995, 697), 1393 Molecular zinc oxide and sulfide complexes stabilized by pyrazolylborate ligands, 1915

Synthesis and structure of bis(phosphaallyl) complexes with two-co-ordinate phosphorus, 1951

Polymeric and bimetallic complexes of diisopropyl monothiophosphate, 2369

Octahedral non-helical bis(bipyridyl) metallomacrocycles, 2549 An extended X-ray absorption fine structure (EXAFS) study of mixed molybdenum-tungsten M<sub>3</sub> clusters in Zn<sub>2</sub>Mo<sub>3-x</sub>W<sub>x</sub>O<sub>8</sub> (x = 1, 1.5 or 2), 2555

(x = 1, 1.5 or 2), 2555
Synthesis of phosphinochalcogenoic amidato complexes of zinc and cadmium. The crystal and molecular structure of [Zn{Bu¹<sub>2</sub>P(Se)NPr³<sub>2</sub>], 2813
Complexation properties of 1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7-malonate, -7,16-bis(malonate) and -7,16-bis(α-methylacostric) 2353 acetate), 3353

Hydrolysis of the zinc(II) ion in sodium nitrate, chloride and perchlorate medium: the effect of the anionic medium, 3597

Synthesis and co-ordination chemistry of the pyridyl pendant-arm azamacrocycles 1-(2-pyridylmethyl)-1,5,9-triazacyclododecane L¹ and 1-(2-pyridyl-2²-ethyl)-1,5,9-triazacyclododecane L², with nickel(III), copper(II) and zinc(III). Crystal structures of [Ni(L¹)(O<sub>2</sub>NO)]NO<sub>3</sub> and [ZnL²][Zn(NO<sub>3</sub>)<sub>3,67</sub>Cl<sub>0,33</sub>], 3659

Crystal structures and electron paramagnetic resonance spectra of [Cu{P(C<sub>3</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]Br<sub>2</sub>·8H<sub>2</sub>O and Cu<sup>2+</sup>-doped [Zn{P(C<sub>3</sub>H<sub>4</sub>N)<sub>3</sub>}<sub>2</sub>]-Br<sub>2</sub>·8H<sub>2</sub>O, examples of a dynamic Jahn–Teller effect in two dimensions, 3809

Macrocyclic Cu<sup>II</sup><sub>4</sub> and Cu<sup>II</sup><sub>2</sub>M<sup>II</sup> complexes. Structure of a heterotrinuclear Cu<sup>II</sup><sub>2</sub>Zn<sup>II</sup> complex exhibiting a helical twist,

Polynuclear zinc(11) complexes of phenol-imine and -amine

macrocycles, 3897
ZIRCONIUM

IRCONIUM Complexes incorporating the new tridentate diamide ligand [(Me<sub>3</sub>Si)N{CH<sub>2</sub>CH<sub>2</sub>N(SiMe<sub>3</sub>)}<sub>2</sub>]<sup>2-</sup> (L); the crystal structures of [Zr(BH<sub>4</sub>)<sub>2</sub>L] and [ZrCI|CH(SiMe<sub>3</sub>)<sub>2</sub>], ], 25 X-Ray powder structure and Rietveld refinement of γ-zirconium phosphate, Zr(PO<sub>4</sub>)(H<sub>2</sub>PO<sub>4</sub>)-2H<sub>2</sub>O, 111 Mono(η-cyclopentadienyl)benzamidinato alkyl compounds of titanium and zirconium, 217 Dinuclear zirconium complexes with Me<sub>2</sub>Si(C<sub>3</sub>H<sub>4</sub>)<sub>2</sub> as bridging ligand. Molecular structure of [{Zr(η<sup>2</sup>-C<sub>2</sub>H<sub>3</sub>Bu<sup>1</sup><sub>2</sub>)Me<sup>3</sup><sub>2</sub>(μ-O)-(μ-Me<sub>2</sub>Si(C<sub>3</sub>H<sub>4</sub>), 231

 $\{\mu\text{-Me}_2\text{Si}(C_5H_4)_2\}$ ], 231 Kinetics and mechanism of ligand exchange in tetrakis-(acetylacetonato)zirconium(iv) in organic solvents, 1077

Synthesis and structures of cyclopentadienyl fluoro and chloro complexes of a triad (Ti, Zr, Hf) containing acyclic and cyclic

siloxane building blocks, 2453

ZWITTERION

A zwitterionic cluster compound: synthesis and characterisation of the triphenylphosphoniocyclopentadienide derivative [Ru<sub>6</sub>C(CO)<sub>14</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>PPh<sub>3</sub>)], 495

